SAFETY DATA SHEET	Page : 1 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Wood glue

Product code : 100 ml 250 ml 500 ml 1l 2l 5l

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use
Use of the substance/mixture : Craft glue

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Etablissementen Tobias NV Statiestraat 156A 1570 Tollembeek - BELGIUM T +3254260551 - F +32.54.26.05.52

info@bouhon.net

1.4. Emergency telephone number

Emergency number : +32.54.26.05.51

Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one

and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-

benzisothiazolin-3-one. May produce an allergic reaction.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

SAFETY DATA SHEET	Page : 2 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index) 613-167-00-5	< 0,01	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:

Substance name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	(0,05 ≤C < 100) Skin Sens. 1, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index) 613-167-00-5	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective

equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a

physician. Show this safety data sheet to the doctor in attendance.

Inhalation : Remove casualty to fresh air and keep warm and at rest. In case of doubt or

persistent symptoms, consult always a physician.

SAFETY DATA SHEET	Page : 3 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

Skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of soap

and water. In case of doubt or persistent symptoms, consult always a

physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove

contact lenses, if present and easy to do. Continue rinsing. In case of doubt or

persistent symptoms, consult always a physician.

Ingestion : Rinse mouth thoroughly with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: No adverse effects are expected.Skin contact: May cause an allergic skin reaction.Eyes contact: No adverse effects are expected.Ingestion: No adverse effects are expected.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, Alcohol resistant foam, Carbon dioxide, Dry extinguishing

powder. Sand .

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO2).

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus.

Other information : Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel : Evacuate unnecessary personnel. Provide adequate ventilation. Do not breathe

vapours. Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment. Concerning personal protective equipment to

use, see section 8.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal

are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

SAFETY DATA SHEET	Page : 4 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. After use replace the closing cap immediately. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage. Do not freeze.

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Special rules on packaging

: Containers which are opened should be properly resealed and kept upright to prevent leakage.

Packaging materials

: Keep only in the original container.

7.3. Specific end use(s)

Craft glue.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Austria	MAK (OEL TWA)	0,05 mg/m³ (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-dihydroisothiazol-3-one mixture in ratio 3:1)
Switzerland	MAK (OEL TWA) [1]	0,2 mg/m³ (inhalable dust)

Additional information

: Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

SAFETY DATA SHEET	Page : 5 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit

releases, dispersion and exposure: See Section 7 for information on safe

handling.

Personal protective equipment : The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific

workplace.

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Butyl

caoutchouc (butyl rubber). Breakthrough time: >8h. Thickness of the glove material: >0,3mm. The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.

Eye protection : Use suitable eye protection (EN166): Safety glasses

Body protection : Wear suitable protective clothing

Respiratory protection : Provide adequate ventilation. In case of insufficient ventilation, wear suitable

respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: AX (EN14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-

contained breathing apparatus must be used. (EN 137)

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Do not allow to enter into surface water or drains. Comply with applicable

Community environmental protection legislation. Avoid release to the

environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: White.

Odour : Characteristic.
Odour threshold : No data available

pH : 4-5

Relative evaporation rate (butylacetate=1) : No data available
Melting / freezing point : No data available
Freezing point : No data available

Initial boiling point and boiling range : $\approx 100 \, ^{\circ}\text{C}$

Flash point : No data available : No data available Auto-ignition temperature : No data available Decomposition temperature : Not applicable, liquid Flammability (solid, gas) Vapour pressure : No data available Vapour density : No data available Relative density : ≈ 1,1 g/cm³ (23°C) Solubility : Water: Dispersible

SAFETY DATA SHEET	Page : 6 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

Partition coefficient n-octanol/water : No data available
Kinematic viscosity : No data available
Dynamic viscosity : No data available

Explosive properties : Not applicable. The study does not need to be conducted because there are

no chemical groups associated with explosive properties present in the

molecule.

Oxidising properties : Not applicable. The classification procedure needs not to be applied because

there are no chemical groups present in the molecule which are associated

with oxidising properties.

Explosive limits : No data available Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Do not freeze. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section 7 for information on safe handling.

10.5. Incompatible materials

oxidising substances . Acids . See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SAFETY DATA SHEET	Page : 7 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LD50/oral/rat	53 mg/kg	
LD50/dermal/rabbit	87,12 mg/kg	
1,2-benzisothiazol-3(2H)-one; 1,2-be	nzisothiazolin-3-one (2634-33-5)	
LD50/oral/rat	1020 mg/kg	
LD50/dermal/rat	> 2000 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)	
	pH: 4 – 5	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)	
	pH: 4 – 5	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
Wood glue		
Kinematic viscosity	No data available	

Other information

: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2 Other information

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties

: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the

environment".

Hazardous to the aquatic environment, short-term (acute)

: Not classified

SAFETY DATA SHEET	Page : 8 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

Hazardous to the aquatic environment,

long-term (chronic)

: Not classified

12.2. Persistence and degradability

Wood glue	
Persistence and degradability	No additional information available.

12.3. Bioaccumulative potential

Wood glue		
Partition coefficient n-octanol/water	No data available	
Bioaccumulative potential	No additional information available.	

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
Partition coefficient n-octanol/water	1,3 (at 25 °C)	

12.4. Mobility in soil

Wood glue		
Mobility in soil	No data available	
Surface tension	No data available	

12.5. Results of PBT and vPvB assessment

Wood glue	
Results of PBT assessment	Not applicable

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: Not applicable

12.7. Other adverse effects

Other adverse effects : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

SAFETY DATA SHEET	Page : 9 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)

: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

The following Waste Codes are only suggestions:

 $08\ 04\ 10$ - waste adhesives and sealants other than those mentioned in $08\ 04$ 09,

150110 - packaging containing residues of or contaminated by dangerous substances .

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper ship	ping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport haza	rd class(es)			<u> </u>		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable						

14.6. Special precautions for user

Special precautions for user : Not applicable

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

SAFETY DATA SHEET	Page: 10 / 13 Revision nr: 3.0 Issue date: 08/03/2022
Wood glue	Supersedes : 04/08/2016

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex

1)

Risk classification according to VbF : Not applicable

German storage class (LGK) : LGK 12 - Non-combustible liquids

Hazardous Incident Ordinance (12. : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

BImSchV)

Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende : None of the components are listed

stoffen

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen - : None of the components are listed

Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen – : None c

Ontwikkeling

: None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Safety datasheet sections which have been updated: 1-2-3-15-16.

2.3	ED text	Added	
3	Composition/informat	Modified	

SAFETY DATA SHEET	Page: 11 / 13 Revision nr: 3.0 Issue date: 08/03/2022
Wood glue	Supersedes : 04/08/2016

ion on ingredients	
Hygiene measures	Modified
Heat and ignition sources	Added
Special rules on packaging	Added
Information with regard to physical hazard classes	Added
Other safety characteristics	Added
Adverse health effects caused by endocrine disrupting properties	Added
Adverse effects on the environment caused by endocrine disrupting properties	Added
Maritime transport in bulk according to IMO instruments	Modified
Installations classées	Added
Water hazard class (WGK)	Modified
Waterbezwaarlijkheid	Modified
	Hygiene measures Heat and ignition sources Special rules on packaging Information with regard to physical hazard classes Other safety characteristics Adverse health effects caused by endocrine disrupting properties Adverse effects on the environment caused by endocrine disrupting properties Maritime transport in bulk according to IMO instruments Installations classées Water hazard class (WGK)

Abbreviations and acronyms:

ADDIOVIAN	one and actoriyins.
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du
	Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	EC50 = Median Effective Concentration
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	NA = Not applicable
	TLV = Threshold limits
	TWA = time weighted average
	STEL = Short term exposure limit
	persistent, bioaccumulating and toxic (PBT).
	vPvB = very persistent and very bioaccumulating
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
	non-hazardous to water (nwg)
	ABM = Algemene beoordelingsmethodiek
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LL50 = Median lethal level
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level

SAFETY DATA SHEET	Page: 12 / 13 Revision nr: 3.0 Issue date: 08/03/2022
Wood glue	Supersedes : 04/08/2016

NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
VOC = Volatile organic compounds

datasheet

Sources of key data used to compile the : Manufacturer/Supplier. ECHA (European Chemicals Agency). Supplier

information. LOLI.

Other information

: Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

SAFETY DATA SHEET	Page : 13 / 13
	Revision nr : 3.0
	Issue date : 08/03/2022
Wood glue	Supersedes : 04/08/2016

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.