







ULTRA-ROBUST. DRAINAGE MATS.

Heavy-duty modular tile system engineered for wet and oily industrial environments, configurable in any layout.

- Compression dome surface for ergonomic support.
- Open drainage design allows liquids to flow through easily and improves airflow.

Cushioning
Pressure Distribution
Bounce-Back
Top Surface Grip
Floor Grip

Medium
Ultimate
Ultimate
High
High



Recommended Use

For harsh wet and oily environments with regular exposure to industrial fluids.

Ergonomic Guidance

- For prolonged standing up to full shifts.
- Suitable for all user sizes.

Available Configurations

- 46 cm × 46 cm modular tiles, extendable and reconfigurable.
- Yellow and black safety ramps available.
- Fully connectable with other H-Series.

Lifetime Warranty Against Manufacturer Defects



IN PARTNERSHIP WITH ergo**advantage**

TECHNICAL SPECIFICATIONS

Material	100% Recycled PVC
Fire Rating	Cfl – s2
Antislip Rating	R10
Max Load Capacity	1 t/m ² point load - recommended maximum rolling load: 300 kg
Moisture Resistance	High
Oil Resistance	High
Chemical Resistance	High
Recyclable	Yes
REACH	Yes
Phthalate-Free	Yes

INSTALLATION & MAINTENANCE

Prepare your surface: Floor must be clean, dry, and free of dust or grease.

Place your mat: Connect the tiles together to create the desired area.

Routine cleaning: Sweep or hose down to remove dust, debris and residues.


Deep cleaning: Clean with a pH-neutral floor cleaner and non-abrasive tools; rinse thoroughly to remove residue. Avoid harsh chemicals and abrasive pads that can fill the anti-slip texture or compromise traction.

Available Options - H2 Series



Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
H2T4646CDBL	46 cm x 46 cm	2.2 kg	2.5 cm	Open Compression Dome	Black
H2K0033CDBY	112 cm x 112 cm	15 kg	2.5 cm	Open Compression Dome	Black
H2K0035CDBY	158 cm x 112 cm	21 kg	2.5 cm	Open Compression Dome	Black
H2K0038CDBY	249 cm x 112 cm	30 kg	2.5 cm	Open Compression Dome	Black

Yellow Safety Ramps



Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
HRF1046CDYL	Female 46 cm x 10 cm (regular)	0.54 kg	2.5 cm	Compression Dome	Yellow
HRF1055CDYL	Female 55 cm x 10 cm (with corner)	0.68 kg	2.5 cm	Compression Dome	Yellow
HRM1046CDYL	Male 46 cm x 10 cm (regular)	0.64 kg	2.5 cm	Compression Dome	Yellow
HRM1055CDYL	Male 55 cm x 10 cm (with corner)	0.73 kg	2.5 cm	Compression Dome	Yellow

Black Safety Ramps



Article Number	Dimensions	Weight (kg)	Thickness	Top Surface	Color
HRF1046CDBL	Female 46 cm x 10 cm (regular)	0.54 kg	2.5 cm	Compression Dome	Black
HRF1055CDBL	Female 55 cm x 10 cm (with corner)	0.68 kg	2.5 cm	Compression Dome	Black
HRM1046CDBL	Male 46 cm x 10 cm (regular)	0.64 kg	2.5 cm	Compression Dome	Black
HRM1055CDBL	Male 55 cm x 10 cm (with corner)	0.73 kg	2.5 cm	Compression Dome	Black