

AN211200CDD



2-M DOUBLE ROPE ENERGY ABSORBER FALL ARRESTER + 2 AM022 + 1 AM002

Ref. AN211200CDD_



Product specifications

Fall arrester with energy absorber in stranded rope (Y) Ø 12 mm. Thimble loops.

Rope: Polyamide.

Absorber: Polyester.

Carabiner and hook: galvanized steel.

COLOUR

White

SIZE

2 m

Product Use - Risks



Fall



Construction / Civil engineering



Second work / craftman



Light industry



Services / Logistics



Wind energy



Vertical movement on a permanent structure



Short vertical movement or movement

on inclined surface (less than 3 m)



Short horizontal movement (less than 3 m)



Long

movement with multi connection / disconnection



Movement on lifeline

Product's highlights & user's benefits



AM002

x 1



AM022

x 2

Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN355 Personal fall protection equipment - Energy absorbers.

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

References	Bar code	COLOUR	SIZE		
AN211200CDD	3295249183240	White	2 m	5	-