

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98

Revision: 09.03.2017

SECTION 1: Identification of the substance/mixture and of the company/legal entity

- **1.1 Product identifier**
- **Trade name** tesa Alleskleber / All purpose glue
- **Article number:** tesa 8652, tesa 8653, tesa 8655, tesa 8658, tesa 8659
tesa 57007, tesa 57012, tesa 57013, tesa 57015, tesa 57016
tesa 57507 tesa 57852 tesa 57586
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Adhesives
- **Manufacturer/Supplier:** tesa SE Tel.: +49-40-88899-101
Hugo-Kirchberg-Strasse 1
D-22848 Norderstedt
Germany
- **Informing department:** tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm
Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977
tesa SE, quality management/environment/occupational safety, Dr. Anja Koeth
Anja.Koeth@tesa.com, Tel.: +49-40-88899-3938
- **1.4 Emergency telephone number:** tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt
Security Center Phone +49-40-88899-0
or +49-40-88899-9111

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Flam. Liq. 2 H225 Highly flammable liquid and vapour.


 Eye Irrit. 2 H319 Causes serious eye irritation.
 STOT SE 3 H336 May cause drowsiness or dizziness.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
- **Hazard pictograms**

The product is classified and labelled according to the CLP regulation.



GHS02 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:** acetone
- **Hazard statements** H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- **Precautionary statements** P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98

Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 1)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** The preparation contains no eluatable organic halogene compounds, which increases the AOX values
- **Results of PBT and vPvB assessment**
- **PBT:** Not classified
- **vPvB:** Not classified

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Solution of Polyvinylacetate in:
Solution of Polyvinylacetate

- **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2 Reg.nr.: 01-2119471330-49-XXXX	acetone	⚠ Flam. Liq. 2, H225 ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	< 50.0%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	ethanol	⚠ Flam. Liq. 2, H225	< 25.0%

- **SVHC** Free of any SVHC substances or < 0.1 %
- **Regulation (EC) No 648/2004 on detergents / Labelling for contents** not applicable
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air; consult physician in case of symptoms.
- **After skin contact** Rinse with warm water.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** In case of persistent symptoms consult physician.
- **4.2 Most important symptoms and effects, both acute and delayed** Dazedness
- **Danger** Condition may deteriorate with alcohol consumption.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** Can be released in case of fire:
Nitrogen oxide (NO_x)
Carbon monoxide (CO)

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98


Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue


(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
Put on breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - Ensure adequate ventilation
 - Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
 -  Prevent material from reaching sewage system, holes and cellars.
 - Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:**
 - Apply absorbing material (sand, diatomite, acid binders, universal binders, sawdust).
 - Ensure adequate ventilation.
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Ensure that suitable extractors are available on processing machines
- **Information about protection against explosions and fires:**
 -  Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:**
 - Store in cool location.
 - **Information about storage in one common storage facility:**
 - Not required.
 - **Further information about storage conditions:**
 - Storing flammable liquids the National regulations have to be fulfilled!
 - Keep container tightly sealed.
 - Store in cool, dry conditions in well sealed containers.
- **7.3 Specific end use(s)**
 - No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**
 - No further data; see item 7.
- **8.1 Control parameters**

Components with critical values that require monitoring at the workplace:	
67-64-1 acetone	
WEL	Short-term value: 3620 mg/m ³ , 1500 ppm Long-term value: 1210 mg/m ³ , 500 ppm
64-17-5 ethanol	
WEL	Long-term value: 1920 mg/m ³ , 1000 ppm

- **Additional information:**
 - The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98

Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 3)

- **8.2 Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
- The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any contaminated garments.
Wash hands before breaks and at the end of the work.
Avoid contact with the eyes.
- **Breathing equipment:** Use respiratory protection in case of insufficient ventilation.
 - **Protection of hands:** Not required.
 - **Eye protection:** Safety glasses recommended during refilling.
 - **Body protection:** Not necessary at proper use
Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form: Liquid
 - Colour: Transparent
 - Smell: Acetone-like
- **Change in condition**
 - Melting point/freezing point: Not determined
 - Initial boiling point and boiling range: 55 °C
- **Flash point:** -19 °C
- **Ignition temperature:** 425 °C
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/steam mixtures is possible.
- **Critical values for explosion:**
 - Lower: 2.6 Vol %
 - Upper: 15.0 Vol %
- **Steam pressure at 20 °C:** 247 hPa
- **Density at 20 °C** 0.91 g/cm³
- **Solubility in / Miscibility with**
 - Water: Soluble
- **Viscosity:**
 - dynamic at 20 °C: 6.000 mPas
 - kinematic: Not determined.
- **Solvent content:**
 - Organic solvents: 62.5 %
 - Water: 5.0 %
- **Solids content:** 25.0 %
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98

Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 4)

- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information


- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

* SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:** Free of heavy metals (Pb, Cd, Hg, Cr6+)
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue (recommendation)**

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
-----------	--

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98



Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 5)

- **Additional information about the European waste catalogue:** The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.
- **Uncleaned packagings:**
- **Recommendation:** Disposal according to official regulations.
empty bottle totaly
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.
Acetone
iso-Propanole
Ethanole

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1133
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1133 ADHESIVES, (vapour pressure at 50 °C not more than 110 kPa) ADHESIVES
· 14.3 Transport hazard class(es) · ADR	
	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Page: · EMS Number: · Stowage Category	Warning: Flammable liquids. 33 F-E,S-D B
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.03.2017

Version number 98

Revision: 09.03.2017

Trade name tesa Alleskleber / All purpose glue

(Contd. of page 6)

· Transport category	2
· Tunnel restriction code	D/E
<hr/>	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1133 ADHESIVES (VAPOUR PRESSURE AT 50 °C NOT MORE THAN 110 KPA), 3, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I
None of the ingredients is listed.
- Seveso category
P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements
5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements
50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII
Conditions of restriction: 3
- National regulations
- Technical instructions (air):

Class	Share in %
III	62.7
- Water hazard class:
Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- Department issuing data specification sheet:
tesa SE, Quality Management/Environment/Safety
- Contact:
tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com
tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com
- Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- * Data compared to the previous version altered.