SAFETY DATA SHEET	Page : 1 / 13
	Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

1.1. Product identifier	
Product form	: Mixture
Trade name	: Varnish glue
Product code	: 100ml 250ml 500ml 1l 2l 5l
Product group	: Trade product
1.2. Relevant identified uses of	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Craft glue

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Etablissementen Tobias NV Statiestraat 156A 1570 Tollembeek - BELGIUM T +3254260551 - F +32.54.26.05.52 info@bouhon.net

1.4. Emergency telephone number

Emergency number

: +32.54.26.05.51 Only available during office hours.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases

- : EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2benzisothiazolin-3-one. May produce an allergic reaction.
- Child-resistant fastening : Not applicable

Tactile warning

: Not applicable

SAFETY DATA SHEET	Page : 2 / 13 Revision nr : 4.0 Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

2.3. Other hazards

Other hazards

: Results of PBT and vPvB assessment : Not applicable.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index) 613-167-00-5	< 0,01	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:

Substance name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index) 613-088-00-6	(0,05 ≤C < 100) Skin Sens. 1, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5;911-418-6 (EC Index) 613-167-00-5	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.

	SAFETY DATA SHEET	Page : 3 / 13
	•••••••••••••••	Revision nr : 4.0
		Issue date : 08/03/2022
	Varnish glue	Supersedes : 04/08/2016
Skin contact	: Remove contaminated clothing and shoes.	Gently wash with plenty of soap

Skin contact	and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Get medical advice/attention.
4.2. Most important symptoms and	l effects, both acute and delayed
4.2. Most important symptoms and Inhalation	l effects, both acute and delayed : No adverse effects are expected.
	-
Inhalation	: No adverse effects are expected.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards	: Not flammable. Burning produces heavy smoke.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Thermal decomposition can lead to the escape of irritating gases and vapours.
5.3. Advice for firefighters	
Firefighting instructions	: Evacuate area. Prevent fire fighting water from entering the environment. Do not inhale explosion and combustion gases.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self- contained breathing apparatus.
Other information	: Dispose of waste in accordance with environmental legislation.
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
For non-emergency personnel	: Evacuate unnecessary personnel. Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8.
6.1.2. For emergency responders	
For emergency responders	: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

SAFETY DATA SHEET	Page : 4 / 13
	Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

6.3. Methods and material for containment and cleaning up

Methods for cleaning up
 Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. After use replace the closing cap immediately.
Hygiene measures	: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage conditions	: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage. Do not freeze.
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Special rules on packaging	: Containers which are opened should be properly resealed and kept upright to prevent leakage.
Packaging materials	: Keep only in the original container.
7.3. Specific end use(s) Craft glue.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Austria	ustria MAK (OEL TWA) 0,05 mg/m³ (5-Chloro-2-methyl-2,3- dihydroisothiazol-3-one and 2-methyl-2,3- dihydroisothiazol-3-one mixture in ratio 3:1	
Switzerland	MAK (OEL TWA) [1]	0,2 mg/m³ (inhalable dust)

Additional information

: Recommended monitoring procedures :. Room air monitoring

	SAFETY DATA SHEET	Page : 5 / 13
	Revision nr : 4.0	
		Issue date : 08/03/2022
	Varnish glue	Supersedes : 04/08/2016

	. Provide adamsets contilation. Our arisetic sel as a survey to many set (liseit
Engineering measure(s)	 Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure : See Section 7 for information on safe handling.
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Butyl caoutchouc (butyl rubber). Breakthrough time : >8h. Thickness of the glove material: >0,3mm. The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Eye protection	: Use suitable eye protection (EN166): Safety glasses
Body protection	: Wear suitable protective clothing
Respiratory protection	: Provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: AX (EN14387). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	 Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation. Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: White.	
Odour	: Characteristic.	
Odour threshold	: No data available	
рН	: 6 – 8	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting / freezing point	: No data available	
Freezing point	: No data available	
Initial boiling point and boiling range	: ≈ 100 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable,liquid	
Vapour pressure	: No data available	
Vapour density	: No data available	
Relative density	: ≈ 1,1 g/cm³ (23°C)	
Solubility	: Water: Dispersible	

	SAFETY DATA SHEET	Page : 6 / 13	
		Revision nr : 4.0	
		Issue date : 08/03/2022	
	Varnish glue	Supersedes : 04/08/2016	
Partition coefficient n-octanol/water	: No data available		
Kinematic viscosity	: No data available		
Dynamic viscosity	: No data available		
Explosive properties	 Not applicable. The study does not need no chemical groups associated with expl molecule. 		
Oxidising properties	Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.		
Explosive limits	: No data available		
Particle size	: Not applicable		
Particle size distribution	: Not applicable		
Particle shape	: Not applicable		
Particle aspect ratio	: Not applicable		

: Not applicable

: Not applicable

: Not applicable

: Not applicable

9.2.1. Information with regard to physical hazard classes

Particle aggregation state

Particle dustiness

Particle agglomeration state

Particle specific surface area

9.2. Other information

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Do not freeze. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section 7 for information on safe handling.

10.5. Incompatible materials

oxidising substances . Acids . See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SAFETY DATA SHEET	Page : 7 / 13 Revision nr : 4.0 Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

SECTION 11: Toxicological information

short-term (acute)

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
LD50/oral/rat	1020 mg/kg	
LD50/dermal/rat	> 2000 mg/kg	
reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50/oral/rat	53 mg/kg	
LD50/dermal/rabbit	87,12 mg/kg	
Skin corrosion/irritation	 Not classified (Based on available data, the classification criteria are not met) pH: 6 – 8 	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6 – 8	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)	
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)	
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)	
Varnish glue		
Kinematic viscosity	No data available	
Other information	: Symptoms related to the physical, chemical and toxicological characteristics.	

11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
11.2.2 Other information	
Other information	: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4
SECTION 12: Ecological information	
<u>12.1. Toxicity</u>	
Environmental properties	 According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Hazardous to the aquatic environment,	: Not classified

For further information see section 4.

SAFETY DATA SHEET	Page : 8 / 13 Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

Hazardous to the aquatic environment, : Not classified long-term (chronic)

12.2. Persistence and degradability

Varnish glue	
Persistence and degradability	No additional information available.

12.3. Bioaccumulative potential

Varnish glue		
Partition coefficient n-octanol/water	No data available	
Bioaccumulative potential	No additional information available.	

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)	
Partition coefficient n-octanol/water	1,3 (at 25 °C)

12.4. Mobility in soil

Varnish glue	
Mobility in soil	No data available
Surface tension	No data available

12.5. Results of PBT and vPvB assessment

Varnish glue	
Results of PBT assessment	Not applicable

12.6. Endocrine disrupting properties

Adverse effects on the environment	: Not applicable
caused by endocrine disrupting properties	

12.7. Other adverse effects

Other adverse effects

: No data available

SECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is

materials in accordance with current regulations.

preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated

SAFETY DATA SHEET	Page : 9 / 13
	Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities
The following Waste Codes are only suggestions:
08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09,
15 01 10* - packaging containing residues of or contaminated by dangerous

15 01 10* - packaging containing residues of or contaminated by dangerous substances .

SECTION 14: Transport information

In accordance with	ADR / RID / IMDG / IATA /	ADN		
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	<u>r</u>			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	·	Not applicable	•	•

14.6. Special precautions for user

Special precautions for user : Not applicable

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

SAFETY DATA SHEET	Page : 10 / 13 Revision nr : 4.0 Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

	Installations classées			
No ICPE	Désignation de la rubrie	Code Régime	Rayon	
na	Not Applicable		na	na
Germany				
Regulatory refe	erence	: WGK 1, Slightly hazardous to water (Classification a 1)	according to Aw	/SV, Annex
Risk classificat	ion according to VbF	: Not applicable		
German storag	je class (LGK)	: LGK 12 - Non-combustible liquids		
Hazardous Incident Ordinance (12. BImSchV)		: Is not subject of the 12. BImSchV (Hazardous Incide	ent Ordinance)	
Netherlands				
Waterbezwaar	lijkheid	: B (4) - Weinig schadelijk voor in het water levende organismen		
SZW-lijst van kankerverwekkende stoffen		: None of the components are listed		
SZW-lijst van mutagene stoffen		: None of the components are listed		
SZW-lijst van r Borstvoeding	eprotoxische stoffen –	: None of the components are listed		
SZW-lijst van r Vruchtbaarheid	eprotoxische stoffen – d	: None of the components are listed		
SZW-lijst van r Ontwikkeling	eprotoxische stoffen –	: None of the components are listed		

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Safety datasheet sections which have been u	ıpdated : 1-2-3-4-15-16.		
2.3	ED text	Added	
3	Composition/informat	Modified	

SAFETY DATA SHEET	Page : 11 / 13
	Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

	ion on ingredients	
5.2	Hazardous decomposition products in case of fire	Added
7.1	Hygiene measures	Modified
7.2	Heat and ignition sources	Added
7.2	Special rules on packaging	Added
9.2	Information with regard to physical hazard classes	Added
9.2	Mechanical sensitivity	Added
11.2	Adverse health effects caused by endocrine disrupting properties	Added
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added
14.7	Maritime transport in bulk according to IMO instruments	Added
15.1	Installations classées	Added
15.1	Waterbezwaarlijkheid	Modified

Abbreviations and acronyms:

ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du
Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
EC50 = Median Effective Concentration
LC50 = Median lethal concentration
LD50 = Median lethal dose
NA = Not applicable
TLV = Threshold limits
TWA = time weighted average
STEL = Short term exposure limit
persistent, bioaccumulating and toxic (PBT).
vPvB = very persistent and very bioaccumulating
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)
non-hazardous to water (nwg)
ABM = Algemene beoordelingsmethodiek
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LL50 = Median lethal level
NOEC = No observed effect concentration

SAFETY DATA SHEET	Page : 12 / 13 Revision nr : 4.0
	Issue date : 08/03/2022
Varnish glue	Supersedes : 04/08/2016

NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
VOC = Volatile organic compounds

Sources of key data used to compile the : Manufacturer/Supplier. ECHA (European Chemicals Agency). Supplier datasheet

Other information

: Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

	SAFETY DATA SHEET	Page : 13 / 13
		Revision nr : 4.0
		Issue date : 08/03/2022
	Varnish glue	Supersedes : 04/08/2016

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.