SAFETY DATA SHEET

Version #: 12

Issue date: 28-Dec-2021 Revision date: 11-Aug-2023 Supersedes date: 09-Jun-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Registration number

Trade name or designation

CC640Series

of the mixture

Synonyms

None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Belgium BVBA

Hermeslaan 1B, Floor B1

Diegem
Belgium 1831

Telephone +32 2 620 1600

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

 (Toll-free within the US)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Email:
 sustainability@hp.com

 1.4 Emergency telephone
 +1 760 476 3961

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Material name: CC640Series SDS BELGIUM

Supplemental label information Contains Benzisothiazolinone. May produce an allergic reaction.

2.3. Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation.

Endocrine disrupting properties (Toxicity/Ecotoxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate levels.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-pyrrolidone	<3.0	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classifica	ation: Eye Irrit. 2;F	H319, Repr. 1B;H36	0		
1,2-Benzisothiazolin-3-one (Benzisothiazolinone)	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classifica	2;H315, Eye		ng/kg), Acute Tox. 2;H330, S n Sens. 1A;H317, Aquatic Ac 2;H411		
Composition comments	his ink supply cor	ntains an aqueous ir	k formulation.		

Carbon black is present only in a bound form in this preparation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, dry chemical, or foam

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Material name: CC640Series SDS BELGIUM

Special fire fighting

procedures

Not available.

None established. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

Avoid contact with skin, eyes and clothing.

handling

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Not available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limits noted for ingredient(s). Occupational exposure limits

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring

procedures

Not available.

Derived no effect levels (DNELs)

General population

Components	Value	Assessment factor Notes
2-pyrrolidone (CAS 616-45-5)		
Long-term, Systemic, Dermal Long-term, Systemic, Inhalation Long-term, Systemic, Oral Short-term, Systemic, Dermal Short-term, Systemic, Oral	6 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 167 mg/kg bw/d 33.3 mg/kg bw/d	10
<u>Workers</u>		
Components	Value	Assessment factor Notes
2-pyrrolidone (CAS 616-45-5)		

2-pyrrolidone (CAS 616-45-5) 10 mg/kg bw/d Long-term, Systemic, Dermal 57.8 mg/m3 Long-term, Systemic, Inhalation

277 mg/kg bw/d Short-term, Systemic, Dermal

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor Notes	
2-pyrrolidone (CAS 616-45-5)			
Freshwater	0.5 mg/l		
Intermittent releases	0.5 mg/l		
Marine water	0.05 mg/l		
Sediment (freshwater)	0.4205 mg/kg		
Sewage Treatment Plant	10 mg/l		
Soil	0.0612 mg/kg		

6

Exposure guidelines Exposure limits have not been established for this product.

8.2. Exposure controls

Use in a well ventilated area. Appropriate engineering

controls

Individual protection measures, such as personal protective equipment

General information Not available. Eye/face protection Not available.

Skin protection

Material name: CC640Series SDS BELGIUM

- Hand protection Not available.

- Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.FormLiquid.ColorBlack.

Odor Not available.

Melting point/freezing point Not available.

Boiling point or initial boiling Not determined

point and boiling range

Flammability Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined

Flash point >230.0 °F (>110.0 °C)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.pH7.5 - 8.2Kinematic viscosityNot available.

Solubility

Solubility (water) Soluble in water

Partition coefficient Not available.

(n-octanol/water) (log value)

Vapor pressure Not determined

Density and/or relative density

Density1.04 kg/m3Relative vapor densityNot available.Particle characteristicsNot available.Explosive propertiesNot available.Oxidizing propertiesNot determined

9.2. Other information

9.2.1. Information with regard No relevant additional information available. **to physical hazard classes**

9.2.2. Other safety characteristics

Evaporation rate Not determined

Percent volatile 1.35 % estimated

Viscosity 2 cp **VOC** <147 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

Material name: CC640Series SDS BELGIUM

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms Not available.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicityBased on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Serious eye damage/eye

eye

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation
Respiratory sensitization

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Carcinogenicity

Skin sensitization

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Reproductive toxicity

Based on available data, the classification criteria are not met.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

11.2. Information on other hazards

Endocrine disrupting

properties

(Toxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate

levels.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

CC640Series

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Material name: CC640Series SDS BELGIUM

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

2-pyrrolidone -0.85

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Endocrine disrupting

properties

(Ecotoxicity): This mixture does not contain known components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels above possible trace contaminate

levels.

12.7. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping

name

Not Regulated

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

Hazard No. (ADR) Not assigned.
Tunnel restriction code
14.4. Packing group Not assigned.

14.5. Environmental hazards No

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not Regulated

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk -

14.4. Packing group Not assigned.

14.5. Environmental hazards No

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods.

Material name: CC640Series SDS BELGIUM

14.2. UN proper shipping Not Regulated

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant

No

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not available.

according to IMO instruments

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

HP complies with chemical regulatory requirements in chemical substance notification laws, where applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AICIS), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC) and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability and Compliance Center (sustainability@hp.com).

Material name: CC640Series SDS BELGIUM

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

15.2. Chemical safety assessment

Not available

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

The information in this document is based on the present state of our knowledge, including but not limited to the data present in the registrations of the ingredients, it does not purport to be all-inclusive and shall be used only as a guide.

This Safety Data Sheet is in compliance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending REACH Annex II.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Revision information Training information

None.

Disclaimer

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CC640Series SDS BELGIUM

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

Acute Tox. Acute toxicity

Aquatic Acute Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard **Aquatic Chronic**

Aspiration hazard Asp. Tox. Carcinogenicity Carc.

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

Eve Dam. Serious eye damage

Eye Irritation Eye Irrit. Flammable liquids Flam. Liq. Flam. Sol. Flammable solids

Lact. Effects on or via lactation Germ cell mutagenicity Muta.

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA**

Ox. Liq. Oxidising liquids

Ozone Hazardous to the ozone layer **PEL** Permissible Exposure Limit Press. Gas Gases under pressure

RCRA

Resource Conservation and Recovery Act

REC Recommended

Recommended Exposure Limit **REL**

Repr. Reproductive toxicity Resp. Sens. Respiratory sensitization

Superfund Amendments and Reauthorization Act of 1986 **SARA**

Skin Corr. Skin corrosion Skin Irrit. Skin irritation Skin Sens. Skin sensitization

STEL Short-Term Exposure Limit

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure **TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

Toxic Substances Control Act **TSCA**

Material name: CC640Series SDS BELGIUM

Safe Use of Mixtures Information (SUMI)

Water Based Ink: WB02 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS

Maximum duration	Up to 8 hours per day.
Frequency of exposure	< 240 days per year.
Physical state	Liquid.
Process conditions	Covers use at ambient temperatures.
	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures (RMM's) in place are being correctly used and Operational

Risk management measures

Operational conditions

Conditions and measures related
Personal Protection Equipment
(PPE), hygiene and health
evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection. Eye wash station and emergency showers are recommended.

Avoid breathing mist/vapours.

Conditions (OC's) followed.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.







Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.


Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature. Environmental measures



Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites.

PW-Widespread use by professional workers.

SU7-Printing and reproduction media.

PC18-Inks and Toners.

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.

PROC28 - Manual maintenance (cleaning and repair) of machinery.

ERC5-Use at industrial site leading to inclusion into/onto article.

ERC8c-Widespread use leading to inclusion into/onto article (indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable



