

**Product Datasheet model i-3 9190 281**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

**Product  
characteristics**

- fashionable, 3-component safety spectacles with innovative features
- 100% metal-free
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- adjustable nose loops prevent complications caused by the spectacles slipping
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metalfree hinged side arms (3-component technology) for high wearer comfort and to avoid pressure points

**Technical details****Frame**

Material  
Features  
Colour

**Front piece/Temple**

TPU/TPE  
variable inclination, individually adjustable  
black-light grey

Manufacturer's ID  
code  
Applicable EN norm  
Impact resistance  
Resistance to high  
speed particles at  
extremes of temp.  
Conformity symbol

**Marking**

W  
  
166  
F (45 m/s)  
T  
  
CE

**Lens**

Material  
Thickness  
Coating  
Colour

PC  
2,2 mm  
uvex supravision excellence  
grey

Filter  
Manufacturer's ID  
code  
Optical class  
Impact resistance  
Resistance to high  
speed particles at  
extremes of  
temperat.  
Surface resistance to  
fine particles  
Antifog  
Conformity symbol

**Marking**

5-2,5 (DIN EN 172)  
W  
  
1  
F (45 m/s)  
T  
  
K  
  
N  
CE

**Miscellaneous**

Weight

30 g

Packing

5 spectacles per box

Standards

160 spectacles per cardboard box

DIN EN 166 + DIN EN 172