


# Product Data Sheet

## MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup> 42-874

|                         |                                        |
|-------------------------|----------------------------------------|
| <b>Colour – Coating</b> | Black                                  |
| <b>Colour – Liner</b>   | Grey                                   |
| <b>Design</b>           | Palm coated                            |
| <b>Coating Material</b> | NBR (Nitrile Butadiene Rubber)         |
| <b>Liner type</b>       | Seamless nylon with Lycra <sup>®</sup> |



### Dimensions

| Size Range                   | Size 5<br>(XXS) | Size 6<br>(XS) | Size 7<br>(S) | Size 8 (M) | Size 9<br>(L) | Size 10<br>(XL) | Size 11<br>(XXL) | Size 12<br>(XXXL) |
|------------------------------|-----------------|----------------|---------------|------------|---------------|-----------------|------------------|-------------------|
| Total glove length (+/-5 mm) | 185             | 195            | 205           | 215        | 220           | 225             | 230              | 240               |
| Wrist length (mm)            | 55              | 60             | 65            | 65         | 70            | 70              | 70               | 75                |
| Wrist width (mm)             | 65              | 65             | 65            | 70         | 75            | 75              | 80               | 80                |
| Palm width (mm)              | 75              | 80             | 82            | 87         | 94            | 97              | 100              | 105               |
| Over lock colour             | Purple          | Blue           | Red           | Orange     | White         | Yellow          | Black            | Green             |

### EN test Results

| Test                                          | Notified Body | Result/Pass |
|-----------------------------------------------|---------------|-------------|
| EN 420: 2003 + A1: 2009                       | SATRA         | Yes         |
| EN 388: 2003                                  | SATRA         | 4131        |
| EN 374-3: 2003                                |               | -           |
| EN 374-2: 2003                                |               | -           |
| EN 407: 2004                                  |               | -           |
| EN 511: 2006                                  |               | -           |
| EN 10819                                      |               | -           |
| 1935/2004/EC (food contact within EU)         |               | -           |
| FDA section 177.2600 (food contact within US) |               | Passed      |
| EN 14362-2: 2003                              |               | Passed      |



# Product Data Sheet

## MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup> 42-874

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".

### Typical Performance Values

|                                    |                                |
|------------------------------------|--------------------------------|
| EN 420 Dexterity                   | Level 5                        |
| EN 420 pH value                    | 6.90                           |
| EN 388:2003 A. Abrasion Resistance | > 8000 Cycles                  |
| EN 388:2003 B. Cut Resistance      | > 1.2 index                    |
| EN 388:2003 C. Tear Resistance     | > 50 newtons                   |
| EN 388:2003 D. Puncture Resistance | > 20 newtons                   |
| EN 14362-2:2003 Azo Colourants     | No amines detected (<30'mg/kg) |

### HandCare<sup>®</sup>

|                                                  |           |
|--------------------------------------------------|-----------|
| Skin Health Alliance Dermatologically Accredited | Yes       |
| REACH compliant                                  | Yes       |
| Oeko-Tex <sup>®</sup> 100                        | Certified |
| Sanitized <sup>®</sup>                           | Yes       |



### Special features

|               |     |
|---------------|-----|
| Silicone free | Yes |
|---------------|-----|



# Product Data Sheet

## MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup> 42-874

### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Poly bags per carton   | 12              |
| Carton count           | 144             |
| Carton dimensions (mm) | 500 x 295 x 270 |

### Weight

| Size Range                         | Size 5<br>(XXS) | Size 6<br>(XS) | Size 7<br>(S) | Size 8<br>(M) | Size 9<br>(L) | Size 10<br>(XL) | Size 11<br>(XXL) | Size 12<br>(XXXL) |
|------------------------------------|-----------------|----------------|---------------|---------------|---------------|-----------------|------------------|-------------------|
| Glove weight / Pair<br>(+/-5 gram) | 28              | 30             | 34            | 40            | 42            | 44              | 46               | 50                |
| Gross Weight (Kg)                  | 5.1             | 5.3            | 5.9           | 6.8           | 7.1           | 7.4             | 7.6              | 8.2               |
| Carton Weight (Kg)                 | 1               | 1              | 1             | 1             | 1             | 1               | 1                | 1                 |
| Net Weight (Kg)                    | 4.1             | 4.3            | 4.9           | 5.8           | 6.1           | 6.4             | 6.6              | 7.2               |

Issue date: 18.06.2015



This document is the property of ATG® and the information contained herein is proprietary to ATG® Lanka (Pvt) Ltd.

Spur Road 7, Phase 2 - IPZ, Katunayake - Sri Lanka - T +94-11-48389000 - F +94-11-2253887 - E info@atg-glovesolutions.com