

greenly

2025-09-17

Lyreco LCA

Life Cycle Assessment

The methodology in this report is based on ISO 14040

3043793 (sold in PL)

Summary



01 | Methodology



02 | Results

01

Methodology

Environmental Impact Assessment

<p>Functional unit</p>	<p>The functional unit is a quantified performance of a product system for use as a reference unit. One of the primary purposes of a functional unit is to provide a reference to which the input and output data are normalized (in a mathematical sense). The functional unit of this analysis is "4 set(s) of bound pages of paper for the purpose of writing".</p>
<p>Impact Indicator</p>	<p>The impact is measured through the "IPCC 2013 GWP 100a" method.</p>
<p>Electricity impact calculation method</p>	<p>Following guidelines from the GHG Protocol, the impact of electricity is calculated using the location-based approach. This means that the emission factors used represent the average annual carbon intensity of the power grid in the country the processes take place in.</p>
<p>Hypothesis</p>	

Environmental Impact Assessment

System Boundaries

The scope of this research includes the complete lifecycle of a notebook from raw material extraction to disposal options for each material, which is the cradle-to-grave perspective.

Exclusions


The impact of secondary packaging and writing utensils are excluded from this assessment.

02

Results

3043793 (sold in PL)


Climate Change



Step	Impact (g CO ₂ eq)	Percentage (%)
Raw Material Extraction and Processing	77.33	58.12 %
End-of-Life Treatment	30.95	23.26 %
Manufacturing	20.64	15.51 %
Transportation and Distribution	4.14	3.11 %
TOTAL	133.06	100.00 %

3043793 (sold in PL)


Climate Change - Raw Material Extraction and Processing



Activity	Emission Factor Num	Quantity	Impact (g CO ₂ eq)	Percentage (%)
Sourcing of raw material (polypropylene)	1	0.02	75.96	98.23 %
Sourcing of raw material (adhesive)	2	2.51 · 10 ⁻⁴	1.37	1.77 %
TOTAL			77.33	100.00 %

3043793 (sold in PL)

Climate Change - Manufacturing



Activity	Emission Factor Num	Quantity	Impact (g CO ₂ eq)	Percentage (%)
Electricity usage during material transformation (polypropylene)	3	0.05	20.43	99.00 %
Electricity usage during material transformation (adhesive)	3	4.67 · 10 ⁻⁴	0.21	1.00 %
TOTAL			20.64	100.00 %

3043793 (sold in PL)


Climate Change - Transportation and Distribution



Activity	Emission Factor Num	Quantity	Impact (g CO ₂ eq)	Percentage (%)
Freight	4	0.02	4.14	100.00 %
TOTAL			4.14	100.00 %

3043793 (sold in PL)

Climate Change - End-of-Life Treatment



Activity	Emission Factor Num	Quantity	Impact (g CO ₂ eq)	Percentage (%)
End of life (polypropylene)	5	0.02	30.64	99.00 %
End of life (adhesive)	5	2.28 · 10 ⁻⁴	0.31	1.00 %
TOTAL			30.95	100.00 %

Contact us

Alexis Normand CEO

www.greenly.earth