

COBRA 3 S3 SRC



BOOTS WITH FLAP IN PIGMENTED SPLIT LEATHER

Ref. COBR3NO



Product specifications

Upper: Pigmented split leather, S3 water resistant treatment.

Lining: Polyamide mesh.

Insole: Fixed - Polyamide on EVA.

Outsole: Injected - Dual-density PU.

- Para aramid seams
- Flap

COLOUR

Black

SIZE

36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47

Product Use - Risks



Antistatic



Shock



Cutting / Perforation



Slip



Construction / Civil engineering
Light industry



Second work / craftman



Heavy industry



Product's highlights & user's benefits

EN ISO 20349 2010 standard - WG special welders
Protection against welding spatters

Better arch support thanks to the internal elastic

Protective external flap with velcro fastening

Certifications and Standards



PPE DIRECTIVE 89/686/EEC




EN ISO 20349:2010 Personal protective equipment - Footwear protecting against thermal risks and molten metal splashes as found in foundries and welding

WG HI-1: EN ISO 20349:2010 marking code

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S3: Additional special requirements

SRC: Slip resistance



TALON/HEEL

