

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET

Sunlight Liquid Dishwash

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Sunlight Liquid Dishwash

Product code : 200000204939;67365151, 67366539 U

Product description : Hand Dishwash Liquid

Product type : Liquid

UFI code : UFI available on CLP label when applicable

Nanomaterials : No

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Consumer uses

Hand Dishwash Liquid

1.3 Details of the supplier of the safety data sheet

Unilever Thai Holdings Ltd. 38 Ladkrabang Industrial Estate 10520 Bangkok Thailand

e-mail address of person : Not available. responsible for this SDS

Manufactured by NMT Limited 60/158, Soi 17, Navanakorn Industrial Estate,

Phaholyothin Highway,

Klongluang,

Pathumthani 12120

Thailand

National contact

Not available.

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : Not applicable

Supplier

Telephone number : Not available.

Hours of operation :

Information limitations : Not available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr./Irrit. 2 H315 Eye Dam./Irrit. 1 H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity: Percentage of the mixture consisting of ingredient(s) of unknown

acute toxicity: 0 %

Ingredients of unknown

ecotoxicity

Percentage of the mixture consisting of ingredient(s) of unknown

hazards to the aquatic environment: 0 %

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage.

Precautionary statements

General : P102 Keep out of reach of children. **Prevention** : P280 Wear protective gloves.

P280 Wear eye or face protection. P264 Wash thoroughly after handling.

Response : P310 Immediately call a POISON CENTER or physician.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P302 IF ON SKIN:

P302 + P352 Wash with plenty of water.

P305 IF IN EYES:

P305 + P310 Immediately call a POISON CENTER or doctor. P338 Remove contact lenses, if present and easy to do. Continue

rinsing

P351 Rinse cautiously with water for several minutes.

Storage: Not applicable.Disposal: Not applicable.

Hazardous ingredients : Sodium Dodecylbenzenesulfonate

Sodium Laureth Sulfate

Page:3/18

Contains METHYLCHLOROISOTHIAZOLINONE Supplemental label elements

METHYLISOTHIAZOLINONE (3:1), Methylisothiazolinone,

May produce an allergic reaction.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not applicable.

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Tactile warning of danger Not applicable.

2.3 Other hazards

Substance meets the criteria for **PBT** according to Regulation (EC) No. 1907/2006, Annex XIII Not applicable.

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do not

Not applicable.

result in classification

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures Mixture

	Identifiers		Regulation (EC) No. 1272/2008 [CLP]	Туре
Sodium	RRN: 01-2119489428-22 EC: 270-115-0	>= 10 - <= 19	Acute Tox.4, H302	[1]
Dodecylbenzenesu lfonate	CAS: 68411-30-3	19	Skin Corr./Irrit.2, H315	
			Eye Dam./Irrit.1, H318	
			Aquatic Chronic3, H412	
Sodium Laureth Sulfate	RRN: 01-2119488639-16 EC: 500-234-8	> 0 - <= 5	Skin Corr./Irrit.2, H315	[1]
Sunate	CAS: 68891-38-3		Eye Dam./Irrit.1, H318	
			Eye Dam./Irrit.2, H319 5 - 10 %	
			Aquatic Chronic3, H412	
Methylisothiazolin one	EC : 220-239-6 CAS : 2682-20-4	> 0 - < 0.0015	Skin Corr./Irrit.1B, H314	[1]
			Skin Sens.1A, H317 0.0015 - 100 %	
			Acute Tox.2, H330	
			Acute Tox.3, H311	

METHYLCHLOR OISOTHIAZOLI NONE METHYLISOTHI AZOLINONE (3:1)	EC: 611-341-5 CAS: 55965-84-9	>0-< 0.001	Acute Tox.3, H301 Aquatic Acute1, H400 M: 10 Aquatic Chronic1, H410 M: 1 Eye Dam./Irrit.1, H318 EUH071-, EUH071 Acute Tox.1, H310 Acute Tox.2, H330 Acute Tox.3, H301 Skin Sens.1A, H317 0.0015 - 100 % Skin Corr./Irrit.1C, H314 0.6 - 100 % Aquatic Chronic1, H410 M: 100 Aquatic Acute1, H400 M: 100 EUH071-, EUH071 Eye Dam./Irrit.1, H318	[1]
---	----------------------------------	---------------	---	-----

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

For confidentiality reasons, the levels of components listed in Section 3 are given in percentage bands. The bandings do not reflect potential variation in composition of this formulation, but are used simply to mask the exact component levels, which we consider to be proprietary information. The classification given in Section 2 and 15 reflects the exact composition of this mixture.

* exempted according to REACH Art. 2(7) and Annex V; Each starting material of the ionic mixture is registered, if required

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Inhalation

Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following: pain, watering,

redness

Inhalation : None known.

Skin contact : Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur

Page:6/18

Ingestion : Adverse symptoms may include the following: stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the

container may burst.

Hazardous combustion products: Not relevant for these kind of mixtures

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

: Not relevant for these kind of mixtures

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Additional information

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Page: 7/18

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold

Page:8/18

7.3 Specific end use(s)

Recommendations : Not available. **Industrial sector specific** : Not available. **solutions**

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known. Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Sodium Laureth Sulfate	DNEL	Long term	175 mg/m ³	Workers	Systemic
		Inhalation			
	DNEL	Long term	2750 mg/kg	Workers	Systemic
		Dermal	bw/day		

PNECs

Product/ingredient name	Туре	Compartment	Value	Method Detail
		Detail		
Sodium Laureth Sulfate	PNEC	Fresh water	240 μg/l	-
	PNEC	Sewage	10 μg/m ³	-
		Treatment Plant		
	PNEC	Marine water	24 μg/l	-
	PNEC	Freshwater -	71 μg/l	-
		intermittent		
	PNEC	Marine water	0.545 mg/kg dwt	-
		sediment		
	PNEC	Fresh water	5.45 mg/kg dwt	-
		sediment		
	PNEC	Soil	0.946 mg/kg dwt	-

8.2 Exposure controls

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid

Color No results available. Odor Characteristic.

pН 6 [Conc. (% w/w): 1,000 g/l]

Melting point/freezing point Under normal conditions, melting point/freezing point will not be

observed

Not available.

Initial boiling point and boiling

range

Flash point Not available. Flammability (solid, gas) Non-flammable. **Density** 1.038 g/cm3 **Bulk density** Not available.

Upper/lower flammability or Lower: Not flammable **Upper:** Not flammable explosive limits

Vapor pressure Not available.

Vapor density Not relevant for these kind of mixtures

Solubility in water Soluble

Partition coefficient: n-Not applicable for mixtures

octanol/water

Auto-ignition temperature Not available.

Not relevant for these kind of mixtures **Decomposition temperature**

Dynamic: Not determined Viscosity

> Kinematic:Based on available data, the classification criteria are not met.

Not relevant for these kind of mixtures **Explosive properties Oxidizing properties** Not relevant for these kind of mixtures

Particle Characteristic Not available

9.2 Other information

Aerosol product

Type of aerosol Not relevant for these kind of mixtures Heat of combustion Not relevant for these kind of mixtures

Ignition distance Based on available data, the classification criteria are not met. **Enclosed space ignition - Time** Based on available data, the classification criteria are not met.

equivalent

Enclosed space ignition -

Deflagration density

Based on available data, the classification criteria are not met.

Flame projection Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Flame height Flame duration Based on available data, the classification criteria are not met.

SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability The product is stable.

10.3 Possibility of hazardous Under normal conditions of storage and use, hazardous reactions reactions will not occur.

Page:11/18

10.4 Conditions to avoid : None known.

10.5 Incompatible materials : None known.

10.6 Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product/ingredient name	Result	Species	Dose	Exposure
Sodium Dodecylbenzenesulfo	onate			
	LD50 Oral	Rat	1,080 mg/kg	-
	LD50 Dermal	Rat	> 2,000 mg/kg	-
Methylisothiazolinone				
	LD50 Oral	Rat	105 mg/kg	-

Conclusion/Summary: Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
CUC SUNLIGHT DWL LEMON TH (GR16)	>5,000 mg/kg	N/A	N/A	N/A	N/A

Irritation/Corrosion

Product/ingredient	Route of	Irritation	Species	Score	Exposure	Observation
name	exposure					
Sodium	Skin	Moderate	Rabbit	-		-
Dodecylbenzenesulfonate		irritant				

Conclusion/Summary

SkinEyesCauses skin irritation.Causes serious eye damage.

Respiratory : Non-irritating to the respiratory system.

Sensitization

Conclusion/Summary

Skin : May cause an allergic skin reaction.

Respiratory : Not sensitizing

Mutagenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

None of the components are listed.

Specific target organ toxicity (repeated exposure)

None of the components are listed.

Aspiration hazard

None of the components are listed.

Information on the likely routes

of exposure

Not available.

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following: pain, watering,

redness

Inhalation : None known.

Skin contact : Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur

Ingestion : Adverse symptoms may include the following: stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Conclusion/Summary : Based on available data, the classification criteria are not met.

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

11.2 Information on other hazards

None known

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
CUC SUNLIGHT DWL LEM	EMON TH (GR16)		
Remarks - Acute - Aquatic	uatic No known significant effects or critical hazards.		
invertebrates.:	S.:		

Conclusion/Summary

No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

: The surfactants used in this mixture are readily biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Sodium Dodecylbenzenesulfonate	3.32	-	low
Sodium Laureth Sulfate	0.3	-	low

12.4 Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Mobility : Mixture is highly soluble

12.5 Results of PBT and vPvB assessment

The substances used in this mixture are neither a PBT- or a vPvB substance

12.6 Endocrine disrupting properties

The substance/mixture does not contain components with known endocrine-disrupting properties according to REACH Article 57(f) or the Delegated Regulation of the Commission (EU) 2017/2100 or Commission regulation (EU) 2018/605 at a level 0.1% or higher.

12.7 Other adverse effects

None known

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

 The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	_	_	_	_
14.1 Oly humber				
14.2 UN proper shipping name	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.3 Transport hazard class(es)	Not regulated.	Not regulated.	-	-
14.4 Packing group	-	-	-	-
14.5. Environmental	No.	No.	No.	No.
hazards				

14.6 Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorization

Page: 15/18

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Not applicable.

Other EU regulations

Industrial emissions : Not listed

(integrated pollution

prevention and control) - Air

Industrial emissions : Not listed

(integrated pollution prevention and control) -

Water

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Seveso III Directive

This product is not controlled under the Seveso Directive.

National regulations

Remark : No additional remark.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Chemical Weapons Convention List Schedule I Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule II Chemicals

None of the components are listed.

Chemical Weapons Convention List Schedule III Chemicals

None of the components are listed.

Montreal Protocol

None of the components are listed.

Stockholm Convention on Persistent Organic Pollutants

Annex A - Elimination - Production

None of the components are listed.

Annex A - Elimination - Use

None of the components are listed.

Annex B - Restriction - Production

None of the components are listed.

Annex B - Restriction - Use

None of the components are listed.

Annex C - Unintentional - Production

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Rotterdam Convention on Prior Informed Consent (PIC) - Industrial

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide

None of the components are listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Heavy metals - Annex 1

None of the components are listed.

POPs - Annex 1 - Production

None of the components are listed.

POPs - Annex 1 - Use

None of the components are listed.

POPs - Annex 2

None of the components are listed.

POPs - Annex 3

None of the components are listed.

Inventory list

Australia: Not determined.Canada: Not determined.China: Not determined.Europe: Not determined.

Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand Not determined. **Philippines** Not determined. Republic of Korea Not determined. Taiwan Not determined. **Thailand** Not determined. Turkev Not determined. **United States** Not determined. Viet Nam Not determined.

15.2 Chemical Safety Assessment : Not applicable

SECTION 16: Other information

Abbreviations and acronyms

ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Corr./Irrit. 2, H315	Calculation method
Eye Dam./Irrit. 1, H318	Calculation method

Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Full text of classifications [CLP/GHS]

Acute Tox. 1	ACUTE TOXICITY
Acute Tox. 2	ACUTE TOXICITY
Acute Tox. 3	ACUTE TOXICITY
Acute Tox. 4	ACUTE TOXICITY
Aquatic Acute 1	AQUATIC HAZARD (ACUTE)
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM)
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM)
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION
Skin Corr. 1B	SKIN CORROSION/IRRITATION
Skin Corr. 1C	SKIN CORROSION/IRRITATION
Skin Irrit. 2	SKIN CORROSION/IRRITATION
Skin Sens. 1A	SKIN SENSITIZATION

Advice on any training appropriate for workers to ensure protection of human health and the environment Workers who work with the product regularly and new employees must undergo regular training or introductory training on risks and prevention and how to behave so as not to endanger themselves and others. The scope of the training cycle is determined by the employer in accordance with local regulations

Date of printing : 06.01.2023 **Date of issue/ Date of revision** : 06.01.2023

Page:18/18

Date of previous issue : 06.12.2022 Version : 3.1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.