UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

Take a stand on sanitization.

When used as directed, the UVStand™ Monitor Stand with UV Sanitization Compartment safely, easily, and efficiently helps to sanitize keyboards, mice, trackballs, mobile phones, and other devices, while promoting healthy posture and optimal comfort. The spacious sanitization compartment accepts most full-sized keyboards in addition to other devices, and can be used to store desktop items when not sanitizing, freeing up desktop space. The fully-contained UV LEDs safely sanitize, eliminating up to 99.9% of bacteria and viruses on the top exposed surface within 10 minutes, without the use of chemicals, liquids, or wipes. Supports monitors up to 40 lbs. and also makes a perfect laptop stand, raising the laptop to optimal eye level. Complies with safety standards, including IEC/EN 62471 and ANSI IESNA RP 27. UL Listed. EPA Est. 98807-CHN-1

Features include:

- Extra large UV LED sanitization compartment
- Eliminates up to 99.9% of bacteria and viruses on exposed surfaces within 10 minutes
- Enclosed design keeps UV light contained
- Safety feature ensures operation only when door is completely closed

- Easy operation
- No chemicals or liquids
- Supports monitors up to 40 lbs.
- Makes a perfect laptop stand
- Complies with safety standards, including IEC/EN 62471 and ANSI IESNA RP 27
- UL Listed
- EPA Est. 98807-CHN-1

Kensington

The Professionals' Choice™

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | sales@kensington.com

Kensington®

UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

Spacious UV LED Sanitization/Storage Compartment

20" x 11" x 3.5" compartment safely, easily, and efficiently sanitizes keyboards, mice, trackballs, mobile phones, tablets and other devices. Can be used to store desktop items when not sanitizing, freeing up desktop space.

Eliminates up to 99.9% of Bacteria and Viruses within 10 Minutes

When used as directed, fully-contained UV LEDs safely sanitize, eliminating up to 99.9% of bacteria and viruses on the top exposed surface within 10 minutes, without the use of chemicals, liquids, or wipes.

Safe, Easy Operation

Sanitizes at the push of a button, and will only operate when the compartment door is completely closed.

Supports Monitors up to 40 lbs.

Supports one 34" monitor or two 24" monitors, while promoting healthy posture and optimal comfort.

Compliant

Meets or exceeds safety standards, including IEC/EN 62471 and ANSI IESNA RP 27. UL Listed. EPA Est. 98807-CHN-1

UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

UV LED Beads

	UV Wavelength	265nm - 277nm
	Life	1000hrs

LED Indicator

	Flash Blue	Sanitization on-going
	Solid BLue	Sanitization cycle completed.
	Flash Red	Sanitization not working. Contact Kensington customer service for support.
	Flash Red & Blue Alternately	One or more UV LED damaged and can't reach full scale Sanitization. Contact Kensington Customer Service for support.
	LED Off	Power off, in stand-by mode, sanitization cycle interrupted and not complete, door is open or safety catch is not engaged.

Material Specifications

	Desktop	MDF with PVC coating
	Compartment	SPCC+Plastic front and back frame+ aluminum plate+PCBA+UV lamp boards
	Front Door	SPCC
	Cable	PSU cable

Product Dimensions

	Unit Dimensions with Peripherals (like cap)	Width: 23.54in (598mm) Depth: 11.61in (295mm) Height: 4.96in (126mm)
	Unit Weight	16.53lbs (7.5kg)
	Unit Dimensions without Peripherals	Width: 23.54in (598mm) Depth: 11.61in (295mm) Height: 4.96in (126mm)
	Enclosure Color & Material	Black PC
	Desktop Footprint	273.3in² (1764cm²)

UVStand™ Monitor Stand with UV Sanitization Compartment

Part Number: K55100WW | UPC Code: 0 85896 55100 3

Packaging Dimensions

	Packaging Style	B2B Packaging
	Packaging Dimensions	Width: 27.17in (690mm) Depth: 14.17in (360mm) Height: 6.69in (170mm)
	Packaging Weight	23.03lbs (10.45kg)
	Packaging Content	1 x UVStand Monitor Stand 1 x Power supply unit with 5 power plugs for different regions 1 x User Manual 1 x Compliance Sheet 1 x Warranty Card
	Master Carton	1 piece

Weight Capacity

	Weight Capacity	40lbs
	Maximum Monitor Support	1 x 34in or 2 x 24in

Power and Environmental

	Power Imaging (Active Power Consumption)	9V/@1.1A
	Power Standby	9V@10mA
	Power Adapter Rating	100-240V; 0.6A Max / Output: 9.0V ,2.0A, 18.0W
	Relative Humidity	0% to 85%
	Operating Temperature	32 - 104°F (0 - 40°C)
	Storage Temperature	-23 - 140°F (-30 - 60°C)

Country of Origin, Regulatory, and Warranty

	Country of Origin	China
	Warranty	2-year
	Certifications & Compliance	FCC, ICES, CE, UKCA, RCM, China RoHS. UL Listed

Kensington
The Professionals' Choice™