

Page 1 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

# **1.1 Product identifier**

# **Roxasect Mierenloktoren (XSA0003)**

# **1.2** Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Insecticide Sector of use [SU]: SU21 - Consumer uses: Private households (=general public = consumers) **Uses advised against:** Sector of use [SU]:

SU 4 - Manufacture of food products

# 1.3 Details of the supplier of the safety data sheet

œ

GB

Bio-Logix Laboratories Ltd, White Cottage, Chapman's Hill, DA 13 0QP Meopham, Kent, United Kingdom Phone: +44 1747 815 379, Fax: +44-207-681-2619 Info@bio-logix.eu, www.bio-logix.eu

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

# 1.4 Emergency telephone number

# Emergency information services / official advisory body:

(B)
National Poisons Information Service (NPIS) - Members of the public: in England and Wales (NHS Direct) - 0845 4647, in Scotland (NHS 24) - 08454 24 24 24, in the Republic of Ireland - 01 809 21 66.
National Poisons Information Service (NPIS) - Healthcare professionals: www.toxbase.org, UK NPIS - 0844 892 0111, Ireland NPIC - 01 809 2566

Telephone number of the company in case of emergencies:

----

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementAquatic Chronic2H411-Toxic to aquatic life with long lasting effects.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 11

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)



H411-Toxic to aquatic life with long lasting effects.

P273-Avoid release to the environment. P501-Dispose of contents/container safely.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substance

# n.a.

3.2 Mixture	
1 R-Trans-Phenothrin"	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	-
CAS	26046-85-5
content %	0,1
Classification according to Regulation (EC) 1272/2008 (CLP)	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

No special measures required.

#### Inhalation

Not required.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.



Page 3 of 11

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

#### Ingestion

Typically no exposure pathway. Rinse the mouth thoroughly with water. Consult doctor immediately - keep Data Sheet available.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

**4.3** Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media

None known

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

**SECTION 6: Accidental release measures** 

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes or skin.

### **6.2 Environmental precautions**

Prevent from entering drainage system.

### Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

**SECTION 7: Handling and storage** 

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling 7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

# 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities



Page 4 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature. Store in a dry place. **7.3 Specific end use(s)** 

No information available at present.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

GB

Chemical Name	Sucrose			Content %:
WEL-TWA: 10 mg/m3		WEL-STEL: 20 mg/m3		
Monitoring procedures:	-	-		
BMGV:			Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

# 8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary.

Skin protection - Hand protection: Normally not necessary.

Skin protection - Other: Normally not necessary.

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.



B Page 5 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

#### 8.2.3 Environmental exposure controls

No information available at present.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state:	Liquid, Viscous
Colour:	Yellow
Odour:	Characteristic
Odour threshold:	Not determined
pH-value:	Not determined
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	Not determined
Evaporation rate:	Not determined
Flammability (solid, gas):	n.a.
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air = 1):	Not determined
Density:	Not determined
Bulk density:	n.a.
Solubility(ies):	Not determined
Water solubility:	Not determined
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined
Explosive properties:	Product is not explosive.
Oxidising properties:	No
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	Not determined

# **SECTION 10: Stability and reactivity**

10.1 Reactivity Not to be expected
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
See also section 7.
None known
10.5 Incompatible materials
See also section 7.
None known
10.6 Hazardous decomposition products
See also section 5.2
No decomposition when used as directed.
SECTION 11: Toxicological information



GB Page 6 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003) 11.1 Information on toxicological effects Possibly more information on health effects, see Section 2.1 (classification). Roxasect Mierenloktoren (XSA0003) **Toxicity / effect** Endpoi Value Unit Organism Test method Notes nt Acute toxicity, by oral route: n.d.a. Acute toxicity, by dermal n.d.a. route: Acute toxicity, by inhalation: n.d.a. Skin corrosion/irritation: n.d.a. Serious eye n.d.a. damage/irritation: Respiratory or skin n.d.a. sensitisation: Germ cell mutagenicity: n.d.a. Carcinogenicity: n.d.a. Reproductive toxicity: n.d.a. Specific target organ toxicity -single exposure (STOT-SE): n.d.a. Specific target organ toxicity n.d.a. repeated exposure (STOT-RĖ): Aspiration hazard: n.d.a. Symptoms: n.d.a. 1R-trans-phenothrin Toxicity / effect Endpoi Value Unit Organism Test method Notes nt mg/kg Acute toxicity, by oral route: LD50 >2000 Rat Acute toxicity, by dermal LD50 >2000 mg/kg Rat route: LC50 Acute toxicity, by inhalation: >2,1 mg/l/4h Rat Vapours Aspiration hazard: No Sucrose **Toxicity / effect** Endpoi Value Unit Organism Test method Notes nt Acute toxicity, by oral route: LD50 29700 mg/kg Rat **SECTION 12: Ecological information** Possibly more information on environmental effects, see Section 2.1 (classification). Roxasect Mierenloktoren (XSA0003) **Toxicity / effect** Endpoint Time Value Unit Organism Test method Notes Toxicity to fish: n.d.a. Toxicity to daphnia: n.d.a. Toxicity to algae: n.d.a. Persistence and n.d.a. degradability: Bioaccumulative n.d.a. potential: Mobility in soil: n.d.a. Results of PBT and n.d.a.

1R-trans-phenothrin							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:	LC50	96h	0,0027	mg/l			

n.d.a.

vPvB assessment Other adverse effects:



Page 7 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

Toxicity to daphnia:	EC50	48h	0,0043	mg/l	
Toxicity to algae:	EbC50	96h	0,011	mg/l	
Persistence and degradability:					Not readily biodegradable, Photochemical degradation in water.
Bioaccumulative potential:	Log Pow		6,8		
Mobility in soil:					Adsorption in ground.
Results of PBT and vPvB assessment					No PBT substance, No vPvB substance

Sucrose							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Bioaccumulative	Log Pow		-3,67				calculated value
potential:							

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

GB

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 07 04 99 wastes not otherwise specified Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. dispose at suitable refuse site. E.g. suitable incineration plant. For contaminated packing material Pay attention to local and national official regulations. Recycling **SECTION 14: Transport information General statements** UN number: 3082 Transport by road/by rail (ADR/RID) UN proper shipping name: AID UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-PHENOTRIN) Transport hazard class(es): 9 Packing group: Ш Classification code: M6 LQ (ADR 2015): 5 L Environmental hazards: environmentally hazardous Tunnel restriction code: Е Transport by sea (IMDG-code) allþ UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-PHENOTRIN) Transport hazard class(es): 9 Packing group: Ш EmS: F-A, S-F Marine Pollutant: Yes Environmental hazards: environmentally hazardous Transport by air (IATA) UN proper shipping name: allh.



Page 8 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

Environmentally hazardous substance, liquid, n.o.s. (D-PHENOTRIN) Transport hazard class(es): 9 Packing group: III Environmental hazards: environmentally hazardous

#### Special precautions for user

GB

Persons employed in transporting dangerous goods must be trained. All persons involved in transporting must observe safety regulations. Precautions must be taken to prevent damage.

#### Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable. Minimum amount regulations have not been taken into account. Danger code and packing code on request. Comply with special provisions.

## **SECTION 15: Regulatory information**

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** For classification and labelling see Section 2.

Additional data acc. to Art. 69 (2), Regulation (EU) No 528/2012 (Biocide products): The identity of every active substance and its concentration in metric units: 1R-trans-phenothrin 0,1g /100 g The uses: Insecticide Biocidal product authorisation number (Regulation (EU) No. 528/2012): n.d.a.

#### Observe restrictions:

Comply with trade association/occupational health regulations.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

# **SECTION 16: Other information**

**Revised sections:** 

1-16

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Employee training in handling dangerous goods is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Aquatic Chronic 2, H411	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Aquatic Chronic — Hazardous to the aquatic environment - chronic Aquatic Acute — Hazardous to the aquatic environment - acute



Page 9 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003) Any abbreviations and acronyms used in this document: AC **Article Categories** acc., acc. to according, according to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight CAS Chemical Abstracts Service CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of CLP substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level **DNEL Derived No Effect Level** DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA European Chemicals Agency European Economic Area EEA European Economic Community EEC EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN European Norms United States Environmental Protection Agency (United States of America) EPA ERC **Environmental Release Categories** ES Exposure scenario et cetera etc. ΕU **European Union** EWC European Waste Catalogue Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - ChorionallantoicMembrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container

(GB)



Page 10 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003) International Bulk Chemical (Code) IBC (Code) Inhibitory concentration IC IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl IUCLIDInternational Uniform ChemicaL Information Database lethal concentration LC LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed EffectLevel Limited Quantities LO MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable n.av. not available n.c. not checked n.d.a. no data available NIOSHNational Institute of Occupational Safety and Health (United States of America) NOAEC No Observed Adverse Effective Concentration No Observed Adverse EffectLevel NOAEL NOEC No Observed Effect Concentration NOEL No Observed Effect Level **ODP Ozone Depletion Potential** OECD Organisation for Economic Co-operation and Development organic org. PĂH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic PC Chemical product category PF Polyethylene **PNEC Predicted No Effect Concentration** POCP Photochemical ozone creation potential ppm parts per million **PROC Process category** PTFE Polytetrafluorethylene REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Telephone Tel. ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wet weight wwt

(GB)



Page 11 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 25.01.2016 / 0002 Replacing version dated / version: 22.04.2014 / 0001 Valid from: 25.01.2016 PDF print date: 25.01.2016 Roxasect Mierenloktoren (XSA0003)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.