



**PRODUCT NUMBER: 2332265**

### Check & Go Red Nit 1

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

**Honeywell**

## Overview

**Reference Number**

2332265

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Industry**

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

**Product Use**

Handling of fine objects in a greasy, damp or soiled atmosphere. General handling of building and public works, mechanical handling in the automotive industry.

Helps to provide safety managers with visual recognition of the cut protection level

## Features & Benefits

**Feature**

White polyamide knitted glove  
 Red oilproof nitrile coating on palm and fingertips  
 Elastic knitted wrist

**Benefit**

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity. The glove offers maximum comfort and added sturdiness. The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back improves the glove's breathability.  
The knitted and elasticated wrist gives the glove good support.

**RESISTANCE**

The nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

**SAFETY**

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-03 Mechanical hazards

**CHARACTERISTICS :**

White polyamide knitted glove

Red oilproof nitrile coating on palm and tip of fingers

Elastic knitted wrist

**Product Technology**

Knitted Coated

**Fiber**

Polyamide

**Gauge**

13

**Glove/liner color**

White

**Coating Type**

Nitrile

**Coating Color**

Red

**Length**

25 cm

**Thickness**

0,25 mm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

7 to 11

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1

**Packaging Label**

**Tagging**

CE HONEYWELL

2332265 XX

EN 420

EN 388 : 4121

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/01/08/0008 EXT01/10/13

#### EC Attestation

AET 2332265 Update 01

#### EC Attestation Number

0075/797/162/01/08/0008 EXT01/10/13

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Maintenance

### Storage Information

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

### Care Instructions

This article can be cleaned at 40°C without risk of damaging the mechanical performances.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/01/08/0008 - EXT 01/10/13

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 23 322 65
- \* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 01st, 2013  
Update 01 of August 28th, 2015

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02  
 Reference : 23 322 65  
 Minor Variant of the model :22 322 30  
 Dated : August 2015

5 fingers knitted gloves, with 100% nylon yarn, red Nitrile coating on the palm and fingertips. Overlock T6-Green / T7-Red / T8-Blue / T9-Yellow / T10-White / T11-Orange

### Available sizes :

07                      08    09    10    11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Nylon	13	
	Red	Nitrile		1 - 1,1 mm
BACK	Natural	Nylon	13	
LINING				
CUFF	Natural	Nylon	13	
	Natural	Rubber yarn	13	
BINDING	Red/Blue/Yellow/White/Orange/Green	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1112-16929/1 1309-14728/1 L150710860_1	
Azo		1008-10045/2	
EN 388		1101-1093/1 1112-16929/1 1309-14728/1	1106-7634/1 1309-14728/1

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1


The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 23 322 65
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**



## HONEYWELL SAFETY PRODUCTS EUROPE

# MANUFACTURER'S TECHNICAL FILE

<b>Reference of the product</b>	:	<b>23 322 65</b>
<b>Technical file index</b>	:	<b>02</b>
<b>Last update</b>	:	<b>August 2015</b>



## IDENTIFICATION

Reference of the product :	:	23 322 65
Minor Variant of the model :	:	22 322 30
Technical file index :	:	02
Last update :	:	August 2015

### **CE Type Examination Applicant :**

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

### **Manufacturer :**

SPERIAN PERSONAL PROTECTIVE EQUIPEMENT (Nantong) Co. LTD  
Tonghu Road, Rudong Industrial New area - Nantong City - Jiangsu Province  
CHINA

tel: + 86-513-8456999

fax: +85-513-84536318

HONEYWELL SAFETY PRODUCTS (NANTONG) CO., LTD.  
North of Yalujiang Road, Rudong Economic Development Zone, Rudong,  
Nantong  
China

## GLOVE DESCRIPTION

### **Glove description :**

5 fingers knitted gloves, with 100% nylon yarn, red Nitrile coating on the palm and fingertips. Overlock T6-Green / T7-Red / T8-Blue / T9-Yellow / T10-White / T11-Orange

### **Visual description:**



### **Available sizes :**

Minimum length of glove (mm)	Sizes
225	07
235	08
245	09
255	10
265	11

### **Glove constitution :**

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM	2915109	Natural	Nylon		13	
	2916167	Red	Nitrile			1 - 1,1 mm
BACK	2915109	Natural	Nylon		13	
LINING						
CUFF	2915109	Natural	Nylon		13	
	2915161	Natural	Rubber yarn		13	
BINDING	2915151	Red/Blue/Yellow /White/Orange/ Green	PES			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : not conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

The levels of performance have been measured on the palm

## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		1112-16929/1 1309-14728/1 L150710860_1	
Azo		1008-10045/2	
EN 388		1101-1093/1 1112-16929/1 1309-14728/1	1106-7634/1 1309-14728/1

## MARKING - PACKAGING

### **Information printed on the glove :**

Logo of the authorized representative :

Logo


Glove's reference : 23 322 65

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### **Marking example :**



### **Method of marking on the glove :**

Serigraphy on the back + label sewn

### **Packaging :**

10 pairs per bundle, 10 bundles per box

## MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1  
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

<b>Sampling Plan</b>		<b>Quantity of acceptable defects</b>	
<b>Lot Quantity</b>	<b>Sample quantity</b>	<b>Minor Defects</b>	<b>Major Defects</b>
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5



# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Check & Go Red Nit 1

Reference: 2332265

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/01/08/0008 EXT01/10/13

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Roissy, on the 21/05/2019

**By:** Fabrice beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 50288 Villepinte - 95988 ROISSY CDG CEDEX  
SAS au capital de 200 000 000 - RCS 331 499 0137  
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)