

Issued by Notified Body No. 0402 according to Regulation (EU) 2016/425 annex V, regarding:

Industrial bump cap

Issued to

3M United Kingdom PLC

3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT, UK

Product description and product name

Industrial bump cap, "First Base 3" in multiple variants, complying with EN 812:2012.
For details, see appendix.

Technical documentation

The manufacturer's technical file ref 3M TF0558, latest dated 2019-11-14.

Certificate

RISE Research Institutes of Sweden AB, Notified Body no. 0402, hereby certifies that the manufacturer's technical file and the product have been inspected in accordance with the procedure described in annex V to regulation (EU) 2016/425 and found to fulfil the requirements. The certification is based on a type test in accordance with EN 812. The product also complies with optional requirements in EN 812, as can be seen in appendix to this certificate. RISE Certification Rule SPCR 309 issue 2018-03-09 has been applied.

Miscellaneous

The manufacturer's information in English on use, cleaning, storage etc. has been inspected and found to fulfil the relevant requirements of the regulation. This information must be available in the language used where the product is to be sold.

Validity

The certificate remains valid as long as the conditions laid down in the harmonized standard(s) in reference are not modified significantly or at the latest until 2024-09-17.

Martin Tillander

Certificate SC0235-19 | issue 2 | 2019-11-22

RISE Research Institutes of Sweden AB | Certification

Box 857, SE-50115 Borås, Sweden

+46 10 516 50 00 | certifiering@ri.se | www.ri.se

9P07457-01

This document is the property of RISE and may not be reproduced other than in full, except with the prior written approval by RISE



Product information

Variants and optional requirements

Cap designation	Materials			Size (cm)	Colours (number of)	Peak lengths (number of)	Ventilation		Optional requirement	
	Shell	Foam pad	Cap				Side Mesh	Top mesh	5.2.1 Very cold -30°C	5.2.2 Resistance to flame
First base 3*										
Classic	ABS or HDPE	EVA/PE (Low density)	Polyester	52-65	Several	3	YES	NO	YES	NO
Extra	ABS or HDPE	EVA/PE (Low density)	67% Polyester 33% Cotton	52-65	Several	3	YES	NO	YES	NO
Elite	ABS or HDPE	EVA/PE (Low density)	Polyester	52-65	3 dual	3	YES	YES	YES	NO
Police UK (Search and Firearms)	ABS or HDPE	EVA/PE (Low density)	Polyester	52-65	2	1	YES	NO	YES	NO
Beanie	ABS or HDPE	EVA/PE (Low density)	Acrylic	52-65	Several	1	NO	NO	YES	NO
Winter	ABS or HDPE	EVA/PE (Low density)	Polyester	52-65	Several	1	NO	NO	YES	NO
Flame retardant	ABS or HDPE	EVA/PE (Low density)	55% Protex 44% Cotton 1% NE	52-65	Several	2	NO	NO	YES	YES

*Also sold under brand name: Scott Safety.



Classic



Extra



Elite



Beanie



Flame Retardant



Winter

Certificate history

Date	Issue	
2019-06-14	1	Certificate issued
2019-11-22	2	Certificate revised

Certificate SC0235-19| issue 2 | 2019-11-22

RISE Research Institutes of Sweden AB | Certification