



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1142/162/03/13/0264

Is given to the following model of personal protective equipment :

Issued to : INTERSAFE GROENEVELD B.V.
KAMERLINGH ONNESWEG 2, 3316 GL DORDRECHT,
THE NETHERLANDS

Distributor : /

Product reference : 129264

Description :

PPE Type : *Protective gloves against mechanical risks.*

Reference standard : *EN 388 : 2003.*

Category : *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : March 29th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroup.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1142/162/03/13/0264

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 129264

* responsible for placing on the market :

INTERSAFE GROENEVELD B.V.

KAMERLINGH ONNESWEG 2, 3316 GL DORDRECHT,

THE NETHERLANDS

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 29th, 2013



Issued by Lionel GAUDILLERE

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 129264

Basic Model

Dated : MARCH, 2013

Palm coated nitrile gloves, knit wrist

Available sizes :

7 8 9 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Yellow	Nitrile		
	Beige	Cotton	40Gauges/ INC	
BACK	Beige	Cotton	40Gauges/ INC	
LINING				
CUFF	Beige	Cotton	12Gauges/ INC	
BINDING				

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60238-13, SH60440-13		SH60238-13
Azo	SH60238-13		
EN 388	SH60238-13		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	1	1

The levels of performance have been measured on the palm



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 129264
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



EN388



129264
10

3111

INTERSAFE GROENEVELD B.V.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	129264
Technical file index	:	01
Last update	:	MARCH, 2013

IDENTIFICATION

Reference of the product : : 129264
Technical file index : : 01
Last update : : MARCH, 2013

CE Type Examination Applicant :

INTERSAFE GROENEVELD B.V.
KAMERLINGH ONNESWEG 2, 3316 GL DORDRECHT,
THE NETHERLANDS
tel : 0031-786524635
fax : 0031-78618021

Manufacturer :

Belin Industry (HK) Co., Limited
Room 902, Building.6, No. 333 Haibo Road, Jiading, Shanghai
CHINA 201803
tel: +86-138 1833 2762
fax: +86-21-69518337

GLOVE DESCRIPTION

Glove description :

Palm coated nitrile gloves, knit wrist

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
240	7
250	8
260	9
270	10
280	11

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		Yellow	Nitrile	185g/m2		
		Beige	Cotton	165g/m2	40Gauges / INC	
BACK		Beige	Cotton	165g/m2	40Gauges / INC	
LINING						
CUFF		Beige	Cotton	260g/m2	12Gauges / INC	
BINDING						

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : conform
Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	1
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60238-13, SH60440-13		SH60238-13
Azo	SH60238-13		
EN 388	SH60238-13		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : 129264

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



EN388



129264
10

3111

Method of marking on the glove :

printed on the back of gloves

Packaging :

12pairs/polygag; 12dozen/carton

MEANS OF CONTROL

First we put the cotton gloves on the mould.

The second we dip the gloves into the latex. then the gloves will be put in the oven to get dry and about 2 hours later, we take out gloves from the mould and put the gloves in the oven again. after 1 hours later, the latex on the surface of gloves become completely dry.

Then, we printing the logo on the back of gloves.

Final, we packing the gloves.

We check the quality ever 3 hours, every day, and every shipment, total 3 times to check the quality form each orders

Cotton is customized, storage exceeds the shelf life will be treated as the inventory.

The finished products will be checked from the shape, size, color, hand feeling, wear comfort, and also the tensile between the fingers and rip dropped calls and other routine examination.

Defective products generally do the domestic discount deal, Separately storage for the products will avoid secondary pollution and non-green product mixed, or any other reasons.

INSTRUCTION FOR USE

INTERSAFE GROENEVELD B.V.

KAMERLINGH ONNESWEG 2, 3316 GL DORDRECHT,
THE NETHERLANDS

Glove reference : 129264

Available sizes : 7 8 9 10 11

Glove description :

Palm coated nitrile gloves, knit wrist

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove », Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



3111

Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	1	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.