Construction & Home Improvement Markets

Product Information Sheet

Issue : December 2021

Scotch FIX[™] Interior Mounting tape



Description

Scotch FIX[™] Interior Mounting Tape is a double-coated foam tape designed for permanently fixing small to medium items to most surfaces inside your home

Product Characteristics		
Backing	Polyethylene foam	
Adhesive	Acrylic	
Standard Roll length	19mm x 1.5 m, 19mm x 3m, 19mm x 5m	
	19mm x 10 m – Strips 25mm x 76mm	
Color	White	

Typical Physical Properties	value	Method
Total thickness	1.6 mm	ASTM D-3652
Density	65 kg / m³	
Weight claim	1kg / 22 cm (19mm width)	Internal method
	Max item weight 7 kg	
Surfaces	Finished & Painted Surfaces,	Internal method
	Metals, Tile, Other Hard and	
	Smooth Surfaces	
Temperature Application	10°C to 40°C	
Liner	Green and White Plaid on	
	treated paper	
Temperature resistance	Medium indoor (till 40°C)	Internal method

The values displayed are the result of illustrative lab test measures made according to the indicated test method and shall not be considered as a commitment from 3M

Storage

To obtain best performances, store this product under normal condition of 21°C and 50% relative humidity in the original packaging and use it within one year from date of purchase.

Construction & Home Improvement Markets Product Information Sheet

Shelf life

Two years from date of receipt by customer when stored at +4 to 30°C and 0-95% relative humidity.

Features/Advantages Benefits

Features	Advantages	Benefit
	High adhesion performance	Holds up to 7 kg
Acrylic Adhesive	Good holding power	Works on many surfaces,
		including painted dry walls
Polyethylene foam	Good conformability and	Increased weight hanging
	internal strength	capacity
Green paper liner	Easy liner release	Good handling, easy to use

Application

Application temperature is 10°C – 38°C. Bond strength is dependent upon the amount of adhesive - to -surface contact developed. Firm application pressure helps develop better adhesive contact and improve bond strength. Entire tape surface must adhere completely to both sides

To obtain optimum adhesion, the bonding surfaces must be clean, dry and free of dust. Typical surface cleaning solvent are rubbing alcohol or water. Do not use household cleaners.

This is a permanent tape and may cause damage if removed. Do not use on delicate or curved surfaces, or areas where injury might occur if mounted object fell. Ensure that surface is strong enough to hold mounted object.

3M Construction and Home Improvement Markets Division Please write your local 3M adress

IMPORTANT NOTICE: All statements, technical information and recommendations herein are based on tests and studies 3M believes to be reliable. 3M does not warrant or guarantee the accuracy or completeness of this information. Because there are many factors that can affect the use and performance of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates this product to determine whether it is fit for a particular purpose, is suitable for the user's method of application, and meets the user's performance specifications and expectations. Before any use, it is always recommended to read and follow the instructions for use and to conduct tests to validate the adequacy of the product with regard to the envisaged use. Any action or use of the product made in breach of these indications is at the risks of the user and consequently 3M cannot be held responsible for whatever negative consequences may arise out of or in connection with any breach of the given instructions and indications. Compliance with 3M instructions for use and other recommendations does not exempt the user from respecting other local applicable rules (safety rules,



Construction & Home Improvement Markets Product Information Sheet

standards and procedures) governing the use of the concerned product in specific contexts and/or through specific means or tools.

Limitation of Liability: 3M's only obligation shall be to replace such quantity of this 3M product proved to be defective or to return the purchase price. Statements or recommendations not contained herein shall not have any force or effect unless included in an agreement signed by a 3M officer.

3M reserves the right to amend the whole or part of this document at any time, without notice.

3M, Scotch, Scotch Fix[™] and the Plaid Design are trademarks of 3M Company. © 3M 2020