

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CLEANSING TABLETS UFI : F800-C0DG-D002-57ER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning tablets.

1.3. Details of the supplier of the safety data sheet

Registered company name : MG DEVELOPPEMENT.

Address : 178 rue Negue-Cat - ZAC « Les Portes de l'aéroport ».34130.MAUGIO.France.

Telephone : +33 (0)4 67 42 95 24. Fax : +33 (0)4 67 42 88 23.

E-mail:contact@mg-dev.fr

http://www.mg-dev.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

MG Développement : +33 (0)4 67 42 95 24 (8h30 - 18h)

National Poisons Information Service of England: http://npis.org - NHS 111: dial 111 - National Poisons Information Centre of Ireland: 353 (1) 809 2166 - LUXEMBOURG : (+352) 8002 5500 - European Emergency Number Association (EENA) : 112

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



01303 01307	
Signal Word :	
DANGER	
Product identifiers : EC 274-778-7 PENTAPOT	ASSIUM BIS(PEROXYMONOSULPHATE) BIS(SULPHATE)
Hazard statements :	
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Prevention	1:
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response	:
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/if you feel unwell.

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P330	Rinse mouth.
Precautionary statements - Disposal :	
P501	Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 70693-62-8	GHS07, GHS05		25 <= x % < 50
EC: 274-778-7	Dgr		
REACH: 01-2119485567-22	Met. Corr. 1, H290		
	Acute Tox. 4, H302		
PENTAPOTASSIUM	Skin Corr. 1B, H314		
BIS(PEROXYMONOSULPHATE)	Aquatic Chronic 3, H412		
BIS(SULPHATE)			
CAS: 77-92-9	GHS07	[1]	10 <= x % < 25
EC: 201-069-1	Wng		
REACH: 01-2119457026-42	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
CITRIC ACID	STOT SE 3, H335		
CAS: 497-19-8	GHS07		10 <= x % < 25
EC: 207-838-8	Wng		
REACH: 01-2119485498-19	Eye Irrit. 2, H319		
SODIUM CARBONATE			
CAS: 151-21-3	GHS06		0.1 <= x % < 1
EC: 205-788-1	Dgr		
	Acute Tox. 4, H302		
SODIUM DODECYL SULPHATE	Acute Tox. 3, H311		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
Specific concentration limits:			

Identification	Specific concentration limits	ATE
CAS: 77-92-9		oral: ATE = 3000 mg/kg BW
EC: 201-069-1		
REACH: 01-2119457026-42		
CITRIC ACID		
CAS: 497-19-8		dermal: ATE = 2210 mg/kg BW
EC: 207-838-8		oral: ATE = 4090 mg/kg BW
REACH: 01-2119485498-19		
SODIUM CARBONATE		
CAS: 151-21-3		dermal: $ATE = 580 \text{ mg/kg BW}$
EC: 205-788-1		oral: ATE = 1288 mg/kg BW
SODIUM DODECYL SULPHATE		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of swallowing :

Do not give the patient anything orally.

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- foam
- dry chemical agents

- carbon dioxide (CO2)

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- sulphur dioxide (SO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

Version 7.1 (10/05/2022)

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :				
CAS	VME :	VME :	Excess	Notes
77-92-9		2 mg/m^3		2 (I)
- Switzerland (SUVAPRO 2019) :				
CAS	VME	VLE	Valeur plaf	ond Notations
77-92-9	2 ppm	4 ppm		

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Version 7.1 (10/05/2022)

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Suitable type of protective clothing :

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

Category :

- FFP1

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Physical state

Physical state	
Physical state :	Solid.
Colour	
Colour:	White - blue.
Odour	
Odour threshold :	Not stated.
Odour:	Characteristic.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not relevant.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition point/decomposition range :	Not relevant.
рН	
pH (aqueous solution) :	5.5 - 9.0
pH :	Not relevant.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Soluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	> 1

Not stated.
0
storage conditions in section 7.
n (EC) No 1272/2008
- ()
nage in the eye, or serious physical decay of sight, which is not fully reversible b
persistent corneal opacity and iritis.

Dermal route :

LD50 = 580 mg/kg Species : Rat

SODIUM CARBONATE (CAS: 497-19-8)

	CLEANSING TABLETS
Oral route :	LD50 = 4090 mg/kg
	Species : Cat
Dermal route :	LD50 = 2210 mg/kg
	Species : Mouse
CITRIC ACID (CAS: 77-92-9)	
Oral route :	LD50 = 3000 mg/kg
	Species : Rat
	NOSULPHATE) BIS(SULPHATE) (CAS: 70693-62-8)
Oral route :	LD50 >= 500 mg/kg Species : Rat
	Species . Kai
Dermal route :	LD50 > 11000 mg/kg
	Species : Rabbit
Inhalation route (Dusts/mist) :	$LC50 \ge 5 \text{ mg/l}$
	Species : Rat
	Duration of exposure : 4 h
11.1.2. Mixture	
Skin corrosion/skin irritation :	
Irritation :	No observed effect.
	Average score < 1.5
Serious damage to eyes/eye irritation :	
Causes serious eye damage.	
Corneal haze :	Average score ≥ 3
11.2. Information on other hazards	
ECTION 12 : ECOLOGICAL INFORMATI	ION
Harmful to aquatic life with long lasting effe	
The product must not be allowed to run into	drains or waterways.
12.1. Toxicity	
12.1.1. Substances	-
SODIUM CARBONATE (CAS: 497-19- Fish toxicity :	8) LC50 = 300 mg/l
Fish toxicity.	Species : Lepomis macrochirus
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 = 265 mg/l
	Species : Daphnia magna
	Duration of exposure : 48 h
PENTAPOTASSIUM BIS(PEROXYMO	NOSULPHATE) BIS(SULPHATE) (CAS: 70693-62-8)
Fish toxicity :	$LC50 \ge 32 \text{ mg/l}$
	Species : Danio rerio
	Duration of exposure : 96 h
	NOEC = 0.222 mg/l
	~ . ~

NOEC = 0.222 mg/l Species : Cyprinodon variegatus Duration of exposure : 35 days

Crustacean toxicity :

EC50 = 3.5 mg/l Duration of exposure : 48 h OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity :	NOEC = 0.267 mg/l Species : Daphnia magna Duration of exposure : 21 days 1 < ECr50 <= 10 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 96 h OECD Guideline 201 (Alga, Growth Inhibition Test)
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
SODIUM CARBONATE (CAS: 497-19-8) Biodegradability :	Rapidly degradable.
CITRIC ACID (CAS: 77-92-9) Five-day biochemical oxygen demand :	DBO5 0.420
Biodegradability :	Rapidly degradable.
12.3. Bioaccumulative potential	
12.3.1. Substances	
SODIUM CARBONATE (CAS: 497-19-8) Octanol/water partition coefficient :	log Koe < 3.
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vPvB assessment	
No data available.	
12.6. Endocrine disrupting properties	
No data available.	
12.7. Other adverse effects No data available.	

 $German\ regulations\ concerning\ the\ classification\ of\ hazards\ for\ water\ (WGK,\ AwSV\ vom\ 18/04/2017,\ KBws):$

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

14.4. Packing group

-

- 14.5. Environmental hazards
- 14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3). Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.

- Swiss ordinance on the incentive tax on volatile organic compounds :

138-86-3DL-limonène ([RS]-p-mentha-1,8-diene)

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

- LC50 : The concentration of a test substance resulting in 50% lethality in a given period.
- EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

- NOEC : The concentration with no observed effect.
- REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.
- ATE : Acute Toxicity Estimate
- BW : Body Weight
- UFI : Unique formulation identifier.
- STEL : Short-term exposure limit
- TWA : Time Weighted Averages
- TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.