bimos

characteristics Stool Flex 1 with castors

Article: 9408 integral foam

Dimensions in mm

	Seat:	H:	450-650
		B:	360
		T:	300
Packing data	Weight	kg	10,0
	Volume	m³	0,15



Base equipment		Benefit
Seat	Slip-resistant seat with rippled surface	Very good support of the lumbar region
Finish for seat	Integral foam (PU): The new developed SoftTouch integral foam provides the ultimate softness in seating, is washable and resistant to external influences	The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances and sharp parts
Seat height	Colour: Black (2000) Stepless seat height setting from 450-650 mm supported by safety gas spring with protective cover	Seat height can be adapted to nearly 95% of all body sizes, the cover protects the gas spring from dust and dirt
Functions/ Mechanism	360° rotation of the seat	Maximum freedom of movement
Base	Black 5 star base made from plastic Flat design	Very high stability, longevity and safety Flat design prevents stumbling hazard
Castors	Dual-wheel safety castors with load-sensitive brakes, For hard floors as standard	Stool is braked when not used which decreases the accident risk
Materials	The materials used are recyclable	Environmentally friendly
Standards	DIN 68 877 German GS "safety tested" mark of conformity Quality Management System DIN EN ISO 9001 Regulation EWG Nr. 1836/93 Environmental Management System DIN ISO	Procuring is insured
Warranty	14001 10 year long term warranty, 3 years full warranty	Guaranteed quality and high efficiency