





## Versatile card reader for SD and microSD cards

Featuring double card slots for both your SD and microSD memory cards, the RDF5 handles most of your daily needs for transfering data between your cameras, phones, and PCs.

Note: The reader does not support simultaneous insertion of SD and microSD cards.



### Standard USB Type-A connector

Transcend's RDF5 card reader comes with a standard USB Type-A connector. Besides using it as a card reader, you can also use it as a USB flash drive on any desktop or laptop computers. Simply plug it in directly to the USB port of the computer.



### Higher speeds, higher efficiency

Equipped with the USB 3.1 Gen 1 interface, the RDF5 card reader shows amazing transfer speeds, much faster than what you'd get with USB 2.0! Not only will the RDF5 handle your high-resolution images and videos with ease, but it also has an LED indicator to show card insertion and data transfer activity.





# USB 3.1 Gen 1 Card Readers **RDF5**

#### **Features**

- · USB 3.1 Gen 1 interface
- Multifunctional card reader with an SD card slot, a microSD card slot, and a USB connector
- Plug directly into the USB port on any desktop or notebook computers
- · Convenient LED indicator
- Transfer high-resolution images and video recordings to your computer faster and more efficiently
- Download the RecoveRx data recovery software from Transcend's official website



### RecoveRx software

Transcend offers the RecoveRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

### **Specifications**

Specifications				
Appearance				
Dimensions	56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35")			
Weight	18 g (0.63 oz)			
Color	Black/White/Pink			
Interface				
USB Type	USB Type-A			
Connection Interface	USB 3.1 Gen 1			
Hardware				
Card Reader Slot(s)	SD /microSD			
Operating Environme	ent			
Operating Temperature	0°C (32°F) ~ 70°C (158°F)			
Operating Voltage	5V			
Note	Simultaneous insertion of two cards not supported.			
Performance				
Note	Speed may vary due to host hardware, software, usage, and storage capacity.			
Warranty				
Certificate	CE/FCC/BSMI/KC/RCM/EAC			
Warranty	Two-year Limited Warranty			
System Requirement				
Operating System	Microsoft Windows 7 Microsoft Windows 8 Microsoft Windows 10 Mac OS X 10.2.8 or later Linux Kernel 2.6.30 or later			
Compatibility				
Memory Card Supported	SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I)			
Note	This card reader will work with UHS-II cards, but only operate at UHS-I speeds.			

TS-RDF5R Pink
TS-RDF5W White

Black

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.

**Ordering Information** 

TS-RDF5K



USB 3.1 Gen 1 Card Readers  Comparison	<b>⑦</b> Transcend	(f) Transcend	(f) transcend	① transcend	Transcend  Transcend	
	RDC8	RDF9	RDF2	RDF8	RDF5*	
Appearance						
Dimensions (Max.)		56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35")				
Weight (Max.)	32 g (1.13 oz)	30.6 g (1.08 oz)	26 g (0.91 oz)	32 g (1.13 oz)	18 g (0.63 oz)	
Color	Black	Black	Black	Black/White	Black/White/Pink	
Interface						
USB Type	micro USB to USB Type C micro USB to USB Type A				USB Type-A	
Connection Interface	USB 3.1 Gen 1					
Hardware						
Card Reader Slot(s)	SD/microSD CompactFlash	SD/microSD CompactFlash	CFast	SD/microSD CompactFlash	SD/microSD	
Warranty						
Warranty	Two-year Limited Warranty					
Compatibility						
Memory Card Supported	SDHC (UHS-I)	SDHC(UHS-II)	CFast 2.0	SDHC (UHS-I)	SDHC (UHS-I)	
	SDXC (UHS-I)	SDXC (UHS-II)		SDXC (UHS-I)	SDXC (UHS-I)	
	microSDHC (UHS-I)	SDHC (UHS-I)		microSDHC (UHS-I)	microSDHC (UHS-I	
	microSDXC (UHS-I)	SDXC (UHS-I)		microSDXC (UHS-I)	microSDXC (UHS-I)	
	CompactFlash(UDMA7) r	")				
	microSDXC (UHS-I)					
		mpactFlash (UDMA6)				
	Coi	mpactFlash (UDMA7)	)			
SD UHS-II	-	<b>✓</b>	-	-	-	
SD UHS-I and below	<b>✓</b>	<b>~</b>	-	<b>✓</b>	<u> </u>	
microSD UHS-I and below	~	<b>✓</b>	-	<b>✓</b>	<b>✓</b>	
CompactFlash UDMA5 and below	<b>✓</b>	<b>✓</b>	-	<b>✓</b>	-	
CompactFlash UDMA7 & UDMA6	<b>✓</b>	<b>~</b>	-	<b>✓</b>	-	
CFast 2.0 and below	-	-	<b>~</b>	-	-	

 $\hbox{*Note: Simultaneous insertion of two cards not supported.}$