



CODE ARTICLE: 100009
MILLENNIA™ Monture
Argentée, Oculaire Incolore

Honeywell

Présentation générale

Numéro de référence

100009

Gamme

Lunettes à Branches

Ligne

Lunettes à Branches Mono-Ecran

Marque

Honeywell

Marque anciennement connue sous le nom de

PULSAFE

Industrie

- Energie ou Electricité
- Logistique
- Industries du Bois
- Industrie
- Bâtiment et Construction
- Administration
- Agriculture

Utilisation du produit

- Usage général et protection contre l'impact (45m/s)
- Travaux mécaniques: meulage, tournage, fraisage, etc.
- Protection contre le coup d'arc (filtration UV 100%)

DESCRIPTIF :

- Résistance à la chaleur: jusqu'à 130° C
- Poids: 32 grammes.

MONTURE :

- Monture nylon avec protection latérale intégrée à l'écran
- Protection sus-orbitale intégrée à la barre frontale
- Branches droites pour un maintien parfait (possibilité de port sous casque): système " Sensitive Tension Design "
- Cordelette Flexicord réglable
- Nez universel injecté dans l'oculaire

OCULAIRES :

- Polycarbonate incolore traité anti-rayures
- Concept de monoécran composé de 2 parties sphériques de courbure base 9: excellente vision périphérique sans aucune distorsion optique ni déviation prismatique (système de " contrôle de la vision latérale ")
- Couverture du visage parfaite grâce à la courbure importante de l'oculaire

- Filtration UV 100% (conforme à la EN 170)
- Qualité optique classe 1 (aucune déformation optique)
- Transmission de la lumière visible = 92%
- Oculaire de remplacement : référence 1000011

Caractéristiques & Avantages

Caractéristique

Vous n'avez jamais rien vu de mieux ! Une conception hautement sophistiquée derrière une apparence simple et classique. Seules les lunettes Pulsafe Millennia bénéficient du « Sensitive Tension Design » pour un ajustement optimal, et de la technologie « Parallel Vision Control » pour un meilleur confort visuel, ainsi que des caractéristiques exceptionnelles telles que: • Style préféré des utilisateurs lors d'essais comparatifs • Monture équilibrée et légère • Branches droites (il n'est plus nécessaire de les ajuster en longueur ou en inclinaison) • Cordelette réglable Flexicord permettant de porter les lunettes en sautoir • Pont de nez universel confortable • Courbure oculaire base 9 permettant une vision parfaite sans aucune distorsion optique ni déviation prismatique • Oculaire en polycarbonate anti-rayures • Champ de vision complet, y compris sur les côtés

Avantage

« Sensitive Tension Design », un concept qui résume ce qui fait le succès de Sperian Millennia: un modèle parfaitement équilibré, avec une répartition optimale des masses, rendant superflu tout système de réglage Protection latérale et supérieure, intégrée dans la monture et les branches : le style contribue à l'efficacité. Modèle livré avec cordelette Flexicord permettant de porter la lunette en sautoir

Descriptif technique

Couleur de l'oculaire

Incolore

Traitement de l'oculaire

Anti-rayures

Matériau de l'oculaire

Polycarbonate

Oculaires de remplacement

Oui

Couleur de la monture

Argentée

Matière de la monture

Nylon

Certifications

 Déclaration de conformité CE

EPI catégorie CE

2

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

EC1131

Attestation CE

 EC Attestation

Numéro d'attestation

EC1131

Conditionnement

Code EAN

7312550000090

© Honeywell International Inc.

15

INSPEC

CE

EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: -


Personal Protective Spectacles

Product identification: -

HONEYWELL MILLENIA

Manufacturer:

Sperian Eye & Face Protection Inc.
(a Honeywell Company)
10 Thurber Boulevard
Smithfield
RI-02917
U.S.A



When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: -

Honeywell Safety Products Europe
Immeuble Edison Paris Nord 2
33 rue des Vanesses - BP 55288
Villepinte 95958 Roissy CDG Cedex
France

Signed


Date: 30th September 2013

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 30th September 2018, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 7th August 2003



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC Laboratories
99.01.33A, 99.03.67, 99.03.81, 99.03.84,
99.04.24/25, 99.04.53, 99.05.02, 99.05.33,
99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34,
03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32
INRS Y 382 10 02, 1.12.09.54 |
| ii) | Technical File | - | TF/1131 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 1	Withdrawn	07/08/03	
Page 2 of 2	Withdrawn	07/08/03	
Schedule ONE	Withdrawn	07/08/03	
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban
Schedule THREE	Withdrawn	21/07/06	Add logo WAHLEN FUTURE
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26
Pages 1 – 4	Withdrawn	01/09/08	Addition of Partizanske as a manufacturing site for assembling the spectacles
Pages 1 – 4	Withdrawn	110930	Product name change to Honeywell
Pages 1 – 4	Valid	130930	Company name, Authorised representative changed and report number 1.12.09.54 added to cover new hard coat.

CERTIFICATION SCHEDULE

Style: MILLENNIA

Model	Frame Number	Lenses	Filter Scale	Optical Class	Options ⁽¹⁾	Logo
1000001	Black	Clear	2 - 1.2	1	F K	HONEYWELL
1000002	Black	Gray	2-2.5, 5 - 2.5	1	F K	HONEYWELL
1000003	Black	HDL Yellow	2 - 1.2	1	F K	HONEYWELL
1000004	Black	I/O Silver	2 - 1.7, 5 - 1.7	1	F	HONEYWELL
1000005	Black	Silver Mirror	2 - 3, 5 - 3.1	1	F	HONEYWELL
1002781	Black	Clear Fog-ban	2 - 1.2	1	F	HONEYWELL
1002782	Black	TSR Gray Fog-ban	2 - 2.5, 5 - 2.5	1	F	HONEYWELL
1005212	Black	HDL/Fogban	2 - 1.2	1	F	HONEYWELL
1006405	Black	Green	3	1	F	HONEYWELL
1006406	Black	Green	5	1	F	HONEYWELL
1000006	Blue	Clear	2 - 1.2	1	F K	HONEYWELL
1002783	Blue	Clear Fog-ban	2 - 1.2	1	F	HONEYWELL
1000008	Burgundy	Clear	2 - 1.2	1	F K	HONEYWELL
1000009	Silver	Clear	2 - 1.2	1	F	HONEYWELL
1000010	Silver	Silver Mirror	2 - 3, 5 - 3.1	1	F	HONEYWELL
1002802	Blue	Clear/ARCO	2 - 1.2	1	F	HONEYWELL
1005288	Black	Clear / Wurth	2 - 1.2	1	F	HONEYWELL
1005289	Black	Gray / Wurth	2 - 2.5, 5 - 2.5	1	F	HONEYWELL
1005311	Black	HDL / Wurth	2 - 1.2	1	F	HONEYWELL
1014361	Black	Clear	2 - 1.2	1	F	WAHLEN FUTURE
1014363	Black	Gray	2-2.5, 5 - 2.5	1	F	WAHLEN FUTURE
1014364	Black	HDL Yellow	2 - 1.2	1	F	WAHLEN FUTURE

Replacement Lenses

1000011	Clear	2-1.2	1	F
1000012	Gray	2-2.5, 5-2.5	1	F
1000013	HDL	2-1.2	1	F
1000014	I/O Silver	2 - 1.7, 5 - 1.7	1	F
1000015	Silver Mirror	2 - 3, 5 - 3.1	1	F
1002787	Clear Fogban	2-1.2	1	F
1002788	Gray Fogban	2-2.5, 5 - 2.5	1	F

⁽¹⁾ Key:

- F = high speed particles, low energy
- K = resistance to surface damage by fine particles

CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 12/2/13

PRODUCT: Honeywell Millennium

CERTIFICATION TEST REPORT

SIGNATURES

Q.A. MANAGER: John Pappin

DIRECTOR QUALITY SYSTEMS: [Signature]

DIRECTOR R & D: [Signature]





Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: MILLENNIA™ Monture Argentée, Oculaire Incolore

Référence: 1000009

Norme(s): EN166, EN170

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

EC1131

Délivré par:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Fait en Manchester, le 24/05/2017

Par: K J Warren

Division: Protection oculaire et faciale

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 348 882 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com