

Nepshaw Lane South, Morley, Leeds, LS277JQ Materials Testing Manager: D. J. Brockbank t: 0113 393 9791 e: dbrockbank@wyjs.org.uk www.wyjs.org.uk/materialstesting



EC TYPE-EXAMINATION CERTIFICATE (EC Directive 89/686/EEC)

Number EC69634-01

Notified body number: 2019
NOTIFIED UNDER ARTICLE 9 OF EC DIRECTIVE 89/686/EEC

lssued to: Portwest Clothing Ltd.

Fields End Business Park, Thurnscoe, South Yorkshire. S63 0JF, England. Portwest Ltd (Fuzhou)
13th Floor, ChuangYe Building,
HaiXi Hitech Industrial Park
MinHou County,
FuZhou City, Fujian Province
China P.C. 350100

It is certified that the manufacturer's technical file and the PPE detailed below have been assessed and found to be in accordance with EC Directive 89/686/EEC for PPE of 'Intermediate Design'.

PPE Product:

Portwest Style C470/UC470 high visibility waistcoat constructed from an Orange (124 g/m), Red (130 g/m²) or Yellow(124 g/m) warp knitted polyester fabric), and having sewn on 50 mm retroreflective bands; 2 horizontal bands about the torso with bands over each shoulder. The waist coat is available in five nominal sizes the smallest being S/M.

When examined the PPE satisfied the relevant requirements in the harmonized standards,

EN ISO 20471:2013 Class 2

And the orange colour way garment also meets the requirements of the non Harmonised Standard:

GO/RT 3279 Issue 8.

The manufacturer's information notices detailed within technical file (C470) in English have been assessed and found to have addressed all of the relevant requirements of the standards. However the detailed content of the notice is the responsibility of the manufacturer as are translations into other languages.

C E 2019

Authorised By:
Dale Brockbank
Materials Testing Manager

Issue 4 12 December 2016

Certified since 15 September 2014

WYMTS Reference: 69634



This Certificate remains the property of West Yorkshire Materials Testing Service whom it must be returned to on request.



Nepshaw Lane South, Morley, Leeds, LS277JQ Materials Testing Manager: D. J. Brockbank t: 0113 393 9791 e: dbrockbank@wyjs.org.uk www.wyjs.org.uk/materialstesting



EC TYPE-EXAMINATION CERTIFICATE (EC Directive 89/686/EEC)

Number EC69634-01

Notified body number: 2019 NOTIFIED UNDER ARTICLE 9 OF EC DIRECTIVE 89/686/EEC

ALL TEST DOCUMENTS MUST BE INCLUDED IN THE TECHNICAL FILE

| Requirement | Assessment | Technical Documentation |
|--|---|--|
| Technical File | Technical file in order with PPE Directive (89/686/EEC) | Portwest technical file C470 dated 19-03-2015, and supplements. |
| ISO 13688 Innocuousness | Garment meets all requirements | Oekotex Certificate 11-23395 |
| ISO 13688 Ergonomics and sizing, and EN ISO 20471 Design assessment. | Garment meets all requirements, with size S/M achieving Class 2 | Garment Design Assessed |
| EN ISO 20471 GO/RT 3279 | Background fabric meets ENISO 20471 | BTTG 12703/00262/JS BTTG 11/13022/PJH WYMTS 61362, 61700 SGS NB1110910/TX SGS SHSL 140818898TX BV(9314)347-0225 BTTG 20520/01273/PJH |
| GO/RT 3279 | Class 2 | BTTG 12703/00262/JS |
| EN ISO 20471 | Retro -reflective Tape | Satra SPC0198770/1143 |
| Product Markings | Marking meets the requirements of ISO 20471:2013 | Detailed within technical File |



Authorised By: Dale Brockbank Materials Testing Manager

Issue 4 12 December 2016

Certified since 15 September 2014

This Certificate remains the property of West Yorkshire Materials Testing Service whom it must be returned to on request.

WYMTS Reference: 69634







Nepshaw Lane South, Morley, Leeds, LS277JQ Materials Testing Manager: D. J. Brockbank t: 0113 393 9791 e: dbrockbank@wyjs.org.uk www.wyjs.org.uk/materialstesting




EC TYPE-EXAMINATION CERTIFICATE (EC Directive 89/686/EEC)

Number EC69634-01

Notified body number: 2019 NOTIFIED UNDER ARTICLE 9 OF EC DIRECTIVE 89/686/EEC

Drawing of Garment:







Authorised By: Dale Brockbank Materials Testing Manager

Issue 4 12 December 2016

Certified since 15 September 2014

WYMTS Reference: 69634



This Certificate remains the property of West Yorkshire Materials Testing Service whom it must be returned to on request.

