

# SAFETY DATA SHEET

1. Identification	
Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
Product identifier	HP Color LaserJet CF541A-X Cyan Print Cartridge
Other means of identification	None.
Recommended use	This product is a cyan toner preparation that is used in HP Color LaserJet Pro M254/HP Color LaserJet Pro MFP M280/HP Color LaserJet Pro MFP M281 series printers.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
	HP Inc.
	1501 Page Mill Road
	Palo Alto, CA 94304-1112
	United States
Telephone	650-857-1501
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Hazard(s) not otherwise classified (HNOC)	None known.
GHS Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Wax	Wax	Trade Secret	<10

Material name: CF541A-X

Chemical name	Common name and synonyms	CAS number	%
Pigment	Pigment	Trade Secret	<5
Amorphous silica	Amorphous silica	7631-86-9	<3
4. First-aid measures			
nhalation	Move person to fresh air immediately. If irritat	tion persists, consult a physiciar	l.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large least 15 minutes or until particles are remove		
Ingestion	Rinse mouth out with water. Drink one to two physician.	glasses of water. If symptoms of	occur, consult a
Most important symptoms/effects, acute and delayed	Not available.		
5. Fire-fighting measures			
Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Like most organic material in powder form, toner can form explosive dust-air mixtures when finel dispersed in air.		
Special protective equipment and precautions for firefighters	Not available.		
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.		
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder wi damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance w federal, state, and local regulations.		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		
7. Handling and storage			
Precautions for safe handling	Keep out of the reach of children. Avoid inhal adequate ventilation. Keep away from excess		
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.		
8. Exposure controls/pers	onal protection		
Occupational exposure limits			
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type	Value	
Amorphous silica (CAS	TWA	6 mg/m3	

components	туре	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	
Biological limit values	No biological exposure limits not	ed for the ingredient(s).	
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (I	nhalable Particulate), 3 mg/m3 (Respirable Particulate)	
	Amorphous silica: USA OSHA (` mg/m3	TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/	'TLV): 10
	TRGS 900 (Luftgrenzwert) - 10 r	ng/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige	e fraktion)

· · · · · · · · · · · · · · · · · · ·	
9. Physical and chemica	al properties
Thermal hazards	Not available.
<b>Respiratory protection</b>	Not available.
Other	Not available.
Hand protection	Not available.
Skin protection	
Eye/face protection	Not available.
Individual protection measure	s, such as personal protective equipment
Appropriate engineering controls	Use in a well ventilated area.

Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Cyan
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Other information	
Oxidizing properties	No information available.
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2

## 10. Stability and reactivity

Material name: CF541A-X

### 11. Toxicological information

Information on likely routes of exposure			
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Not available.		
Information on toxicological effe	ects		
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory or skin sensitization	1		
Respiratory sensitization	Based on available data, the classification criteria are not met.		
Skin sensitization	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
	631-86-9) 3 Not classifiable as to carcinogenicity to humans. d Substances (29 CFR 1910.1001-1050)		
Not regulated. US. National Toxicology Pro Not listed.	ogram (NTP) Report on Carcinogens		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.		
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

### 12. Ecological information

Ecotoxicity	LC50: > 100 n	ng/I, Fish, 96.00 Hours	
Product		Species	Test Results
CF541A-X			
Aquatic			
Algae	ErC50	Algae	> 100 mg/l, 72 Hours
Crustacea	EC50	Crustacea	> 100 mg/l, 48 Hours
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

13. Disposal consideration	ns		
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.		
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.		
14. Transport information			
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.		
15. Regulatory informatio	n		
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)		
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)		
Not listed. SARA 304 Emergency relea			
Not regulated. OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1050)		
Not regulated.			
-	eauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
Other federal regulations			
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutants (HAPs) List		
	n 112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated. Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations	Not Listed		
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea New Zealand, and China.		
16. Other information, inc	cluding date of preparation or last revision		
Issue date	04-Oct-2017		
Revision date	26-Sep-2019		
Version #	03		
Other information	This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).		

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment. exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. Identification: Important information **Revision information Explanation of abbreviations** 

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds