Safety Data Sheet (SDS)Conforms to Reg. (EC) No 1907/2006,Reg.(EC) No1272/2008 and their amendments	SHJ0044237901
	Version:1.0
SECTION1: Identification of the product and the company/undertaking	
1.1. Product identifier	
Product name: Toners Black MT	
Pure substance/mixture: mixture	
1.2. Relevant identified uses of the product and uses advised against	
Recommended Use Toner Uses advised against No information available	
1.3. Details of the supplier of the safety data sheet	
Supplier name: MITO COLOR IMAGING CO., LTD.	
Address: 15 th Jin Feng Xi Road, Tang Jia Wan Town, Zhu Hai City, Guang Dong China	
Telephone: +86- 756- 6317266	
Importer name:	
Address:	
Telephone:	
Fax:	
E-mail:	
1.4. Emergency telephone number	

Country Advisory body Address Emergency number				
	Country	Advisory body	Address	Emergency number

SECTION2: Hazards identification	
2.1. Classification of the product	
Classification according to Directive1999/45/EC: Not considered as a hazardous mixture.	
Classification according to Regulation (EC) No 1272/2008 [CLP]: Not considered as a hazardous mixture.	
Other adverse physico-chemical, human health and environmental effects	
None	
2.2. Label elements	
Labelling according to Directive1999/45/EC: None	
Labelling according to Regulation (EC) No 1272/2008 [CLP]: None	
2.3. Other hazards	
None	
SECTION3: Composition/information on ingredients	
3.1. Substance	

Not applicable.

Safety Data Sheet (SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901

Version:1.0

3.2.	Mixture				
1. 2. 3. 4.	CAS# EC# Index # REACH #	Name	% w/w	Classification according to(EEC)No67/548 (DSD)	Classification according to(EC) No1272/2008(CLP)
1. 2. 3. 4.	25085-34-1 - - -	Polymer	70-80	Not Classified	Not Classified
1. 2. 3. 4.	Confidential - - -	Wax	1-10	Not Classified	Not Classified
1. 2. 3. 4.	1333-86-4 215-609-9 - -	Carbon black	1-10	Not Classified	Not Classified
1. 2. 3. 4.	7631-86-9 231-545-4 - -	Silica	1-10	Not Classified	Not Classified

Full text of R-, H- and EUH-phrases: see section 16.

SECTION4:Firstaidmeasures

4.1. Description of first aid measures

Inhalation: Move victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

Skin contact: Immediately wash with plenty of soap and water. Get medical attention if irritation occurs.

Eye contact: Immediately flush eyes with running water for at least 20minutes holding eyelids open. Get medical attention.

Ingestion: Do not induce vomiting. Give 1-2 glasses of water to a conscious victim. Never give anything by mouth to an unconscious victim. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhaled:

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion:

Although ingestion is not thought to produce harmful effects (as classified under EC Directives), the material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease ,ill-health).

Skin Contact:

Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.

Eye:

Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

Chronic:

Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimized as a matter of course.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical attention and treat symptomatically.

Safety Data Sheet (SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901 Version:1.0

SECTION5:Firefightingmeasures

5.1. Extinguishing media

Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

5.2. Special hazards arising from the product

No data available.

5.3. Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spill age from entering drains or water courses.

Use water delivered as a fine spray to control fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected location.

Only when safe to do so, remove containers from path of fire.

SECTION6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Wear chemical goggles and chemical resistant gloves.

6.1.2. For emergency responders

Wear breathing apparatus plus protective gloves. Remove ignition sources and provision of sufficient ventilation, evacuate the danger area and consult experts.

6.2. Environmental precautions

Take precautions to prevent entry into waterways, sewers, or surface drainage systems. Dispose according to local or international regulations.

6.3. Methods and material for containment and cleaning up

Use appropriate tools to put the splash solid in suitable container for recovery or disposal.

6.4. Reference to other sections

Refer to Section 8forPersonalProtective Equipment advice.

SECTION7:Handlingandstorage

7.1. Precautions for safe handling

Do not handle until all safety, precaution shave been read and understood. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: PE. Refertosection10.

Storage incompatibility: Avoid reaction with strong acid, alkali and oxidizing agents.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2, no other specific uses are stipulated.

SEC.	TION8:Exposure	controls/personal protection
8.1.	Control paramete	rs
	Substance	Silica, amorphous
	CAS No.	7631-86-9

		1129	926-00-8	
	Limit value -Eight hours		Limit value -Short term	
	ppm	mg/m³	ppm	mg/m³
Australia		2 (1)		
Austria		4 inhalable aerosol		
Belgium		10		
Canada- Ontario		10		
Canada- Québec		6		
Denmark		2 inhalable aerosol		4 inhalable aerosol
Germany (AGS)		4 inhalable aerosol		
Germany (DFG)		4 inhalable aerosol		
Hungary				
Ireland		6 (1)		
		2,4 (2)		
Latvia		1		
NewZealand		1		
Poland				
Singapore		10		
SouthKorea		10		
Switzerland		4 inhalable aerosol		
The Netherlands				
USA-NIOSH				
USA-OSHA		80/ % silica total dust		
United Kingdom		6 inhalable aerosol		
		2,4 respirable aerosol		
		Re	emarks	
Australia	(1) This value	is for inhalable dust contai	ning no as bestos and<1%cryst	allinesilica.
Ireland		(1) Inhalable fractio	n(2) Respirible fraction	
Substance			on black	
CASNo.		133	3-86-4	
	Limit value -Eight hours		Limit value -Short term	
	ppm	mg/m³	ppm	mg/m³
Australia		3		
Austria				

3,5

Safety Data Sheet(SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901 Version:1.0

Belgium

SHJ0044237901 Version:1.0

		V CI SIOII. I.C
Canada- Ontario	3,5	
Canada- Québec	3,5	
Denmark	3,5 7,0	
European Union		
France	3,5	
Ireland	3,5 7 (1)	
NewZealand	3	
Poland		
Singapore	3,5	
SouthKorea	3,5	
Spain	3,5	
Sweden	3	
USA-NIOSH	3,5 (1)	
USA-OSHA	3,5	
United Kingdom	3,5 7	
	Remarks	
Ireland	(1) 15minutesreference period	
USA-NIOSH	(1) in presence of PAHs: limit PAHs to 0,1mg/m³TWA (detected as cyclohexane soluble extract)	

Safety Data Sheet(SDS)Conforms to Reg. (EC) No 1907/2006,Reg.(EC) No1272/2008 and their amendments

8.2. Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps as elected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

General Personal Protection: Safety goggles or face shield, chemical resist ant gloves, protective clothing and apparatus.

SECTION9:Physicalandchem	icalproperties
9.1. Information on basic physica	al and chemical properties
Physical state:	Solid
Colour: Odour:	Black No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling point:	No data available
Flash point:	No data available
Vapour pressure:	No data available
Density(g/cm3):	No data available
Water solubility:	No data available
Partition coefficient(n-octanol/water):	No data available

Safety Data Sheet(SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901 Version:1.0

Auto-ignition temperature:	No data available
Flammability:	Non flammable
Upper/lower explosive limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Dissociation constants:	No data available
Surface tension:	No data available
Viscosity:	No data available

9.2. Other information

No data available.

SECT	ION10: Stability and reactivity
10.1.	Reactivity
May rea	act with strong acid, alkali, oxidizing agents and incompatible materials.
10.2.	Chemical stability
Product	is considered stable during storage and transporation under normal condition.
10.3.	Possibility of hazardous reactions
Hazard	ous reactions mayoccur if contact within compatible material.
10.4.	Conditions to avoid
High ter	nperature, ignition sources (sparks, flames, static), incompatible materials.
10.5.	Incompatible materials
Strong	acid, alkali and oxidizing agents
10.6.	Hazardous decomposition products
On com	bustion or the rmalde composition, may emit toxic fumes.

SECTION11: Toxicologicalinformation

11.1. Information on toxicological effects

No data available for the mixture.

SECTI	ION12: Ecological ir	nformation
12.1.	Aquatic toxicity	
No data	available for the mixture.	
12.2.	Persistence and degra	dability
Biodeg	radation:	No data available
Abiotic	degradation:	No data available
12.3.	Bioaccumulative poter	ntial
Biocon	centration factor (BCF):	No data available
12.4.	Mobility in soil	
Distrib	ution to environmental	No data available
compa	irtments:	
Adsorp	otion/Desorption:	No data available
12.5.	Results of PBT and vP	vB assessment
No data	available.	

Safety Data Sheet(SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901 Version:1.0

12.6. Other adverse effects

No data available.

Label required

SECTION13:Disposalconsiderations

13.1. Waste treatment methods

Product disposal: refer to specific national regulation.

Contaminated packaging: contaminated, empty containers must be disposed of as chemical waste.

SECTION14:Transportinformation

Based on available data, the information according to UN recommendation on the transport of dangerous goods is given as below:

None			
Transpo	ort information		
14.1	UN Number	None	
14.2	Shipping name	None	
14.3	Road (ADR)	None	
	Rail(RID)	None	
	Air (ICAO/IATA)	None	
	Sea (IMO/IMDG)	None	

14.4	ADR-Packing Group:	None
14.5	Environmental Pollutant:	No
	Marine pollutant:	No
14.6	Special Precautions for User	N.A.

14.7.Transportinbulk according to Annex II of MARPOL73 / 78 and the IBC code

No data available

SECTION15:Regulatoryinformation

15.1. Safety, health and environmental regulations/ legislation specific for the substance or mixture

15.1.1. EU-Regulations

This safety data sheet is incompliance with the following EU legislation and its adaptations- as far asapplicable-67/548/EEC,1999/45/EC, Regulation (EC) No 1272/2008, Regulation (EC) No1907/2006, 98/24/EC, 92/85/EEC, 94/33/EC, 91/689/EEC and 1999/13/EC.

15.1.2. International/national regulations

No data available

15.1.3. Regulation for ingredients

None

15.2. Chemical safety assessment

No chemical safety assessment report was provided for this safety data sheet compilation.

SECTION16:Otherinformation

16.1Keyliterature references and sources for data

- ESIS(European chemical Substances Information System), http://esis.jrc.ec.europa.eu/

- Information on Chemicals in ECHA website, http://echa.europa.eu/information-on-chemicals

Safety Data Sheet(SDS)Conforms to Reg. (EC) No 1907/2006, Reg. (EC) No1272/2008 and their amendments

SHJ0044237901 Version:1.0

- IFAGESTIS-International limit values for chemical agents-Occupational exposure limits (OELs), <u>http://www.dguv.de/ifa/en/gestis/limit_values/index.jsp</u> 16.2Listofrelevanthazard statements and risk phrases

None

16.30ther

This product should be stored, handled and used in accordance with good industrial hygiene practices and inconformity with any legal regulation. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EUCEN Standards:

- EN 16Personal eye-protection
- EN 340Protectiveclothing
- EN 374Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

The information presented in this SDS is based on our current knowledge and available data as of the issue date, and is only intended to describe the product for the purposes of protecting human health and environment from potential hazard. It should not therefore be construed as guaranteeing any specific property of the product.