



Registered Office
Bio Basic Europe S.r.l.
Uffici: Via Antonio Panizzi, 10 - 20146 Milano
Phone: +39 02 4155729 - Fax: 02 41274243
info@biobasiceurope.it - www.biobasiceurope.it

ISCR. REG. SOC. TRIB. MI 1552357
CCIAA MI 1511487
CAP. SOC. E 10.845.59
C.F. PVA 11930080152



Istituto di Ricerche Dermocliniche
CDC
Viale Misurata, 59 - 20146 Milano
Phone: +39 02 48371962
info@cdcdermoinsitute.it - www.cdcdermoinsitute.it



UNIVERSITA' DEGLI STUDI DI PAVIA
Dipartimento di Medicina Interna e Terapia Medica
(Direttore: Prof. Plinio Richelmi)

Patch Test

**Evaluation of the possible irritant power of a cosmetic product
according to the amended Draize classification
(on volunteers with sensitive skin)**

Record no. 2103E12P-1

RMC_50_25_11_19_MED.01

Place and date of issue: MILAN –22th June 2021

SCIENTIFIC TECHNICAL COMMITTEE

Bio Basic Europe S.r.l.

Plinio Richelmi, Ornella Pastoris, Fernando Marco Bianchi,
Antonella Colombo, Alessandra Di Benedetto, Evelyn Falconi
Klein, Laura Mainardi, Claudio Angelinetta, Daniela Gandini,
Antonella Praticò, Eliana Regola, Francesca Vallotto

MONITOR

SCIENTIFIC PERSON IN CHARGE

Prof. Plinio RICHELMI
Professore Ordinario di Farmacologia
Direttore del Dipartimento di Medicina Interna e Terapia Medica
Facoltà Medicina e Chirurgia
Università di Pavia
Via Ferrata 6- 27100 PAVIA

Experimenter

Dr. Fernando Marco BIANCHI
Dermatologist
consultant at CDC - Dermo-clinic Research Institute
Viale Misurata 59, Milano

Quality Control

Dr. Claudio ANGELINETTA
Master's degree in Chemistry at University of Milan,
M.Sc. Cosmetology at University of Milan
Technical Director BIO BASIC EUROPE S.r.l.
Via Antonio Panizzi, 10 20146 Milano

Person responsible for the report

Daniela GANDINI
Master's Degree in Biothecnology
University of Milan Bicocca
In Vivo Safety Tests Department Responsible
BIO BASIC EUROPE s.r.l.

Experimental part	pag. 4
Execution of the test	pag. 4
Evaluation and calculation of the results	pag. 6
Results	pag. 7
Conclusions	pag. 9
Bibliography	pag. 10

*All rights are reserved, being it a scientific and technical document protected by Copyright.
No part of this document may be reproduced in any form without the prior written authorization of Bio Basic Europe S.r.l.*

Based on our experience, we suggest to check every 3 years its compliance with the guidelines in force..



Title

Patch Test.

Evaluation of the possible irritant powers of a cosmetic product according to amended Draize classification.

Aim

To evaluate the tolerability of a cosmetic product through the individualization and the classification of its potential irritant power.

Legal information

In accordance with the current legislation and the declaration of Helsinki, all volunteers must be adequately informed of the aims, methods, clinical trial details, anticipated benefits and potential undesirable effects of the study. Each panellist must sign an informed consent form, which is managed and archived by applying the internal procedure of the Quality Management System of Bio Basic Europe S.r.l.

Contract information

Technical report performed by BIO BASIC EUROPE s.r.l. and Università degli Studi di Pavia.

Final technical report written by BIO BASIC EUROPE s.r.l. on behalf of DERM COS GMBH

Experimentation performed at CDC - Dermo-clinic Research Institute

Materials and methods

The test will be carried out on 30 volunteers with sensitive skin* recruited according to the following inclusion and exclusion criteria: a) good state of health/absence of psychological and/or cognitive disorders; b) no dermatopathies and allergic pathologies (to cosmetics or other specific excipient), or other pathologies (as unknown irritant responses); c) no ongoing pharmacological treatments that could affect the result of the test; d) no participations in other clinical trial during the previous 30 days; e) signature of the informed consent form.

**The test is monitored by a dermatologist and it will be performed on volunteers with sensitive skin.*

This evaluation will be clinically performed by our MD and will take into consideration different factors such as the capillary fragility, the tendency of skin to get red, irritated and to flake easily.

Applications of the samples

The products have been applied following their usual use: as they are (leave-on products) or with a 10% standard concentration (rinse-off products). Liquid products are applied on the skin in a dose of 20 µl. Solid and semisolid products are applied in a dose of 20 µg.

Finn Chamber (a plaster containing a 7 mm aluminium disk and disks of blotting paper) is a patch test device which provides good occlusion.

For liquid products the Finn Chamber contains disks of blotting paper soaked with a certain quantity (20 µl) of the sample to be tested, for solid products the products to be tested are directly applied on skin (20 µg).

Execution of the test

- The involved skin area (surface of the back) has been cleaned with a 70% alcoholic solution
- The cosmetic product has been applied in a quantity of 0,02 mg or ml/ cm² of skin.
- The involved skin area is occluded with the Finn Chamber
- The cosmetic product has been left in contact with the skin surface for 48 hours.
- The Finn chamber is removed
- The cutaneous reactions have been analysed 15 minutes, 1 hour , 24 hours after Finn Chamber removal.
- Negative control with physiological water

PATCH TEST

No of volunteers	30		
SEX	M (X)	F (X)	
AGE	18-70		
TIMES for TEST EXECUTION: - product application - evaluation of cutaneous reaction (ERYTHEMA and EDEMA) after the Finn Chamber removal	1 st DAY	Product application with the Finn Chamber and skin contact for 48 hours	
	2 nd DAY	Finn Chamber removal and evaluation of the cutaneous reaction	
		15 min [X]	1 hour [X]
Product use	as it is (X)	with a 10% dilution (...)	

Inci name:

Aqua, C12-15 Alkyl Benzoate, Butyl Methoxydibenzoylmethane, Glycerin, Ethylhexyl Salicylate, Dicaprylyl Ether, Ethylhexyl Triazone, Cetyl Alcohol, Glyceryl Stearate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Diethylhexyl Butamido Triazone, Sodium Stearoyl Glutamate, Butyrospermum Parkii Butter, Phenylbenzimidazole Sulfonic Acid, 1,2-Hexanediol, Tocopheryl Acetate, Xanthan Gum, Caprylyl Glycol, Decylene Glycol, Ethylhexylglycerin, Sodium Hydroxide, Piroctone Olamine, Titanium Dioxide, Silver Chloride, Tocopherol, Diethylhexyl Sodium Sulfosuccinate, Propylene Glycol

Evaluation and calculation of the results

The reactions are evaluated according to the arbitrary scale reported in table no. 1.

Erythema and edema are evaluated after the Finn Chamber removal.

The index of total skin irritation (IIM tot) comes out by calculating the average of the irritation indexes for erythemas (IIM Er) and edemas (IIM Ed) at 24 hours.

The product is classified according to table no. 2.

Table no. 1
Scale of evaluation

Erythema	
No erythema	0
Light erythema (hardly visible)	1
Clearly visible erythema	2
Moderate erythema	3
Serious erythema (dark red with possible formation of light eschars).	4
Edema	
No edema	0
Very light edema (hardly visible)	1
Light edema	2
Moderate edema (about 1mm raised skin)	3
Strong edema (extended swelling even beyond the application area)	4

Table no. 2
Classification of the index of average irritation (according to the amended Draize classification)

Index	Class
0,5 from 0,5 to 2,0 from 2,0 to 5,0 from 5,0 to 8,0	non irritant slightly irritant moderately irritant highly irritant

Results


Values of edema and/or erythema

(scale of evaluation: see table no. 1)

Volunteers' references	SEX	Reaction after 15'		Reaction after 1 h		Reaction after 24 h	
		Erythema	Edema	Erythema	Edema	Erythema	Edema
1	F	0	0	0	0	0	0
2	F	0	0	0	0	0	0
3	F	0	0	0	0	0	0
4	F	0	0	0	0	0	0
5	F	0	0	0	0	0	0
6	F	0	0	0	0	0	0
7	F	0	0	0	0	0	0
8	F	0	0	0	0	0	0
9	F	0	0	0	0	0	0
10	F	0	0	0	0	0	0
11	F	0	0	0	0	0	0
12	F	0	0	0	0	0	0
13	F	0	0	0	0	0	0
14	F	0	0	0	0	0	0
15	F	0	0	0	0	0	0
16	F	0	0	0	0	0	0
17	M	0	0	0	0	0	0
18	M	0	0	0	0	0	0
19	M	0	0	0	0	0	0
20	M	0	0	0	0	0	0
21	F	0	0	0	0	0	0
22	F	0	0	0	0	0	0
23	F	0	0	0	0	0	0
24	F	0	0	0	0	0	0
25	F	0	0	0	0	0	0
26	F	0	0	0	0	0	0
27	F	0	0	0	0	0	0
28	M	0	0	0	0	0	0
29	M	0	0	0	0	0	0
30	F	0	0	0	0	0	0

Values and classification of the average irritation indexes

(See table no. 2)



Conclusions

The table and the graphs listed above summarize the values of the indexes of erythema and edema found out for each volunteer. We can state that product named:

RMC_50_25_11_19_MED.01

has been dermatologically tested and it can be classified according to amended Draize classification :


NOT IRRITANT


Sperimentatore / Experimenter
Dott. Fernando Marco BIANCHI


Monitor
Prof. Plinio RICHELMI



Documento firmato digitalmente ai sensi delle normative vigenti, che garantisce l'avvenuta validazione da parte di tutti i soggetti.
This document has been digitally signed, in compliance with any applicable law, ensuring the effective validation by all the subjects.



Bibliography

Regulation (EC) no1223/2009 of the European Parliament and of the council of 30 November 2009 on cosmetic products.

Declaration of Helsinki - ethical principles for medical research involving human subjects
adopted by the 18th wma general assembly, Helsinki, Finland, June 1964, and consecutive amendments (last amendment: 59th wma general assembly, Seoul, October 2008)

Guidelines for the evaluation of the efficacy of cosmetic products, revised version may 2008
Cosmetics Europe – The personal care association -

© by BIO BASIC EUROPE S.r.l.
Via A. Panizzi, 10
MILANO ITALY