



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°**                    **0075/1562/162/12/20/2916**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :**                    **CORTINA NV**  
MEERSBLOEM-MELDEN42, B-9700 OUDENAARDE  
BELGIUM

**Description**

**PPE Type :**                            *protective glove against mechanical risks*  
**Product reference :**                **ALLFLEX**  
**Article code :**                        /  
**Glove description :**                **15 GAUGE SPANDEX SEAMLESS KNITTED GLOVE, PALM COATED  
NITRILE AND WATERBASE PU, MICROFOAM SURFACE**  
**Available sizes :**                    **7, 8, 9, 10, 11, 12**

**Pictures :**



**ALLFLEX**

EN ISO 21420:2020 EN 388:2016



**CORTINA NV**  
Meersbloem - Melden 42,  
B-9700 Oudenaarde, Belgium  
LOT.: XXXXXXXXXXX

**Reference standard :**

**Levels of performance / class of protection**

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.  
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

**EN ISO 21420:2020**

-

**EN 388:2016 + A1:2018**

**4 1 3 1 A**

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from DECEMBER 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**  
**Maxence DREVET**  
Project Certification Manager

**Date of first issue :** 02 December 2020  
**End of validity date :** 02 December 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**CORTINA NV**

**MANUFACTURER'S TECHNICAL FILE TO THE  
PPE REGULATION 2016/425**

<b>Reference of the product</b>	<b>:</b>	<b>ALLFLEX</b>
<b>Article code</b>	<b>:</b>	<b>/</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>DECEMBER 2020</b>

## IDENTIFICATION

Reference of the product :	:	ALLFLEX
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	DECEMBER 2020

### **Manufacturer :**

CORTINA NV  
MEERSBLOEM-MELDEN42, B-9700 OUDENAARDE  
BELGIUM

tel : +32 55 33 57 05

fax :

### **Factory :**

SHANDONG XINGYU GLOVES CO.,LTD  
Middle Yaoqian Road Chaoyang District Gaomi City Shandong Province  
China

tel: 0086-536-2580957

fax: 0086-536-2586328

SHANDONG DS SAFETY TECHNOLOGY CO., LTD  
YAOGEZHUANG INDUSTRIAL PARK,GAOMI,SHANDONG  
CHINA

tel: +86 536 2581048

fax:

## GLOVE DESCRIPTION

### General glove description and intended use:

15 GAUGE SPANDEX SEAMLESS KNITTED GLOVE, PALM COATED NITRILE AND WATERBASE PU, MICROFOAM SURFACE

This glove is designed against mechanical risks.

Type of coating finish : sandy

### Visual description (picture back and palm sides) :



#### Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

## Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m <sup>2</sup> )	Gauges	Thickness
Palm	ALL-01	BLACK	NITRILE+WATERBASE PU			0.3-0.5mm
	ALL-02	GREY	SPANDEX	200	15	
Back	ALL-02	GREY	SPANDEX	200	15	
Cuff	ALL-03	GREY/ WHITE	GREY SPANDEX WITH WHITE ELASTIC	400	15	
Binding	BIN-01	RED, YELLOW, BROWN, BLACK, BLUE	POLYESTER			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.  
This glove is designed against mechanical risks.  
It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN ISO 21420 : 2020

Dexterity : 5  
Available size range: 7, 8, 9, 10, 11, 12  
The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

### Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	A
Impact Protection	-

The levels of performance have been measured on the palm.

## TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	D200812815_2 D201017321_1	
EN 388	D200812815_2	

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : ALLFLEX

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

### Marking example :



**ALLFLEX**

EN ISO 21420:2020 EN 388:2016



CAT.II

SIZE 9

4 1 3 1 A

**CORTINA NV**

Meersbloem – Melden 42,  
B-9700 Oudenaarde, Belgium

 **LOT.: XXXXXXXXXX**

### Method of marking on the glove :

Printed on the back of glove

### Packaging suitable for transport:

N.A

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Cleaning instructions:

The gloves are not washable.

# MEANS OF CONTROL

Refer to the ISO 9001 certificate. When do bulk production, we shall pick up some gloves from each batch to test abrasion resistance and blade cut resistance of EN 388, PAHs of EN ISO 21420 to control the quality.



**CERTIFICATE OF CONFORMITY**  
**QUALITY MANAGEMENT SYSTEM CERTIFICATION**  
NO. 10420Q00474R0S

This is to certify that the Quality Management System of  
**SHANDONG XINGYU GLOVES CO., LTD.**  
(Address: Middle Of Yaoqian Road, Gaomi Economic Development Area, Gaomi City, Weifang, Shandong Province  
Unity Social Credit Code:9137078577418160X7 Postal Code:261502)

is in conformity with:  
**GB/T 19001-2016/ISO 9001:2015**

This system is valid to:  
**\* PRODUCTION OF NON-MEDICAL DISPOSABLE MASKS \***

Further clarifications regarding the scope of this certificate and the applicability of GB/T 19001-2016/ISO 9001:2015 requirements may be obtained by this body organization. Certificate in the state regulations administrative license, qualification, mandatory product certification received within the validity period, the regular supervision review of the case effectively. This certificate information is available on the official website of the agency and Certification & Accreditation Administration of the People's Republic of China ([www.cnca.gov.cn](http://www.cnca.gov.cn)).

Issue date :2020-04-28 Term of validity: 2020-04-28 TO 2023-04-27

Representative of the company (Director):



中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEM  
CNAS C104-M



Issue inspection second inspection third inspection  
This certificate will not be legally valid unless the inspection is confirmed  
Address: NO.2 Zheyuan Road, High-tech Zone, Qingdao City, China  
Tel: 0532-85781352 Fax: 0532-80799550 Web: [www.seatonc.com](http://www.seatonc.com)

## INSTRUCTION FOR USE

CORTINA NV  
MEERSBLOEM-MELDEN42, B-9700 OUDENAARDE  
BELGIUM  
Glove reference : ALLFLEX  
Article code: /  
User notice index : 01  
Last update : DECEMBER 2020

**CORTINA NV**  
Meersbloem – Melden 42,  
B-9700 Oudenaarde, Belgium  
LOT.: XXXXXXXXXX



### Glove description :

15 GAUGE SPANDEX SEAMLESS KNITTED GLOVE, PALM COATED NITRILE AND WATERBASE PU, MICROFOAM SURFACE

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity 5

Available size range: 7, 8, 9, 10, 11, 12

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 2140 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

### Application .:

Mechanical hazard - EN 388:2016 +  
A1:2018



4 1 3 1 A  
Levels of performance



Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	A	(A to F)
Impact Protection		

Read carefully the instructions for use provided with the product

### Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear, ...).

No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove .

### Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

### Declaration of conformity :

Available on : <http://dw.safetyjogger.com/?dir=certificates/>