

Breathing Protection

02.03.2021

Product data sheet uvex silv-Air 2210 FFP2 NR D





Product information

Product	Particle-filtering cup shape mask with exhalation valve				
features	Protection level FFP2				
	Soft material edges for high wearing comfort				
	Continuous head band for a comfortable and secure fit				
	Exhalation valve reduces breathing resistance and build-up of				
	heat and moisture in the mask				
	Flexible and adjustable nose clip				
	Compatible with uvex safety eyewear				
	Soft sealing lip guarantees a secure, comfortable sealed				
	position of the mask				
	 Mask fulfils the requirements of the dolomite dust test (D) 				
Materials	Headband: textile				
	Nose clip: aluminum				
	Filter / mask: Melt Blown PP, Polyester				
	Sealing lip: PVC foam				
	Valve: ABS				
Weight	19 g				
Standard	EN 149:2001 + A1:2009				

Versions

Article number	Colour/Version	Retail unit
8732.210	cup shape mask FFP2, white with valve	15 pcs. per box
8752.210	cup shape mask FFP2, white with valve	3 pcs. per bag

Packaging sizes

Box	approx. 230 x 140 x 140 mm
Outer Carton	approx. 560 x 430 x 250 mm

Maximum breathing resistance acc. to EN149 in mbar

	Inhalation resistance	Inhalation resistance	Exhalation resistance
	30I/min.	95I/min.	160I/min.
FFP1	0,6	2,1	3,0
FFP2	0,7	2,4	3,0
FFP3	1,0	3,0	3,0

Areas of use*

The respiratory protection mask can be used against solid, aqueous and nonvolatile liquid aerosols up to 10 times the respective limit values.	Woodworking, softwood, cement, metal, smog, fine dust, concrete, iron dust, ash, cotton dust, fluoride, carbon fibres, gypsum, fibre glass, copper, nickel, soot, pollen, house dust, pet hair.
---	---

^{*}Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advise.