

CanoScan LiDE 400

SUPERIOR SCANNER WITH EXCEPTIONAL SPEED, QUALITY AND STYLE

A premium scanner with enhanced speed and a high-resolution scanning capability to save space, power and time. Its sophisticated design features a compact, upright stand and easy USB Type-C powered connection.



- Sharp, high-speed A4 scanning in just 8 seconds
- Stylish, lightweight design with convenient vertical stand
- Easily scan thick documents with advanced Z-Lid
- Powered simply by single USB Type-C cable
- Instant scanning with 5 EZ one-touch operation buttons



EZ Buttons



PDF



4800×4800dpi

48-bit
Input/Output



USB Powered



COPY

PRODUCT RANGE



CanoScan LiDE 300

CanoScan LiDE 300



CanoScan LiDE 400

CanoScan LiDE 400

Canon

Live for the story_

TECHNICAL SPECIFICATIONS

CanoScan LiDE 400

Type	Flatbed Scanner
Scanning element	CIS
Light source	3-color (RGB) LED
Optical resolution	4800 x 4800dpi ^[1]
Selectable resolution	25 - 19200dpi ^[4]
Interface	USB-Type C (USB 3.0 and 2.0 compatible)
Scanning gradation (colour)	48 bit input -> 48/24 bit output
Scanning gradation (greyscale)	16 bit input -> 8 bit output
Maximum document size	A4 / Letter (216 x 297mm)
EZ-Scan Buttons	5 buttons (PDF x 2, AUTOSCAN, COPY, SEND)
Scanning speed (colour) (Reflective)	25.4msec/line (4800 dpi) 14.8msec/line (2400 dpi) 6.6msec/line (1200 dpi) 3.8msec/line (600 dpi) 1.7msec/line (300 dpi) ^[2]
Scanning speed (greyscale, B&W) (Reflective)	8.2msec/line (4800 dpi) 4.3msec/line (2400 dpi) 2.2msec/line (1200 dpi) 1.3msec/line (600 dpi) 1.7msec/line (300 dpi) ^[2]
Scan speed (A4, 300dpi, Colour)	Approx. 8 sec ^[3]
Scan speed (4x6", 300dpi, Colour)	Approx. 4 sec ^[3]
Preview Speed	Approx. 7 sec ^[5]
Software included	Scan Gear for Win Scan Utility for Win
Power supply	Supplied via USB port
Power consumption	approx. 4.5W (in operation, maximum) approx. 0.3W (standby)
Dimensions	250 x 365 x 39 mm
Weight	1.7kg
Operating range (temperature)	5 - 35 °C
Operating range (humidity)	10 - 90 %RH, without condensation formation
Supported Operating Systems	Windows 10, Windows 8.1, Windows 7 SP1 ^[6] ^[7] Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.11.6, macOS 10.12~macOS 10.13
Minimum System Requirements	Display: 1024 x 768 XGA

Standard disclaimers

All Specifications subject to change without notice.

All brand and product names are trademarks of their respective companies.

Footnotes:

^[1] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

^[2] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.

^[3] Connecting the bundled USB cable to the port corresponding to USB3.0 and above on PC. Color document scan speed:(Color A4 300dpi) is measured with ISO/IEC 29183 Target-A. Color photo scan speed:(4"x6" 300dpi) is measured with ISO/JIS SCID No.2. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

^[4] Increasing the scanning resolution will limit the maximum possible scanning area.

^[5] Preprocessing time is not included.

^[6] Internet connection or CD-ROM drive is required to install the software for Windows. Internet connection is required to use all the user's guide.

^[7] TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.




Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2018

SUPERIOR SCANNER WITH EXCEPTIONAL SPEED, QUALITY AND STYLE

A premium scanner with enhanced speed and a high-resolution scanning capability to save space, power and time. Its sophisticated design features a compact, upright stand and easy USB Type-C powered connection.

Sales Start Date: September 2018

CanoScan LiDE 400



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CanoScan LiDE 400	2996C010AA	4549292119855	<Please fill in RRP>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)
CanoScan LiDE 400	2996C010AA	EA	Individual	1	432.5	91.5	317.5	TBC
		CT	Pallet (Upper)	72	876	1,109	965	TBC
		EP	Pallet (Bottom)	96	876	1,109	1,285	TBC

What's in the box?

- A4 flatbed scanner - CanoScan LiDE 400
- USB cable
- Manuals and other documents
- Vertical stand

Canon

Live for the story_