Safety Data Sheet

according to Regulation (EC) No. 2015/830 Date:8/27/2015 Supersedes:3/6/2015

Version: 9.1

SECTION 1: Identification of the sul	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: TIPP-EX® RAPID
Type of product	: Correction fluid
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Correction fluid
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	data sheet
SOCIETE BIC 14, Rue Jeanne d'Asnières 92611 CLICHY Cédex T +33 01 45 19 52 00 - F +33 01 45 19 52 99 <u>Bic.Contact@bicworld.com</u>	
1.4. Emergency telephone number	

:

Country	Organisation/Company	Address	Emergency number
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2 H225 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411

Full text of classification categories and H statements : see section 16

- Adverse physicochemical, human health and environmental effects
- : Highly flammable liquid and vapour. Causes skin irritation. Vapours may cause drowsiness and dizziness. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard	pictograms	(C P)	
TIAZATU	piciograms		

Hazard pictograms (CLP)	HS02 GHS07 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients	: Naphtha (petroleum), hydrotreated light
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	 P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P273 - Avoid release to the environment P302+P352 - IF ON SKIN: Wash with plenty of soap and water P261 - Avoid breathing vapours

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Reduced labelling allowed for small packaging (<125 ml)		
Hazard pictograms (CLP)		
	GHS02 GHS07 GHS09	
Signal word (CLP)	Danger	
Hazard statements (CLP)	H336 - May cause drowsiness or dizziness	
Precautionary statements (CLP)	P261 - Avoid breathing vapours	
Hazardous ingredients	Naphtha (petroleum), hydrotreated light	

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide	(CAS No) 13463-67-7 (EC no) 236-675-5	< 50	Not classified
Naphtha (petroleum), hydrotreated light	(CAS No) 64742-49-0 (EC no) 265-151-9 (EC index no) 649-328-00-1	< 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Naphtha (petroleum), light alkylate	(CAS No) 64741-66-8 (EC no) 265-068-8 (EC index no) 649-276-00-X	< 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Solvent naphtha (petroleum), light aromatic	(CAS No) 064742-95-6 (EC no) 265-199-0 (EC index no) 649-356-00-4	< 1	Carc. 1B, H350 Muta. 1B, H340 Asp. Tox. 1, H304
carbon black substance with national workplace exposure limit(s) (GB)	(CAS No) 1333-86-4 (EC no) 215-609-9	< 1	Not classified
Solvent naphtha (petroleum), medium aliphatic	(CAS No) 064742-88-7 (EC no) 265-191-7 (EC index no) 649-405-00-X	< 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If the person feels unwell : Seek medical advice.	
First-aid measures after skin contact	: Wash immediately with plenty of soap and water. Obtain medical attention if pain, blinking or redness persist.	
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. If irritation persists, consult an eye specialist.	
First-aid measures after ingestion	: Do not induce vomiting. Seek medical advice (show the label where possible).	
4.2. Most important symptoms and effe	ects, both acute and delayed	
Symptoms/injuries after inhalation	: Drowsiness. Dizziness.	
Symptoms/injuries after skin contact	: Redness. Pain.	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Powder. Carbon dioxide (CO2).	

Safety Data Sheet

according to Regulation (EC) No. 2015/830

5.2. Special hazards arising from the su	ibstance or mixture	
Fire hazard : On heating or during combustion : Toxic vapours may be released.		
Explosion hazard	: The vapours are denser than air and may travel along the ground. Distance ignition possible.	
5.3. Advice for firefighters		
Precautionary measures fire	: Evacuate the danger area. Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding (the product is hazardous for the environment). Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.	
SECTION 6: Accidental release mea	sures	
6.1. Personal precautions, protective ed	quipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. No smoking. In case of important spillage : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Prevent the product from entering drains or confined areas. Ventilate spillage area. Stop leak if safe to do so. Use only non-sparking tools.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Contain the spilled material by bunding (product	t is hazardous for the environment). Do not discharge into drains or rivers.	
6.3. Methods and material for containm	ent and cleaning up	
For containment	: Absorb spillage with: inert absorbent material. Sand/earth.	
Methods for cleaning up	: Sweep up or vacuum up the product. Dispose of contaminated materials in accordance with current regulations.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	 Vapour exhaust preferably at emission point. Use non-sparking tools. Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. Smoking is forbidden. Take precautionary measures against static discharges. Do not overheat the product. 	
Hygiene measures	: Do not drink, eat or smoke in the workplace. Always wash hands after handling the product.	
7.2. Conditions for safe storage, include	ing any incompatibilities	
Technical measures	: The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside.	
Storage conditions	: Store in a cool, well-ventilated place. Keep container tightly closed. Avoid ignition sources. Keep away from naked flames/heat.	
Incompatible materials	: Strong oxidizing agents. Oxidizing materials.	
Packaging materials	: Store in original container.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/pers	sonal protection	
8.1. Control parameters		

8.1. Control parameters

Titanium dioxide (13463-67-7)		
United Kingdom	Local name	Titanium dioxide
United Kingdom	WEL TWA (mg/m³)	4 mg/m ³ respirable 10 mg/m ³ total inhalable
carbon black (1333-86-4)		
United Kingdom	Local name	Carbon black
United Kingdom	WEL TWA (mg/m ³)	3.5 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	7 mg/m³

8.2. Exposure controls

Technical measures

: Ensure good ventilation of the work station. Extraction to remove vapours at their source.

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Hand protection	: Impermeable protective gloves. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. Breakthrough time : refer to the recommendations of the supplier
Eye protection	: Safety glasses
Respiratory protection	: If vapour is released : Aerosol filter type : A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Colour	: white.
Odour	: Solvent.
Odour threshold	: No data available
рН	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 95 - 114 °C (760 mmHg)
Flash point	: -9 °C (NF EN ISO 13736)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 26 - 49 mm Hg (20 °C)
Relative vapour density at 20 °C	: No data available
Relative density	: 1.25 (25°C)
Solubility	: Water: 0.1 g/l Practically insoluble
Log Pow	: No data available
Viscosity, kinematic	: > 60 mm²/s (40°C)
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: 1.7 - 12.3 vol %
9.2. Other information	

Additional information

: Volatile component : 0.89 - 1.08 %

SECTION 40. Stability and reactivity
SECTION 10: Stability and reactivity
10.1. Reactivity
To our knowledge, the product does not present any particular risk, under normal conditions of use.
10.2. Chemical stability
Stable at ambient temperature and under normal conditions of use.
10.3. Possibility of hazardous reactions
None to our knowledge.
10.4. Conditions to avoid
Heat. Sparks. Open flame. Ignition sources.
10.5. Incompatible materials
Strong oxidizing agents. Strong reducing agents.
10.6. Hazardous decomposition products
On combustion or on thermal decomposition (pyrolysis) releases : Carbon oxides (CO, CO2). Various hydrocarbon fragments.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Naphtha (petroleum), light alkylate (64741-66-8)		
LD50 oral rat	> 7000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (ppm)	> 5.04 ppm/4h	

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Naphtha (petroleum), hydrotreated light (64742-49-0)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	3160 mg/kg	
LC50 inhalation rat (mg/l)	> 12 mg/l/6h	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg (OECD 425 method)	
LD50 dermal rabbit	> 10000 mg/kg	
LC50 inhalation rat (mg/l)	> 3.56 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: Not applicable	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)	
	pH: Not applicable	
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)	
	Titanium dioxide (powder) is listed as being potentially carcinogenic (group 2B) by the CIRC, based on studies on animals However, studies on human epidemiology do not suggest links between the occupational exposure to titanium dioxide and the risk of cancer	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.	
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)	
	: Not classified (Based on available data, the classification criteria are not met)	

SECTION 12: Ecological Information	
12.1. Toxicity	
Ecology - general	: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Naphtha (petroleum), light alkylate (64741-66-	8)
LC50 fish 1	8.3 mg/l/96h (Pimephales promelas)
Naphtha (petroleum), hydrotreated light (6474	2-49-0)
EC50 Daphnia	2.6 mg/l (crustacean)
10.0 Develotence and developility	
12.2. Persistence and degradability	
TIPP-EX® RAPID	
Persistence and degradability	Mixture based on substances which are not readily biodegradable.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	t in the second s
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Naste treatment methods	: Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local regulations. Destroy at an authorised site.
Additional information	: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN ADR IMDG IATA

AUR		INDG	IATA
14.1.	UN number		
1139		1139	1139
9/1/2015		EN (English)	5/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

ADR	IMDG	ΙΑΤΑ		
14.2. UN proper shipping name				
COATING SOLUTION	COATING SOLUTION	COATING SOLUTION		
Transport document description				
UN 1139 COATING SOLUTION, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS				
14.3. Transport hazard class(es)	14.3. Transport hazard class(es)			
3	3	3		
14.4. Packing group				
П	Ш	Ш		
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes		

14.6. Special precautions for user

: F1
: 640D
: 51
: E2
: P001, IBC02, R001
: MP19
: T4
: TP1, TP8
: LGBF
: FL
: 2
: S2, S20
: 33
33 1139
1139
: D/E
: •3YE
: 5 L
: 5L
: E2

Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
MFAG-No	: 127;128
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341

Safety Data Sheet

according to Regulation (EC) No. 2015/830

PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

This sheet was updated (refer to the date at the top of this page). (see section(s) : 3, 8).

Other information

 No experimental study is available on the mixture. Information hereunder are based on our knowledge on components, and classification of the mixture is determined with the calculation method.
 Safety data sheet established by : LISAM SERVICES - TELEGIS Rue de la Couture F-60400 PASSEL Safety Made Easy with www.lisam.com.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product