

uvex

**SAFETY
EYEWEAR**

08.05.2018

Product Datasheet model uvex pheos 9192 225



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics

- o modern safety spectacles with a fashionable design and duo-spherical lens technology
- o metal-free
- o additional eyebrow protection with Eye Plus Protection: a bevelled edge in upper area
- o soft, non-slip ear pieces (uvex duo Component technology) prevent pressure points
- o very large field of vision
- o can be easily combined with other PPE
- o suitable for the uvex helmet IES (Integrated Eyewear System)

Technical details**Frame**

Material
Features
Colour

Front piece/Temple

POM/TPE
excellent ventilation
black, green

Manufacturer's ID code
Applicable EN norm
Low-energy impact
Resistance to high
speed particles at
extremes of temp.
Conformity symbol

Marking

W
166
F (45 m/s)
T

CE

Lens

Material
Thickness
Coating
Colour
UV protection

PC
2,1 mm
uvex supravision excellence
clear
UV 400

Filter
Manufacturer's ID code
Optical class
Impact resistance
Resistance to high
speed particles at
extremes of temp.
Surface resistance to
fine particles
Antifog
Conformity symbol

Marking

2C-1,2 (DIN EN 170)
W
1
F (45 m/s)
T

K

N
CE

Miscellaneous

Weight

30 g

Packing

5 spectacles per box

160 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II