



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2085/162/03/20/0842

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Portwest UC
IDA Industrial Park Westport Co Mayo, F28 FY88
Ireland

Description

PPE Type : *protective glove against mechanical risks, thermal risks*
Product reference : A611
Article code : /
Glove description : 10G black polyester + aramid glove core, dipped in blue latex, wrinkle coating, coating on the thumb
Available sizes : 7/S 8/M 9/L 10/XL 11/XXL 12/XXXL

Pictures :



PO:XXXXXX
Portwest UC
IDA Industrial Park, Westport,
Co Mayo, Ireland, F28 FY88

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016 + A1:2018

3 X 4 3 D

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN 407:2004

X 2 X X X X

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from March 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 16 March 2020
End of validity date : 16 March 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Portwest UC

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	A611
Article code	:	/
Technical file index	:	01
Last update	:	March 2020

IDENTIFICATION

Reference of the product : : A611
Article code : : /
Basic Model
Technical file index : : 01
Last update : : March 2020

Manufacturer :

Portwest UC
IDA Industrial Park Westport Co Mayo, F28 FY88
Ireland
tel : 003539826411
fax :

Factory :

SHANDONG XINGYU GLOVES CO.,LTD
MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG
PROVINCE
CHINA
tel: 0086-536-2587338
fax: 0086-536-2586328

GLOVE DESCRIPTION

General glove description :

10G black polyester + aramid glove core, dipped in blue latex, wrinkle coating, coating on the thumb
type of coating finish : crinkle

Visual description (picture back and palm sides) :



Field of use

construction industry, machinery repairing, loading and unloading, automobile assembly for mechanical & thermal risk

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL
280	12/XXXL

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		blue	latex	1235g/m2		2.19-2.32mm
		black / yellow	polyester+aramid	636g/m2	10gauges / inch	
Back	Thumb back	blue	latex	1235g/m2		2.19-2.32mm
		black / yellow	polyester+aramid	636g/m2	10gauges / inch	
Cuff		black / yellow	polyester+aramid/elastic	829g/m2	10gauges / inch	
Binding		yellow / white / green / blue / red / black	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed against mechanical risks, thermal risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	D
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Thermal hazard EN 407 : 2004

Protection offered	Performance levels
Burning behaviour	X
Contact heat	2
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190910638_1 S150906802_1 S160605952_1 S160302319_1 S161112053_1 S160302320_1 S161112054_1 S190100163_1(DMFu)	
EN 388	S190506947_1 S190910638_1	
EN 407	S190405447_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo

Glove's reference : A611

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



PO:XXXXXX

Portwest UC

IDA Industrial Park, Westport,
Co Mayo, Ireland, F28 FY88

Method of marking on the glove :

printed on the back

Packaging :

1pair/bag 12pairs/ PE bag/instruction, 144pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.

MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch, contact heat for every 5 years



CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

Shandong Xingyu Gloves Co., Ltd.

Middle of Yaoqian Road, Gaomi Economic Development Zone, Weifang, Shandong Province, P. R. China
has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:
Production of Textile Impregnated Gloves.

Unified Social Credit Identifier:
913707857748116007

Certificate Number:
111901026

Initial Certification Date:
17 February 2016

Date of Certification Decision:
03 February 2019

Issuing Date:
03 February 2019

Valid Until:
16 February 2022





Colin Moldovan
President, Business Assurance

Intertek Certification Limited, 20A Victory Park, Victory Road, Derby DE24 3DF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 034



In the absence of this certificate, Intertek is not responsible for any claim for loss of business, and this is not to be taken as an endorsement of the product. Intertek is not responsible for any claim for loss of business, and this is not to be taken as an endorsement of the product. Intertek is not responsible for any claim for loss of business, and this is not to be taken as an endorsement of the product. Intertek is not responsible for any claim for loss of business, and this is not to be taken as an endorsement of the product.



INSTRUCTION FOR USE

Portwest UC

IDA Industrial Park Westport Co Mayo, F28 FY88
Ireland

Glove reference : A611

Article code: /

User notice index : 01

Last update : March 2020

Available sizes : 7/S 8/M 9/L 10/XL 11/XXL 12/XXXL



PO:XXXXXX
Portwest UC
IDA Industrial Park, Westport,
Co Mayo, Ireland, F28 FY88

Glove description :

10G black polyester + aramid glove core, dipped in blue latex, wrinkle coating, coating on the thumb

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016 +
A1:2018



3 X 4 3 D

Levels of performance

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	X	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	D	(A to F)
Impact Protection		

Application :

Thermal risk - EN 407 2004



X2XXXX

Levels of performance

Burning behaviour	X	(on 4 maxi)
Contact heat	2	(on 4 maxi)
Convective heat	X	(on 4 maxi)
Radiant heat	X	(on 4 maxi)
Small splashes of molten metal	X	(on 4 maxi)
Large quantities of molten metal	X	(on 4 maxi)

Protection limit :

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Contains natural rubber latex, which could cause allergic reaction, including anaphylactic choc.

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available with product.