

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Liquid glue

Trade name : Liquid glue

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Home, office appliance. Used for Connecting and adhering

1.2.2. Uses advised against

1.3. Details of the supplier of the safety data sheet

LYRECO

Rue du 19 mars 1962,

59770 Marly, France

msds@lyreco.com

1.4. Emergency telephone number

Emergency number +33 (0) 3 27 23 64 00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	70.00 --- 90.00	Not classified
Polyvinyl alcohol	(CAS-No.) 9002-89-5 (EC-No.) 618-340-9	10.00 --- 20.00	Not classified

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

2-Phenoxyethanol	(CAS-No.) 122-99-6 (EC-No.) 204-589-7 (EC Index-No.) 603-098-00-9	≤ 0.50	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Poly(hexamethylenediguanamide)hydrochloride	(CAS-No.) 32289-58-0 (EC-No.) 608-723-9 (EC Index-No.) 616-207-00-X	≤ 0.10	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Eye Dam. 1, H318 Skin Sens. 1B, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Total content	/	100.00	/

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If symptoms persist, call a physician.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If necessary seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: If necessary seek medical advice. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth out with water. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: No information available.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Thermal decomposition may produce : Carbon oxides (CO, CO ₂). Other toxic gases.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Avoid direct discharge into drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Phenoxyethanol (122-99-6)

Austria - Occupational Exposure Limits

MAK (mg/m ³)	110 mg/m ³
MAK (ppm)	20 ppm
MAK Short time value (mg/m ³)	110 mg/m ³
MAK Short time value (ppm)	20 ppm
OEL - Ceilings (mg/m ³)	110 mg/m ³

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

2-Phenoxyethanol (122-99-6)

OEL - Ceilings (ppm)	20 ppm
----------------------	--------

OEL chemical category (AT)	Skin notation
----------------------------	---------------

Finland - Occupational Exposure Limits

HTP-arvo (8h) (mg/m ³)	110 mg/m ³
------------------------------------	-----------------------

HTP-arvo (8h) (ppm)	20 ppm
---------------------	--------

HTP-arvo (15 min)	290 mg/m ³
-------------------	-----------------------

HTP-arvo (15 min) (ppm)	50 ppm
-------------------------	--------

OEL chemical category (FI)	Potential for cutaneous absorption
----------------------------	------------------------------------

Germany - Occupational Exposure Limits (TRGS 900)

TRGS 900 Occupational exposure limit value (mg/m ³)	5.7 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
---	--

TRGS 900 Occupational exposure limit value (ppm)	1 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
--	--

Poland - Occupational Exposure Limits

NDS (mg/m ³)	230 mg/m ³
--------------------------	-----------------------

Slovenia - Occupational Exposure Limits

OEL TWA (mg/m ³)	110 mg/m ³
------------------------------	-----------------------

OEL TWA (ppm)	20 ppm
---------------	--------

OEL STEL (mg/m ³)	110 mg/m ³
-------------------------------	-----------------------

OEL STEL (ppm)	20 ppm
----------------	--------

OEL chemical category (SL)	Potential for cutaneous absorption
----------------------------	------------------------------------

Switzerland - Occupational Exposure Limits

MAK (mg/m ³)	110 mg/m ³
--------------------------	-----------------------

MAK (ppm)	20 ppm
-----------	--------

KZGW (mg/m ³)	110 mg/m ³
---------------------------	-----------------------

KZGW (ppm)	20 ppm
------------	--------

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid
Molecular mass	: No data available
Colour	: Colorless
Odour	: Odourless
Odour threshold	: No data available
PH	: 4.00-7.00
PH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Critical temperature	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Critical pressure	: No data available
Relative vapour density at 20 °C	: No data available

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: 0.90 -- 1.10 g/cm ³
Relative gas density	: No data available
Solubility	: Water: soluble or dispersible in water
Log Pow	: 2-Phenoxyethanol (122-99-6):1.13 (at 25 °C)
Log Kow	: No applicable
Viscosity, kinematic	: No data available
Viscosity, dynamic	: > 500mpa.s
Explosive properties	: No explosive properties.
Oxidising properties	: No oxidising properties.
Explosive limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available
Dust deflagration index	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Water (7732-18-5)

LD50 oral rat	> 90 ml/kg
---------------	------------

Polyvinyl alcohol (9002-89-5)

LD50 oral rat	23854 mg/kg
---------------	-------------

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

2-Phenoxyethanol (122-99-6)

LD50 oral rat	1260 mg/kg
LD50 dermal rabbit	5 ml/kg

Skin corrosion/irritation	: Not classified
	pH: 4.00-7.00
Serious eye damage/irritation	: Not classified
	pH: 4.00-7.00
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Polyvinyl alcohol (9002-89-5)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

2-Phenoxyethanol (122-99-6)

LC50 fish 1	337 - 352 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	> 500 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h algae (1)	> 500 mg/l (Species: Desmodesmus subspicatus)

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

12.2. Persistence and degradability

Liquid glue

Persistence and degradability: No information available.

12.3. Bioaccumulative potential

Liquid glue

Log Pow: No data available

Log Kow: No applicable

Bioaccumulative potential: No information available.

2-Phenoxyethanol (122-99-6)

Log Pow: 1.13 (at 25 °C)

12.4. Mobility in soil

Liquid glue

Ecology - soil: No information available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects: No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

14.4. Packing group

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
---------------	---------------	---------------	---------------	---------------

14.5. Environmental hazards

Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
---------------	---------------	---------------	---------------	---------------

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Immission Control Act - 12.BImSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : LOLI.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH) & Regulation (EU) 2015/830 (EU CLP)

Version:	1.0	Issue Date:	12/01/2020
Product name:	Liquid glue	Revision Date:	12/01/2020

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific