SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

001						
Product Identifier:						
Product Name:	Canon Cartridge 718 Magenta (for Laser Beam Printer)					
Product Code:	<u>2660B / R04-8012</u>					
Relevant Identified Us	Relevant Identified Uses: Toner for electrophotographic apparatus					
Details of Supplier of	Details of Supplier of Safety Data Sheet:					
Supplier:	Canon Europa NV					
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands					
Telephone Number:	+31 20 5458545, +31 20 5458222					
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com					
Emergency Telephone	DENMARK: +45 82 12 12 i 2; GERMANY: +49 30 19240, +49 761 19240; BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31					
Manufacturer:	Canon Inc.					
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan					
SECTION 2 HA	ZARDS IDENTIFICATION					
Emergency Overview:	Magenta fine powder, slight plastic odor.					
US Regulatory Status Not classified as ha						
US Label Elements un	ider OSHA HCS:					
Signal Word:	Not required					
Hazard Warning:	Not required					
Safety Advice:	Not required					
Hazardous Compor	nent: Not required					
EU Classification under Not classified as da						
EU Label Elements un	-					
Symbol & Indicatio						
R-Phrase:	Not required					
S-Phrase:	Not required					
Dangerous Compon	nent: Not required					
Applicable Label El Not required	lements in accordance with Annex V to 1999/45/EC:					
Other Hazards: None						



SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: <u>Mixture</u> Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration			EU Classification according to (EC) No 1272/2008 Hazard Class/ Hazard		Note to Other
otheric realic		Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard Statement ^{*1}	Hazards*2
Styrene acrylate copolymer	Confidential	75-85	None	None	None	None	
Wax	Confidential	5-10	None	None	None	None	
Pigment	Confidential	5-10	None	None	None	None	
Amorphous silica	7631-86-9/ 231-545-4	1-3	None	None	None	None	(1)

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s)

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. **Skin:**

Wash with soap and water. If irritation persists, obtain medical advice.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Skin:

May be non-irritant.

Eye:

May cause transient slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Hazardous Combustion Products:

CO2, CO

Advice for Fire-fighters:

Wear gloves, glasses, a mask if necessary.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid breathing dust. Wash thoroughly after handling.

Environmental Precautions:

Do not wash away into sewer.

Methods and Material for Containment and Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.



SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid breathing dust. Wash thoroughly after handling. Use with adequate ventilation.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific End Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

trol Parameters:	USA	ACGIH TLV	EU OEL
	OSHA PEL		
Product (Toner)	PNOR:	PNOS:	Not established
	TWA 15 mg/m ³	TWA 10 mg/m ³	
	(Total dust),	(Inhalable fraction),	
	TWA 5 mg/m ³	TWA 3 mg/m ³	
	(Respirable fraction)	(Respirable fraction)	
Amorphous silica	20 mppcf, 80 (mg/m ³)/% SiO ₂	Not established	Not established

Exposure Controls:

Engineering Controls:

No special ventilation equipment is needed under intended use of this product.

Individual Protection Measures:

Eye/Face Protection:	☐ Required ☑ Not Required
Skin Protection:	☐ Required ☑ Not Required
Respiratory Protection	: □ Required ⊠ Not Required



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

operties:	
nta fine powder	
plastic odor	
plicable	
O (Softening point)	
plicable	
plicable	
plicable	
ate: Not-flammable (Test method: Directive 92/6 nability (Solids)) (See SECTION 16)	9/EEC, A10
plicable	
plicable	
plicable	
2	
zible	
ly soluble in toluene and xylene.	
plicable	
ailable	
plicable	
rm explosive dust-air mixtures when finely dispe	rsed in air.
ailable	
ailable	

Reactivity:	None		
Chemical Stability:	⊠ Stable □ Unstable		
Possibility of Hazardous Reactions:	None		
Conditions to Avoid:	None		
Incompatible Materials:	Strong oxidizers		
Hazardous Decomposition Products: CO, CO2			



	FOXICOLOGICAL INFORMATION
nformation on To:	xicological Effects:
Acute Toxicity:	0
Inhalation:	
Not availabl	e
Ingestion:	
Estimate: Ra	at, LD50 > 2000 mg/kg (See SECTION 16)
Corrosivity/Irrita	ition:
Skin:	
	abbit, non-irritant (See SECTION 16)
Eye:	
-	bbit, transient slight conjunctival irritation only. (See SECTION 16)
Sensitization:	
Skin:	
Estimate: No	on-sensitizing (See SECTION 16)
Repeated Dose To	oxicity:
	eported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in
	ed particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which
is most releva	ant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the
	ng/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16
mg/m^3 .	
	as are attributed to "lung overloading", a generic response to excessive amounts of any dust e lung for a prolonged interval.
Carcinogenicity:	
Not availabl	2
Mutagenicity:	
Ames Test (S	S. typhimurium, E. coli): Negative
Toxicity for Repr	oduction:
Not available	2

Not available



MATERIAL SAFETY DATA SHEET

SECTION 12	ECOLOGI	CAL INFORMATION
Toxicity:		Estimate: Fish, 96h LC50 > 100 mg/l Estimate: Crustaceans, 48h EC50 > 100 mg/l Estimate: Algae, ErC50(0-72h) > 100 mg/l (See SECTION 16)
Persistence an	d Degradabilit	y:Not available
Bioaccumulati	ive Potential:	Not available
Mobility in So	il:	Not available

Results of PBT and vPvB No results that the component(s) of this toner meet(s) the PBT or vPvB criteria **Assessment:** under Regulation (EC) No 1907/2006. **Other Adverse Effects:** Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

NSPORT INFOR	MATION			
None				
ame: None	None None			
Transport Hazard Class: None				
None				
	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.			
User: None				
ULATORY INFO	DRMATION		Weight %	
65:			Weight %	
rironmental Regu	llations/Legislation:			
Authorisation:	Not regulated			
Restriction:	Not regulated			
Not regulated				
Not regulated				
Not regulated				
None				
	None ame: None ss: None None None ls: Not classi marine po • User: None ULATORY INFO 65: fironmental Regu Authorisation: Restriction: Not regulated Not regulated Not regulated Not regulated	ame: None ss: None None None Is: Not classified as environmentall marine pollutant under IMDG C • User: None ULATORY INFORMATION 65: ironmental Regulations/Legislation: Authorisation: Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated	None ame: None None None None None Is: Not classified as environmentally hazardous under UN marine pollutant under IMDG Code. • User: None ULATORY INFORMATION 65: ironmental Regulations/Legislation: Authorisation: Not regulated Restriction: Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated	

Chemical Safety Assessment under (EC) No 1907/2006: Not required



SECTION 15 REGULATORY INFORMATION (continued)

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

<EU SDS information>

This safety data sheet (SDS) is supplied voluntarily.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372

- U.S. Consumer Product Safety Commission, 16CFR Part 1500

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008

- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

PNOR: Particulates Not Otherwise Regulated

PNOS: Particles (insoluble or poorly soluble) Not Otherwise Specified

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.