

Product Data Sheet

PRODUCT CODE / PART NUMBER: DY6008-HS-1102-1G-PU/PU-S3 SRC-SIZE e9

PRODUCT: Static Dissipative Safety Shoes, Black

BRAND NAME: EUROSTAT®

FEATURES:

This safety shoe is made of Black Spilt Barton Leather upper, Mesh Lining, PU Midsole, PU Outsole, Steel Toe Cap and Steel Midplate.

- 200J Impact Resistance
- 15KN Compression Resistance
- 1100N Penetration Resistance
- Water Resistant, Excellent Comfort
- Non-Marking Outsole
- Slip Resistant Outsole (SRC)
- Resistant to Oil and Most Chemicals



Specifications

Item	Properties / Typical Values	Test Method
Materials	Upper : Black Spilt Barton Leather Toe Cap : Steel Midplate : Steel Midsole : Static Dissipative PU Outsole : Static Dissipative PU	
Footwear only Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Footwear System Resistance	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM9.1
Electrical System Resistance of a person wearing footwear while standing on conductive flooring	< 1.0 × 10 ⁹ ohms	ANSI/ESD STM97.1
Color	Upper : Black Sole : Grey	
Sizes (European)	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46 & 47	
Conformity	The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation (Category: S3 SRC)	

PU OUTSOLE (#070)	STEEL MIDPLATE	STEEL TOE CAP (#604)

The values shown above were developed from random samples taken from production material. To the best of our knowledge, we believe them to be typical for the product. However actual values may vary somewhat from those depicted here and Dou Yee Enterprises makes no warranty, expressed or implied, as to the suitability of these materials for any specific use. Customers should determine product suitability based upon their own internal criteria.

Date: 2016 / 2017

EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to : Dou Yee Enterprises (S) Pte Ltd
2304 Bedok Reservoir Road, Bedok Industrial Park C,
Singapore 479223

Manufacturer : Shanghai Henson Shoes Co., Ltd
No. 1438 Zhaochong Road, Chonggu Town, Qingpu District,
Shanghai, 201706, China


Date of Issue : 11 May 2017

Expiry Date : 27 April 2022

Certificate No. : LEC FI00367633 (Extension to certificate LEC FI00367390)

Product Reference(s) : DY6008-HS-1102-PU/PU S3 SRC
Injection low cut lace up safety shoes in black/grey S3
DY6008-HS-003-PU/PU S3 SRC
Injection mid cut lace up safety shoes in black/grey S3

Description : Construction : Injection
Toecap : 604 Black Metallic Toecap
Midsole : Black Steel Insert
Last : SH604A
Sole : Black/Grey LE Dual Density PU
Mould : HS-070
Test Report(s) : See Technical File
Size Range : 36 – 47
Category : S3 SRC



Assessor

11/05/2017

Date



Certification Manager

11/05/2017

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex. CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.