



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/2328/162/04/20/1366**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **Protective Industrial Products Hong Kong Ltd.**
Flat 1-11, 6/F Kar Wah Ind. Bldg., 8 Leung Yip Street, Yuen Long,
Hong Kong
China

Description

PPE Type : **protective glove against mechanical risks**


Product reference : **31-131R**

Article code : **/**

Glove description : **13G RECYCLED POLYESTER/COTTON GLOVE WITH PU PALM COATED**

Available sizes : **6 7 8 9 10 11 12**

Pictures :



Certified by USB
Registration no: USB 002629

REGULATION
(EU) 2016/425
Lot#: P0#####
Flat 1-11, 6/F Kar Wah Ind.
Bldg., 8 Leung Yip Street,
Yuen Long, Hong Kong, China

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016 + A1:2018

3 1 3 1 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from APRIL 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 30 April 2020
End of validity date : 30 April 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Protective Industrial Products Hong Kong Ltd.

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	31-131R
Article code	:	/
Technical file index	:	01
Last update	:	APRIL 2020

IDENTIFICATION

Reference of the product :	:	31-131R
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	APRIL 2020

Manufacturer :

Protective Industrial Products Hong Kong Ltd.
Flat 1-11, 6/F Kar Wah Ind. Bldg., 8 Leung Yip Street, Yuen Long, Hong Kong
China

tel : 852-24759228

fax : 852-24789868

Factory :

Zhejiang Kanglongda Special Protection Technology Co., Ltd
No 7 East Wei Wu Road Gaibei Town, Shangyu City Zhejiang Province
China

tel: 0575-82826861

fax: 0575-82826860

GLOVE DESCRIPTION

General glove description :

13G RECYCLED POLYESTER/COTTON GLOVE WITH PU PALM COATED
 type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

Parts assembly, Machine operation, Construction, Gardening for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
220	6
230	7
240	8
250	9
260	10
270	11
280	12

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		white	recycled polyester/cotton	160g/m2	13G	
		grey	PU	240g/m2		0.9mm
Back		white	recycled polyester/cotton	160g/m2	13G	
Cuff		white	recycled polyester/cotton/elastic	240g/m2	13G	
Binding		purple, red, yellow, brown, black, blue, grey	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S191216864_2 S200301440_1 S200301383_1(DMFu) S190404686_1	
EN 388	S191216864_2 S200301440_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 31-131R

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :

G-Tek®



Certified by USB
Registration no: USB 002629

REGULATION
(EU) 2016/425

Lot#: PQ#####

Flat 1-11, 6/F Kar Wah Ind.
Bldg., 8 Leung Yip Street,
Yuen Long, Hong Kong, China

Method of marking on the glove :

screen print on the back of glove

Packaging :

1 pair per polybag, 12 pairs per master bag, 120 pairs per carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : www.pipeurope.com

MEANS OF CONTROL

Inspection Procedure:

- 1) Check all coming materials first
- 2) Inspect product quality by sampling from production line every 2 hours
- 3) Inspect product quality by packers, e.g. packers have to check every glove on packing
- 4) Pre-shipment inspection by sampling before shipment

Test Methods:

By abrasion machine, puncturing/tearing machine, measure, etc. each batch sampling. 8 pcs our lab test each lot glove before shipment and retest each style glove every 3-6 months.

Selection of material suppliers and strict inspection to guarantee the quality of raw material.

Every lot of incoming raw rubber is inspected.

Unqualified materials is not allowed to put into production.

Unqualified materials is revised or returned to suppliers.

Finished products are sent to inspecting & packing Dept. to make first inspection, taking off those gloves which have appearance defects and making pairs according to designation.

Second inspection is made by professional inspectors. This is a sampling inspection. 9% samples are taken out of all the gloves for inspection.

Quality inspection will inspect the gloves which passed the second inspection according to GB2828 including appearance, specification size, tear/abrasion/puncture/cut test and packing quality. The reject will returned to inspect & packing dept. for reworking.

Finished goods are sent to inspecting & packing Dept. to make first inspection, taking off those gloves which have appearance defects and making pairs. Finished products checking on EN388, EN420 twice a year according to designation to make sure performance can be sustained.

INSTRUCTION FOR USE

Protective Industrial Products Hong Kong Ltd.

Flat 1-11, 6/F Kar Wah Ind. Bldg., 8 Leung Yip Street, Yuen Long, Hong Kong
China

Glove reference : 31-131R

Article code: /

User notice index : 01

Last update : APRIL 2020


Available sizes : 6 7 8 9 10 11 12

REGULATION
(EU) 2016/425

Lot#: PO#####

Flat 1-11, 6/F Kar Wah Ind.
Bldg., 8 Leung Yip Street,
Yuen Long, Hong Kong, China

G-Tek®



Certified by USB
Registration no: USB 002629

Glove description :

13G RECYCLED POLYESTER/COTTON GLOVE WITH PU PALM COATED

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016 +
A1:2018



3 1 3 1 X

Levels of performance

Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : www.pipeurope.com