

SAFETY DATA SHEET

1. Identification of the substance/ mixture and of the company

Product Name : PROMT FOAMING HAND SOAP

Relevant identified uses of the substance or mixture and uses advised against

: Hand soap

Manufactured : PROMT LAB CO.,LTD

62/31 Moo.3 Khlong Nueng, Khlong Luang, Pathum Thani 12120 Thailand

Distribution : BESTA INTERNATIONAL CO.,LTD

62/69 Moo.3 Khlong Nueng, Khlong Luang, Pathum Thani 12120 Thailand

2. Hazards identification

*GHS Classification (Classification of the mixture in accordance with Regulation (EC) No 1272/2008)

Skin Corrosion/irritation category 3

Eye damage/eye irritation category 1

Hazardous to the aquatic environment-short-term (acute) hazard category 3

· Hazard pictograms:



· Signal word: Danger

· Hazard statements

H316 Causes mild skin irritation.

H318 Causes serious eye damage.

H402 Harmful to aquatic life

· Precautionary statements

P273 Avoid release to the environment - if this is not the intended use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help

P332+P317 If skin irritation occurs: Get medical help.

P501 Dispose of contents and container in accordance with local, regional and national regulations (to be specified).

· Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

3. Composition/information on ingredients.

Mixture:

CAS No	Substance Name	GHS Classification	%W/W
7732-18-5	WATER	Not classified	84.00
1335-72-4	SODIUM LAURETH SULFATE	Skin Irrit. 2, Eye Dam. 1	6.50
56-81-5	GLYCERINE	Not classified	1.50
64-17-5	ALCOHOL	Flam. Liq. 2	3.00
61789-40-0	COCAMIDOPROPYL BETAINE	Not classified	3.00
-	PEG-12 DIMETHICONE	-	0.30
532-32-1	SODIUM BENZOATE	Eye Irrit. 2	0.30
5949-29-1	CITRIC ACID	Skin Irrit. 2	0.15
1643-20-5	LAURAMINE OXIDE	Acute Tox. 4 (Oral), Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2	1.00
-	FRAGRANCE	-	0.15
3228-02-2	o-CYMEN-5-OL	Eye Dam. 1	0.05
84012-34-0	PRUNUS PERSICA LEAF EXTRACT	Flam. Liq. 3	0.05

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment.

4. First aid measures

- Description of first aid measures
- General information: Remove any clothing soiled by the product.
- After inhalation: Place the patient in fresh air; See your doctor if symptoms or concerns persist.

- **After skin contact:** Wash with water and soap and rinse thoroughly.
 - **After eye contact:** Rinse the open eye with running water for several minutes. Remove contact lenses if possible, and continue rinsing. If symptoms persist, consult a doctor.
 - **After swallowing:** Rinse mouth, drink plenty of water, Consult doctor if feeling unwell.
 - **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed** No further relevant information available.
 - **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.
-

5. Firefighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:** Water spray, powder, foam, carbon dioxide. Use fire extinguishing methods suitable to surrounding conditions.
 - **Special hazards arising from the substance or mixture:** Development of hazardous combustion gases or vapours possible in the event of fire.
 - **Advice for firefighters**
 - **Special protective actions for fire-fighters:** Self-contained breathing apparatus and other equipment as required.
-

6. Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:** Wear protective equipment.
Keep unprotected persons away.
 - **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, universal binders) and collected into a container.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
 - **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
-

7. Handling and storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation at the workplace.

Avoid from sources of ignition.

Keep away from heat.

- **Information about fire - and explosion protection:** Keep away from incompatible materials.

- **Conditions for safe storage, including any incompatibilities**

Store at room temperature.

Avoid heat, and direct sunlight.

Keep away from sources of ignition.

- **Storage**

- **Requirements to be met by storerooms and receptacles:** No special requirements.

- **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:** Keep in our packaging.

- **Specific end use(s)** No further relevant information available.

8. Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS No. 64-17-5 ALCOHOL

OSHA: 1,000 ppm, 8-hr TWA

NIOSH: 1,000 ppm, 10-hr TWA

ACGIH: 1,000 ppm, STEL

IDLH: 3,300 ppm

Notification of the Department of Labor Protection and Welfare: Limitation of Concentration of Hazardous Chemicals, B.E 2556

CAS No. 64-17-5 ALCOHOL

Average concentration limits of hazardous chemicals over normal working hours is 1000 ppm.

- **Additional information:** The lists valid during the making were used as basis.

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment: Emergency eye wash fountains and safety showers should be available in the immediate

Hand protection: Nitrile rubber gloves.

Eye protection: Chemical goggles. Contact lenses should not be worn.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

9. Physical and chemical properties

• Appearance	: Liquid
• Color	: Yellow
• Odour	: Fragrance
• Odour threshold	: Not established
• pH-value	: 5.2 – 5.8
• Change in condition	
Melting point/freezing point	: Not established
Initial boiling point and boiling range	: Not established
• Flash point	: Not established
• Flammability (solid, gas)	: Not established
• Decomposition temperature	: Not established
• Auto-ignition temperature	: Not established
• Explosive properties	: Not established
• Explosion limits:	
Lower	: Not established.
Upper	: Not established.
• Vapour pressure	: Not established.
• Density	: Not established.
• Specific gravity	: Not established.
• Relative density	: Not established.
• Vapour density	: Not established.
• Evaporation rate	: Not established.
• Solubility in water	: Soluble
• Partition coefficient: n-octanol/water	: Not established.
• Viscosity	: Not established.
• Solvent content:	

Water	: Not established
· Other information	: No further relevant information available.

10. Stability and reactivity

- **Reactivity** No further relevant information available.
 - **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
 - **Possibility of hazardous reactions** No dangerous reactions known.
 - **Conditions to avoid** Heat, source of ignition and moisture
 - **Incompatible materials:** Keep away from strong oxidizing agents, strong acids.
 - **Hazardous decomposition products:** Development of hazardous combustion gases or vapours possible in the event of fire.
-

11. Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:** Based on available data, the classification criteria are not met.
ATE (Acute Toxicity Estimate)
 - Oral LD50 (rat) : No data available.
 - Skin LD50 : No data available.
 - Inhalation LC50/4 hrs. (vapour) : No data available.
 - **Skin corrosion/irritation:** Causes mild skin irritation.
 - **Eye damage/irritation:** Causes serious eye damage.
 - **Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
 - **Carcinogenicity:** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity:** Based on available data, the classification criteria are not met.
 - **STOT-single exposure:** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
 - **Aspiration hazard:** Based on available data, the classification criteria are not met.
-

12. Ecological information

- **Toxicity**
- **Environmental Hazards:** Harmful to aquatic life.

- **Persistence and degradability:** No further relevant information available.
 - **Behaviour in environmental systems:**
 - **Bioaccumulative potential:** No further relevant information available.
 - **Mobility in soil:** No further relevant information available.
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
 - **Other adverse effects** No further relevant information available.
-

13. Disposal considerations

- Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Avoid cutting with heat or being near heat or sparks.
-

14. Transport information

- UN-Number : Not regulated
ADR, IMDG, IATA
 - Proper shipping name : Not regulated
ADR, IMDG, IATA
 - Transport hazard class(es) : Not regulated
ADR, IMDG, IATA
 - Class : Not regulated
 - Packing group : Not regulated
 - EmS Code : Not regulated
 - Segregation Group : Not applicable.
 - IMDG Marine pollutant : No.
 - Environmental hazards : Not applicable.
 - Special precautions for user : Not applicable
-

15. Regulatory information

Announcement of the Ministry of Industry

Subject: List of Hazardous Substances 2556 B.E (THAILAND)

CAS No. 1335-72-4 SODIUM LAURETH SULFATE Hazardous materials type 1

CAS No. 64-17-5 ALCOHOL Hazardous materials type 2

CAS No. 61789-40-0 COCAMIDOPROPYL BETAINE Hazardous materials type 1

CAS No. 5949-29-1 CITRIC ACID Hazardous materials type 1

CAS No. 1643-20-5 LAURAMINE OXIDE Hazardous materials type 1

CAS No. 3228-02-2 o-CYMEN-5-OL Hazardous materials type 2

Candidate List of substances of very high concern for Authorization

(published in accordance with Article 59(10) of the REACH Regulation) (updated 04 / 02 / 2026)

· None of the ingredients is listed.

Cosmetic Products Regulation, Annex II - Prohibited Substances

(EU. Prohibited Substances: Annex II, Regulation 1223/2009/EC on Cosmetic Products, as amended by Regulation (EU) 2025/877, OJ L of 13 May 2025)

· None of the ingredients is listed.

Cosmetic Products Regulation, Annex III - Restricted Substances

(EU. Restricted Substances: Annex III, Regulation 1223/2009/EC on Cosmetic Products, as amended by Regulation (EU) 2025/877, OJ L of 13 May 2025)

· None of the ingredients is listed.

16. Other information

Abbreviation

TLV	: Threshold Limit Value
TWA	: Time-weighted average
STEL	: Short Term Exposure Limit
DNEL	: derived no effect levels
A.G.C.I.H	: American Conference of Governmental Industrial Hygienists
OSHA	: Occupational Safety and Health Administration
NIOSH	: National Institute for Occupational Safety and Health.
ACGIH	: American Conference of Governmental Industrial Hygienists
IDLH	: Immediately Dangerous to Life or Health.
ppm	: parts per million
Ox. Sol	: Oxidize Solid
Flam. Liq.	: Flammable liquid
Pyr. Sol.	: PYROPHORIC SOLIDS
Water-react.	: Substances and mixtures which, in contact with water, emit flammable gases
Acute Tox	: Acute toxicity
Skin Corr	: Skin Corrosion

Skin Irrit	: Skin irritation
Eye Dam	: Eye damage/eye irritation
Eye Irrit	: Eye irritation
Asp. Tox	: Aspiration hazard
Skin Sens	: Skin sensitization
Resp Sens	: Sensitization respiratory.
Resp Sens	: Respiratory sensitization
Muta	: Germ cell mutagenicity
Carc	: Carcinogenicity
Repr	: Reproductive toxicity
Lact.	: Reproductive toxicity (effects on or via lactation)
STOT SE	: Specific target organ toxicity (Single exposure)
STOT RE	: Specific target organ toxicity (Repeated exposure)
Aquatic Acute	: Short-term (acute) aquatic hazard.
Aquatic Chronic	: Long-term hazards to the aquatic environment.

Statement

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.