Safety Data Sheet

according to Regulation (EC) No. 2015/830

Date: 06/03/2015 Supersedes: 19/11/2013 Version: 9.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Substance or preparation : Mixture

: TIPP-EX® RAPID Product name : Correction fluid Type of product

Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Correction fluid

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

SOCIETE BIC

14, Rue Jeanne d'Asnières 92611 CLICHY Cédex

T+33 01 45 19 52 00 - F+33 01 45 19 52 99

Bic.Contact@bicworld.com

Emergency telephone number 1.4.

Country	Official advisory body	Address	Emergency number
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H225 Flam. Liq. 2 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Adverse physicochemical, human health and

environmental effects

: Highly flammable liquid and vapour. Causes skin irritation. Vapours may cause drowsiness and dizziness. Toxic to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS02

: Danger

Signal word (CLP)

: Naphtha (petroleum), hydrotreated light Hazardous ingredients Hazard statements (CLP) : H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects

P102 - Keep out of reach of children Precautionary statements (CLP)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P273 - Avoid release to the environment

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P261 - Avoid breathing vapours

03/06/2015 EN (English) 1/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Reduced labelling allowed for small packaging (<125 ml)

Hazard pictograms (CLP)







GHS0

Signal word (CLP) : Danger

Hazard statements (CLP) : H336 - May cause drowsiness or dizziness

Precautionary statements (CLP) : P261 - Avoid breathing vapours

Hazardous ingredients : Naphtha (petroleum), hydrotreated light

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide	(CAS No) 13463-67-7 (EC no) 236-675-5 (REACH-no) 01-2119489379-17	< 50	Not classified
Naphtha (petroleum), hydrotreated light	(CAS No) 064742-49-0 (EC no) 265-151-9 (EC index no) 649-328-00-1	< 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Naphtha (petroleum), light alkylate	(CAS No) 64741-66-8 (EC no) 265-068-8 (EC index no) 649-276-00-X	< 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Solvent naphtha (petroleum), light aromatic	(CAS No) 064742-95-6 (EC no) 265-199-0 (EC index no) 649-356-00-4	<1	Carc. 1B, H350 Muta. 1B, H340 Asp. Tox. 1, H304
Solvent naphtha (petroleum), medium aliphatic	(CAS No) 064742-88-7 (EC no) 265-191-7 (EC index no) 649-405-00-X	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If the person

feels unwell: Seek medical advice.

First-aid measures after skin contact : Wash immediately with plenty of soap and water. Obtain medical attention if pain, blinking or

redness persist.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. If

irritation persists, consult an eye specialist.

First-aid measures after ingestion : Do not induce vomiting. Seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Drowsiness. Dizziness. Symptoms/injuries after skin contact : Redness. Pain.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Fire hazard : On heating or during combustion : Toxic vapours may be released.

03/06/2015 EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Explosion hazard : The vapours are denser than air and may travel along the ground. Distance ignition possible.

5.3. Advice for firefighters

Precautionary measures fire

: Evacuate the danger area. Cool down the containers exposed to heat with a water spray. Contain the extinguishing fluids by bunding (the product is hazardous for the environment). Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. No smoking. In case of important spillage: Mark out the contaminated area with signs and prevent access to unauthorized personnel. Prevent the product from entering drains or confined areas. Ventilate spillage area. Stop leak if safe to do so. Use only non-sparking tools.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Contain the spilled material by bunding (product is hazardous for the environment). Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

For containment

: Absorb spillage with: inert absorbent material. Sand/earth.

Methods for cleaning up

: Sweep up or vacuum up the product. Dispose of contaminated materials in accordance with current regulations.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Vapour exhaust preferably at emission point. Use non-sparking tools. Avoid contact with skin and eyes. Do not breathe smoke. No flames, no sparks. Eliminate all sources of ignition. Smoking is forbidden. Take precautionary measures against static discharges. Do not overheat the product.

Hygiene measures

: Do not drink, eat or smoke in the workplace. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside.

Storage conditions

: Store in a cool, well-ventilated place. Keep container tightly closed. Avoid ignition sources. Keep away from naked flames/heat.

Incompatible materials

Strong oxidizing agents. Oxidizing materials.

Packaging materials : Store in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Technical measures

: Ensure good ventilation of the work station. Extraction to remove vapours at their source.

Hand protection

: Impermeable protective gloves. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374. Breakthrough time: refer to the recommendations of the supplier

time . Telef to the recomm

Eye protection : Safety glasses

Respiratory protection : If vapour is released : Aerosol filter type : A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

03/06/2015 EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

Colour : white.
Odour : Solvent.

Odour threshold : No data available
pH : Not applicable
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : 95 - 114 °C (760 mmHg)
Flash point : -9 °C (NF EN ISO 13736)

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 26 - 49 mm Hg (20 °C)

Relative vapour density at 20 °C : No data available

Relative density : 1,25 (25°C)
Solubility : Water: 0,1 g/l Practically insoluble

 Log Pow
 : No data available

 Viscosity, kinematic
 : > 60 mm²/s (40°C)

 Viscosity, dynamic
 : No data available

 Explosive properties
 : No data available

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : 1,7 - 12,3 vol %

9.2. Other information

Additional information : Volatile component : 0.89 - 1.08 %

SECTION 10: Stability and reactivity

10.1. Reactivity

To our knowledge, the product does not present any particular risk, under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None to our knowledge.

10.4. Conditions to avoid

Heat. Sparks. Open flame. Ignition sources.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents.

10.6. Hazardous decomposition products

On combustion or on thermal decomposition (pyrolysis) releases: Carbon oxides (CO, CO2). Various hydrocarbon fragments.

SECTION 11: Toxicological information

Naphtha (petroleum), light alkylate (64741-66-8)

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

1 (1 // 0)	•	
LD50 oral rat	> 7000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (ppm)	> 5,04 ppm/4h	
Naphtha (petroleum), hydrotreated light (064742-49-0)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	3160 mg/kg	
LC50 inhalation rat (mg/l)	> 12 mg/l/6h	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 10000 mg/kg	
LD50 dermal rabbit	> 10000 mg/kg	
LC50 inhalation rat (mg/l)	> 3,56 mg/l/4h	

03/06/2015 EN (English) 4/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

: Causes skin irritation. Skin corrosion/irritation pH: Not applicable : Not classified (Based on available data, the classification criteria are not met) Serious eye damage/irritation pH: Not applicable Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity Not classified (Based on available data, the classification criteria are not met) Titanium dioxide (powder) is listed as being potentially carcinogenic (group 2B) by the CIRC, based on studies on animals However, studies on human epidemiology do not suggest links between the occupational

exposure to titanium dioxide and the risk of cancer

: Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated : Not classified (Based on available data, the classification criteria are not met)

exposure)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

Toxicity

Ecology - general : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Naphtha (petroleum), light alkylate (64741-66-8)	
LC50 fish 1	8,3 mg/l/96h (Pimephales promelas)
Naphtha (petroleum), hydrotreated light (064742-49-0)	

12.2. Persistence and degradability

TIPP-EX® RAPID	
Persistence and degradability	Mixture based on substances which are not readily biodegradable.

12.3. **Bioaccumulative potential**

No additional information available

12.4 Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Discharging into rivers and drains is forbidden. Dispose of in accordance with relevant local Waste treatment methods

regulations. Destroy at an authorised site.

Additional information The user's attention is drawn to the possible existence of specific european, national or local

regulations regarding disposal.

SECTION 14: Transport information


In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA
14.1. UN number		
1139	1139	1139
14.2. UN proper shipping name		
COATING SOLUTION	COATING SOLUTION	COATING SOLUTION
Transport document description		
UN 1139 COATING SOLUTION, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1139 COATING SOLUTION, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard class(es)		
3	3	3

03/06/2015 EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830



14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1 Special provisions (ADR) : 640D : 51 Limited quantities (ADR) Excepted quantities (ADR) : E2

: P001, IBC02, R001 Packing instructions (ADR)

: MP19 Mixed packing provisions (ADR) Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 1139

: TP1, TP8

Tunnel restriction code (ADR) : D/E EAC code : •3YE

- Transport by sea

Limited quantities (IMDG) : 5 L Limited quantities (IMDG) : 5L Excepted quantities (IMDG) : E2 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP8 EmS-No. (Fire) : F-E : S-E EmS-No. (Spillage) Stowage category (IMDG) : B MFAG-No : 127;128

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 : 5L PCA max net quantity (IATA) : 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 3L

03/06/2015 EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 2015/830

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

This sheet was updated (refer to the date at the top of this page). (see section(s): 2).

Other information

: No experimental study is available on the mixture. Information hereunder are based on our knowledge on components, and classification of the mixture is determined with the calculation method .

Safety data sheet established by : LISAM SERVICES - TELEGIS

Rue de la Couture F-60400 PASSEL Safety Made Easy with www.lisam.com.

Full text of H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H411	Toxic to aquatic life with long lasting effects

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

03/06/2015 EN (English) 7/7