

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Black

[File No.] 100007E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Not classified
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Classification not possible

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.
: Use personal protective equipment as required.(Refer to Section 8)

- : Get medical advice/attention if you feel unwell.
 - : IF exposed or concerned: Get medical advice/attention.
 - : Dispose in accordance with all current regulations and standards.
- [Other hazards] No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[Ink quantity of product :about 7.2g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	<10
Carbon black	1333-86-4	<10
Additive	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- Eye contact : Flush eyes with plenty of water for at least 15 minutes.
 : Take off the contact lens if possible
 : Consult medical advice depending on the symptoms.
- Skin contact : Wash skin.
 : Consult medical advice depending on the symptoms.
 : Thoroughly clean and dry contaminated clothing and shoes before reuse.
- Ingestion : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
 : Consult medical advice depending on the symptoms.
- Inhalation : Due to its low vapor pressure inhalation is unlikely at room temperature.
 : If not feeling well, move to an area of fresh air and rest.
 : Consult medical advice depending on the symptoms.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters] Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

	Do not work in windward direction.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Carbon black	–	(TWA)3.5mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]	
Color	: Black
State	: Liquid
Odor	: slight odor
pH	: about 8.5
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble

Evaporation rate : No information available.
Volatile : >70%
[Other information] No information available.

10. Stability and reactivity

[Chemical stability] This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity] No data available.
[Conditions to avoid] Avoid heat, flames, sparks and other sources of ignition.
Avoid direct sunlight and high temperature.
[Incompatible materials] No information available.
[Hazardous decomposition products] No information available.
[Possibility of hazardous reactions] No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)
Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation
No information available.

Serious eye damage/Eye Irritation
No information available.

Respiratory sensitizer
No information available.

Skin sensitizer
No information available.

Germ cell mutagenicity
Additive : Category1B

Carcinogenicity
Carbon black : Category2
Additive : Category2

Toxic to reproduction
Additive : Category1A

Specific target organ systemic toxicity(single exposure)
1,2-Ethandiol : Category1
Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Carbon black	: Category1
1,2-Ethanediol	: Category1
Additive	: Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M White

[File No.] 100061E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.6g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
Additive	Trade secret	10-30
1,2-Ethanediol	107-21-1	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: White
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.3
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)
Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation
No information available.

Serious eye damage/Eye Irritation
Titanium dioxide : Category2B
1,2-Ethenediol : Category2B
Additive : Category2A

Respiratory sensitizer
No information available.

Skin sensitizer
No information available.

Germ cell mutagenicity
Additive : Category1B

Carcinogenicity
Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Gray

[File No.] 100065E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.5g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Carbon black	1333-86-4	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Gray
State	: Liquid
Odor	: slight odor
pH	: about 8.5

Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.3
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)
Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation
No information available.

Serious eye damage/Eye Irritation
Titanium dioxide : Category2B
Ethanol : Category2A
1,2-Ethenediol : Category2B
Additive : Category2A

Respiratory sensitizer
No information available.

Skin sensitizer
No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Carbon black : Category2

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Additive : Category2

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Brown

[File No.] 100057E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281

telefax number: 03-3450-0363

(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

- : Causes serious eye damage
- : May cause generic defects
- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product :about 7.6g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Brown
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/3M/5M/8K Ivory
 [File No.] 100154E
 [Date of issue] 2015/05/15
 [Details of Manufacture]
 Manufacture's name: MITSUBISHI PENCIL CO., LTD.
 Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN
 Telephone number: 03-3458-6281 telefax number: 03-3450-0363
 (Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
 : May cause genetic defects
 : Suspected of causing cancer
 : May damage fertility or the unborn child
 : Causes damage to organs
 : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Resin	Trade secret	<10
Silica (amorphous)	Trade secret	<10
Coloring agent	Trade secret	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Ivory
State	: Liquid
Odor	: No information available.
pH	: No information available.
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: No information available.
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/3M/5M/8K Beige
 [File No.] 100156E
 [Date of issue] 2015/05/11
 [Details of Manufacture]
 Manufacture's name: MITSUBISHI PENCIL CO., LTD.
 Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN
 Telephone number: 03-3458-6281 telefax number: 03-3450-0363
 (Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
 : May cause genetic defects
 : Suspected of causing cancer
 : May damage fertility or the unborn child
 : Causes damage to organs
 : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Resin	Trade secret	<10
Silica (amorphous)	Trade secret	<10
Coloring agent	Trade secret	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Beige
State	: Liquid
Odor	: No information available.
pH	: about 8.0
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: No information available.
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Blue

[File No.] 100016E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.2g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Blue
State	: Liquid
Odor	: slight odor
pH	: about 8.4
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)
Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation
No information available.

Serious eye damage/Eye Irritation
Titanium dioxide : Category2B
1,2-Ethenediol : Category2B
Additive : Category2A

Respiratory sensitizer
No information available.

Skin sensitizer
No information available.

Germ cell mutagenicity
Additive : Category1B

Carcinogenicity
Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Light blue

[File No.] 100052E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.4g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light blue
State	: Liquid
Odor	: slight odor
pH	: about 8.4
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Additive : Category2A

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Additive : Category2

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Sky blue

[File No.] 100182E

[Date of issue] 2015/04/21

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[Ink quantity of product :about 8.3g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in the leeward.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Sky blue
State	: Liquid
Odor	: No information available.
pH	: about 8.6
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]	
Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	
Skin sensitizer	
No information available.	
Germ cell mutagenicity	
Additive	: Category1B
Carcinogenicity	
Additive	: Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/3M/5M/8K Slate grey

[File No.] 100155E

[Date of issue] 2015/05/11

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Silica (amorphous)	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: slate gray
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Violet

[File No.] 100030E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281

telefax number: 03-3450-0363

(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

- : Causes serious eye damage
- : May cause generic defects
- : Suspected of causing cancer
- : May damage fertility or the unborn child
- : Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.6g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Resin	Trade secret	10-30
1,2-Ethanediol	107-21-1	<10
Titanium dioxide	13463-67-7	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Polyethylene glycol nonylphenyl ether	9016-45-9	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Violet
State	: Liquid
Odor	: slight odor
pH	: about 8.3
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethenediol	: Category2B
Respiratory sensitizer	
No information available.	
Skin sensitizer	
No information available.	
Germ cell mutagenicity	
Additive	: Category1B
Carcinogenicity	
Additive	: Category2

Toxic to reproduction

Polyethylene glycol nonylphenyl ether : Category2

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Lilac

[File No.] 100183E

[Date of issue] 2015/04/21

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[Ink quantity of product :about 8.2g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Silica(amorphous)	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethenediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Lilac
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Pink

[File No.] 100047E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.9g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Polyethylene glycol nonylphenyl ether	9016-45-9	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Pink
State	: Liquid
Odor	: slight odor
pH	: about 8.0

Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethenediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Polyethylene glycol nonylphenyl ether : Category2

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/3M/5M Light pink

[File No.] 100152E

[Date of issue] 2015/05/11

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Category4

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure
: May cause long lasting effect to aquatic life

Precautionary Statement

- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Avoid release to the environment.
- : Use personal protective equipment as required.(Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Resin	Trade secret	<10
Coloring agent	Trade secret	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Pink
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethanediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

Titanium dioxide : Category4

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Red

[File No.] 100012E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281

telefax number: 03-3450-0363

(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
 : May cause generic defects
 : Suspected of causing cancer
 : May damage fertility or the unborn child
 : Causes damage to organs
 : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
 : Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.5g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Red
State	: Liquid
Odor	: slight odor
pH	: about 8.2
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.

Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)
Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)
Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation
No information available.

Serious eye damage/Eye Irritation
Titanium dioxide : Category2B
1,2-Ethenediol : Category2B
Additive : Category2A

Respiratory sensitizer
No information available.

Skin sensitizer
No information available.

Germ cell mutagenicity
Additive : Category1B

Carcinogenicity
Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards]

No information available.

[HS Code]

960820

[Special precautions for user]

Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/3M/5M/8K Red wine

[File No.] 100157E

[Date of issue] 2015/05/11

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Silica (amorphous)	Trade secret	<10
Carbon black	1333-86-4	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | <ul style="list-style-type: none"> : Flush eyes with plenty of water for at least 15 minutes. : Take off the contact lens if possible : Consult medical advice depending on the symptoms. |
| Skin contact | <ul style="list-style-type: none"> : Wash skin. : Consult medical advice depending on the symptoms. : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | <ul style="list-style-type: none"> : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. : Consult medical advice depending on the symptoms. |
| Inhalation | <ul style="list-style-type: none"> : Due to its low vapor pressure inhalation is unlikely at room temperature. : If not feeling well, move to an area of fresh air and rest. : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethanediol	–	(STEL)100mg/m ³
[Exposure controls]		
Protective equipment	: Not required.	
Respiratory protection	: Not required.	
Hands protection	: Not required.	
Eye protection	: Not required.	
Skin protection	: Not required.	

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Red wine
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Carbon black : Category2

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Orange

[File No.] 100044E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.7g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Orange
State	: Liquid
Odor	: slight odor
pH	: about 8.3
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Bright yellow

[File No.] 100036E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.6g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Titanium dioxide	13463-67-7	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Bright yellow
State	: Liquid
Odor	: slight odor
pH	: about 8.2
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Light orange

[File No.] 100033E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.3g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light orange
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Additive : Category2A

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

Titanium dioxide : Category3

1,2-Ethenediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethenediol : Category1

Additive : Category2

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Yellow

[File No.] 100039E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.6g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Titanium dioxide	13463-67-7	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Yellow
State	: Liquid
Odor	: slight odor
pH	: about 8.2
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-1M/5M/8K Straw yellow

[File No.] 100189E

[Date of issue] 2015/05/11

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Silica (amorphous)	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
1,2-Ethenediol	–	(STEL)100mg/m ³
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Yellow
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: No information available.
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethenediol : Category1

Additive : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethenediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Apple green

[File No.] 100180E

[Date of issue] 2015/04/21

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[Ink quantity of product :about 7.6g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10
Silica(amorphous)	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light green
State	: Liquid
Odor	: No information available.
pH	: No information available.
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: No information available.
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Light green

[File No.] 100026E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 8.2g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Light green
State	: Liquid
Odor	: slight odor
pH	: about 8.0
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys - Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Green

[File No.] 100021E

[Date of issue] 2014/09/18

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause generic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..
: Do not eat, drink or smoke when using this product.

- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink [Ink quantity of product : about 7.8g]
Chemical name	Cas No.	Concentration range (wt%)
Water	7732-18-5	50-80
1,2-Ethanediol	107-21-1	<10
Ethanol	64-17-5	<10
Titanium dioxide	13463-67-7	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Resin	Trade secret	<10

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|---|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes.
: Take off the contact lens if possible
: Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin.
: Consult medical advice depending on the symptoms.
: Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion.
: Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature.
: If not feeling well, move to an area of fresh air and rest.
: Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters]

Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for authorized persons.

Wear appropriate protection gear.

Do not work in windward direction.

[Environmental precautions]

Collect leaked material in empty container after leading outflow to a safe area containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local regulations.

[Reference to other sections]

No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Recap after use (if there is a cap), and keep out of the reach of infants.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight.

Recommended temperature : 0–40°C

[Specific end use(s)]

No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m ³
Ethanol	–	(TWA)1000ppm
1,2-Ethenediol	–	(STEL)100mg/m ³

[Exposure controls]

Protective equipment	: Not required.
Respiratory protection	: Not required.
Hands protection	: Not required.
Eye protection	: Not required.
Skin protection	: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Green
State	: Liquid
Odor	: slight odor
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]

Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.1
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >70%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >2000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >20 mg/L (estimate value)

Skin corrosion/irritation

No information available.

Serious eye damage/Eye Irritation

Titanium dioxide : Category2B

Ethanol : Category2A

1,2-Ethanediol : Category2B

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Ethanol : Category1A

Additive : Category2

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

Ethanol : Category1

1,2-Ethanediol : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

SAFETY DATA SHEET

1. Product and Company Identification

[Product name] PC-5M Emerald green

[File No.] 100181E

[Date of issue] 2015/04/21

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

Telephone number: 03-3458-6281 telefax number: 03-3450-0363
(Only office hour are available.)

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Not applicable.

HEALTH HAZARDS

Acute toxicity(oral)	: Not classified
Acute toxicity(skin)	: Not classified
Acute toxicity(inhalation steam)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/Eye Irritation	: Category2
Respiratory sensitizer	: Classification not possible
Skin sensitizer	: Classification not possible
Germ cell mutagenicity	: Category1
Carcinogenicity	: Category2
Toxic to reproduction	: Category1
Specific target organ systemic toxicity(single exposure)	: Category1
Specific target organ systemic toxicity(repeated exposure)	: Category1
Aspiration hazard	: Not classified

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute)	: Not classified
Hazard to the Aquatic Environment (Chronic)	: Not classified

[Label elements]

Pictogram



Signal Word

: Danger

Hazard Statement

: Causes serious eye damage
: May cause genetic defects
: Suspected of causing cancer
: May damage fertility or the unborn child
: Causes damage to organs
: Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

: Do not breathe dust/vapours etc..

- : Do not eat, drink or smoke when using this product.
- : Use personal protective equipment as required. (Refer to Section 8)
- : Get medical advice/attention if you feel unwell.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture
[Chemical nature]	[Component parts]	Ink[Ink quantity of product :about 7.8g]
Chemical name	Cas No.	Concentration range(wt%)
Water	7732-18-5	50-80
Titanium dioxide	13463-67-7	10-30
Resin	Trade secret	10-30
1,2-Ethanediol	107-21-1	<10
Additive	Trade secret	<10
Coloring agent	Trade secret	<10
Polyethylene glycol nonylphenyl ether	9016-45-9	<1

4. First aid measures

[Description of first aid measures]

- | | |
|--------------|--|
| Eye contact | : Flush eyes with plenty of water for at least 15 minutes. |
| | : Take off the contact lens if possible |
| | : Consult medical advice depending on the symptoms. |
| Skin contact | : Wash skin. |
| | : Consult medical advice depending on the symptoms. |
| | : Thoroughly clean and dry contaminated clothing and shoes before reuse. |
| Ingestion | : Rinse mouth, give plenty of water to dilute. No specific intervention is indicated as compound is not likely to be hazardous by ingestion. |
| | : Consult medical advice depending on the symptoms. |
| Inhalation | : Due to its low vapor pressure inhalation is unlikely at room temperature. |
| | : If not feeling well, move to an area of fresh air and rest. |
| | : Consult medical advice depending on the symptoms. |

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media]	Regular dry chemical, carbon dioxide, water, regular foam
[Special hazards arising from the substance or mixture]	No further relevant information available.
[Advice for firefighters]	Stay upwind and keep out of low areas and avoid inhalation of material or combustion by-products. Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]	Rope off the area to contain the leak and prohibit entrance except for authorized persons. Wear appropriate protection gear. Do not work in the leeward.
[Environmental precautions]	Collect leaked material in empty container after leading outflow to a safe area containing earth and sand. Do not allow leaked material to pollute rivers, lakes, etc.
[Methods and material for containment and cleaning up]	Wipe off by dry cloth and wash with water. Dispose of pollution or waste in accordance with national, state and local regulations.
[Reference to other sections]	No information available.

7. Handling and storage

[Precautions for safe handling]	Do not lick or swallow the ink. Avoid contact with skin and eyes. Recap after use (if there is a cap), and keep out of the reach of infants.
[Conditions for safe storage, including any incompatibilities]	Keep away from oxidizing materials, ignition sources, high temperature and direct sunlight. Recommended temperature : 0–40°C
[Specific end use(s)]	No information available.

8. Exposure controls/personal protection

[Control parameters]		
Chemical name	OSHA	ACGIH
Titanium dioxide	–	(TWA)10mg/m3
1,2-Ethanediol	–	(STEL)100mg/m3
[Exposure controls]		
Protective equipment		: Not required.
Respiratory protection		: Not required.
Hands protection		: Not required.
Eye protection		: Not required.
Skin protection		: Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color	: Emerald green
State	: Liquid
Odor	: No information available.
pH	: about 8.1
Boiling point	: No information available.[Water 100°C]
Melting point	: No information available.
Flash point	: No information available.
Autoignition temperature	: No information available.
Explosion limits	: No information available.
Vapor density(air=1)	: No information available.
Density	: about 1.2
Solubility in water	: soluble
Evaporation rate	: No information available.
Volatile	: >60%
[Other information]	No information available.

10. Stability and reactivity

[Chemical stability]	This mixture is stable in normal temperature, a condition of the pressure.
[Reactivity]	No data available.
[Conditions to avoid]	Avoid heat, flames, sparks and other sources of ignition. Avoid direct sunlight and high temperature.
[Incompatible materials]	No information available.
[Hazardous decomposition products]	No information available.
[Possibility of hazardous reactions]	No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(skin)	
Not classified	: >2000 mg/kg (estimate value)
Acute toxicity(inhalation:vapours)	
Not classified	: >20 mg/L (estimate value)
Skin corrosion/irritation	
No information available.	
Serious eye damage/Eye Irritation	
Titanium dioxide	: Category2B
1,2-Ethanediol	: Category2B
Additive	: Category2A
Respiratory sensitizer	
No information available.	

Skin sensitizer

No information available.

Germ cell mutagenicity

Additive : Category1B

Carcinogenicity

Additive : Category2

Toxic to reproduction

Polyethylene glycol nonylphenyl ether : Category2

Additive : Category1A

Specific target organ systemic toxicity(single exposure)

1,2-Ethanediol : Category1

Specific target organ systemic toxicity(repeated exposure)

Titanium dioxide : Category1

1,2-Ethanediol : Category1

Additive : Category1

Aspiration hazard

No information available.

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or incurring damage, and take caution against collapse of container.

15. Regulatory information

TSCA : Listed on the TSCA inventory or polymer substance.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 "Safety of Toys – Part 3"

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.