

Airduster flammable / Airduster Power

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation Airduster flammable / Airduster Power
Chemical name
Product-type Mixture
Product code 0000
UFI: SM00-70NQ-F00A-42ER

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - Aerosols

1.3 - Details of the supplier of the safety data sheet

Fabrica moderna
A. Juozapaviciaus ave. 7F, LT-45251
Kaunas Lithuania
Telephone : +370 612 10528

1.4 - Emergency telephone number

Poison Control Centre (Austria)
Tel. No.: +43 1 406 4343

Antigif Centrum Centre Antipoisons (Belgium)
Tel. No.: +32 070 245 245

National Toxicology Centre, Hospital for Active Medical Treatment and Emergency Medicine "N.I.Pirogov"
(Bulgaria)
Tel. No. / fax: +359 2 9154 233

Poison Control Centre (Croatia)
Tel. No.: +385 1 234 8342

Toxicological Information Centre (Czech Republic)
Tel. No.: +420 224 919 293 / +420 224 915 402

Poison Control Hotline (Denmark)
Tel. No.: +45 82 12 12 12

Poisoning Information Centre (Estonia)
Tel. No.: +372 794 3794 (or 16662 national)

Poison Information Centre (Finland)
Tel. No.: +358 09 471 977

ORFILA (INERIS) (France)
Tel. No.: +33 (0) 1 45 42 59 59

Poison Control Center, Charité – Universitätsmedizin Berlin, Hindenburgdamm 30, 12203 Berlin (Germany)
Tel. No.: +4930 30686700

Health Toxicological Information Service (Hungary)
Tel. No.: +36 80 20 11 99

Poison Centre (Iceland)
Tel. No.: +354 543 2222

Airduster flammable / Airduster Power

CAV Milano Niguarda Ca' Granda (Italy)
Tel. No.: +39 02 66101029
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA
Tel. No.: +39 06 68593726

National Poisons Information Centre (Ireland)
Tel.No +353 1 809 2566 or +353 1 837 9964 (Healthcare professionals - 24/7).
+353 1 809 2166 (public, 8am - 10pm every day).

Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs (Latvia)
Tel. No.: +371 670 42473

The State Medicines Control Agency (SMCA), Poison Information Bureau (PIB) (Lithuania)
Tel. No.: +370 5 236 20 52

Mater Dei Hospital (Malta)
Tel. No.: +356 2545 0000

National Poisons Information Centre (NVIC) (Netherlands) +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications / Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen

Mental Health Helpline (Norway)Tel.
No.: +47 22 59 13 00

Instituto Nacional de Emergência Médica (Portugal)
Tel. No.: +351 213 303 271

Biroul RSI si Informare Toxicologica
(Romania)Tel. No.: +40 021 318 3606

National Toxicological Information Centre (NTIC) (Slovakia)
Tel. No.: +421 2 5477 4166

Toxicology Information Service
(Spain)Tel. No.: +34 91 562 04 20

Swedish Poisons Information Centre
(Sweden)Tel. No.: +46 08 331231

National emergency number (Switzerland) Tel.no 145 (available 24h, Tox Info Suisse, Zürich; for calls from Switzerland, information in German, French and Italian)

NHS Direct (Great Britain)
Tel.no 111 (in case of medical emergency following exposure to a chemical)
or +370 682 54054 (Kaunas, Lithuania). Monday-Friday 6am-8pm
In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aerosol 1	Aerosol - Category 1
-----------	----------------------

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Airduster flammable / Airduster Power

Signal word : Danger

Hazard pictograms



Hazard statements

H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated

Precautionary statements

P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P251	Do not pierce or burn, even after use.

EUH-phrases : None

2.3 - Other hazards

PBT-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

vPvB-substance. - This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
butane	CAS No. : 106-97-8 Index No. : 601-004-00-0 EC No. : 203-448-7	>= 65 - <= 70	Flam. Gas 1 - H220 Press. Gas	Not applicable
propane	CAS No. : 74-98-6 Index No. : 601-003-00-5 EC No. : 200-827-9	>= 30 - <= 35	Flam. Gas 1 - H220 Press. Gas	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation - Provide fresh air.

Following skin contact - When in doubt or if symptoms are observed, get medical advice.

After eye contact - Rinse immediately carefully and thoroughly with eye-bath or water.

Airduster flammable / Airduster Power

- In case of eye irritation consult an ophthalmologist.

4.2 - Most important symptoms and effects, both acute and delayed

Symptoms and effects - Following inhalation - No information available.

Symptoms and effects - Following skin contact - No information available.

Symptoms and effects - After eye contact - No information available.

4.3 - Indication of any immediate medical attention and special treatment needed

- In case an intoxication is suspected, National Poisons Information Centre should be addressed immediately, number of Emergency telephone see in section 1.4.

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 - Extinguishing media

Suitable extinguishing media

- ABC-powder
- Carbon dioxide (CO₂)
- Foam
- Extinguishing powder

Unsuitable extinguishing media - Full water jet

5.2 - Special hazards arising from the substance or mixture

Special hazards arising from the substance or mixture - Vapours can form explosive mixtures with air.

Hazardous decomposition products - No information available.

5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.

- Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1 - Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Provide adequate ventilation.
- Remove all sources of ignition.

For emergency responders

- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2 - Environmental precautions

- Do not allow uncontrolled discharge of product into the environment.

- Explosion risk.

6.3 - Methods and material for containment and cleaning up

Methods and material for containment - No information available.

Methods and material for cleaning up - Ventilate affected area.

Airduster flammable / Airduster Power

Inappropriate techniques

- Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
- No information available.

6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 - Precautions for safe handling

Recommendation

- It is recommended to design all work processes always so that the following is excluded: Generation/formation of dust
- It is recommended to design all work processes always so that the following is excluded: generation/formation of aerosols
- Vapours can form explosive mixtures with air.
- When using do not smoke.
- Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
- Use only in well-ventilated areas.

Advices on general occupational hygiene

- No information available.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed and in a well-ventilated place.
- Do not store together with: Combustible substance
- Protect against: Heat

7.3 - Specific end use(s)

- Aerosols

SECTION 8: Exposure controls/personal protection

8.1 - Control parameters

butane (106-97-8)	
IOELV TWA mg/m ³ (UE)	1450 mg/m ³
IOELV TWA ppm (UE)	600 ppm
TWA EH40 ppm (UK)	600 ppm
TWA EH40 mg/m ³ (UK)	1450 mg/m ³
STEL EH40 ppm (UK)	750 ppm
STEL EH40 mg/m ³ (UK)	1810 mg/m ³

8.2 - Exposure controls

Individual protection measures, such as personal protective equipment

- Hand protection is not required.
- Eye glasses with side protection
- DIN EN 166

SECTION 9: Physical and chemical properties

Airduster flammable / Airduster Power

9.1 - Information on basic physical and chemical properties

<u>Physical state</u>	gaseous	<u>Appearance</u>	Aerosol
<u>Colour</u>	colourless	<u>Odour</u>	characteristic
Odour threshold	No data available		
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Boiling point	< -20 °C		
Flash point	< -20 °C		
Evaporation rate	No data available		
flammability	No data available		
Lower explosion limit	1.5 % Vol.		
Upper explosion limit	10.9 % Vol.		
Vapour pressure	No data available		
Vapour density	No data available		
Relative density	No data available		
Density	0.56 kg/l		
Solubility (Water)	No data available		
Solubility (Ethanol)	No data available		
Solubility (Acetone)	No data available		
Solubility (Organic solvents)	No data available		
Log KOC	No data available		
Auto-ignition temperature	365 °C		
Decomposition temperature	No data available		
Kinematic viscosity	No data available		
Dynamic viscosity	No data available		

Particle characteristics

Particle size	No data available
---------------	-------------------

9.2 - Other information

VOC content	100 %
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- Extremely flammable aerosol. Pressurized container: May burst if heated.

10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

Airduster flammable / Airduster Power

10.4 - Conditions to avoid

- In case of warming: Ignition hazard
- Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
- Vapours can form explosive mixtures with air.

10.5 - Incompatible materials

- No information available.

10.6 - Hazardous decomposition products

- No information available.

SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Toxicity : Substances

propane (74-98-6)	
LC50 inhalation (rat)	> 800000 ppmV
LC50 inhalation vapours (rat)	20 mg/l
butane (106-97-8)	
LC50 inhalation (rat)	> 800000 ppmV
LC50 inhalation vapours (rat)	658 mg/l

Skin corrosion/irritation - Not classified

Serious eye damage/eye irritation - Not classified

Respiratory or skin sensitisation - Not classified

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

Reproductive toxicity - Not classified

STOT-single exposure - Not classified

STOT-repeated exposure - Not classified

Aspiration hazard - Not classified

Airduster flammable / Airduster Power

11.2 - Information on other hazards

- This substance does not have endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1 - Toxicity

Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

Toxicity : Substances

propane (74-98-6)	
LC50 96 hr fish	24.11 mg/l < V < 147.54 mg/l
ErC50 algae	7.71 mg/l < V < 16.5 mg/l
ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l
butane (106-97-8)	
LC50 96 hr fish	24.11 mg/l < V < 147.54 mg/l
ErC50 algae	7.71 mg/l < V < 16.5 mg/l
ErC50 other aquatic plants	7.02 mg/l < V < 69.43 mg/l

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

12.4 - Mobility in soil

- No information available.

12.5 - Results of PBT and vPvB assessment

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

- This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 - Endocrine disrupting properties

Airduster flammable / Airduster Power

- This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 - Other adverse effects

- Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods

Waste treatment methods : - Do not allow to enter into surface water or drains.
- Dispose of waste according to applicable legislation.

Sewage disposal : - No information available.

Special precautions for waste treatment : - No information available.

Community or national or regional provisions : - No information available.

SECTION 14: Transport information

14.1 - UN number or ID number

UN number (ADR) : UN1950

UN number (RID) : UN1950

UN number (ADN) : UN1950

UN number (IMDG) : UN1950

UN number (IATA) : UN1950

14.2 - UN proper shipping name

UN proper shipping name (ADR) : AEROSOLS

UN proper shipping name (RID) : AEROSOLS

UN proper shipping name (ADN) : AEROSOLS

UN proper shipping name (IMDG) : AEROSOLS

UN proper shipping name (IATA) : AEROSOLS, FLAMMABLE

14.3 - Transport hazard class(es)

ADR Transport hazard class(es) : 2

ADR Classification code: : 5F

Pictograms



Airduster flammable / Airduster Power

Transport hazard class(es) : 2

(RID)

Pictograms



Transport hazard class(es) : 2

(ADN)

Pictograms



Transport hazard class(es) : 2

(IMDG)

Pictograms



Transport hazard class(es) : 2

(IATA)

Pictograms



14.4 - Packing group

Packing group :

Packing group (RID) :

Packing group (ADN) :

Packing group (IMDG) :

Packing group (IATA) :

14.5 - Environmental hazards

Environmental hazards : No

Marine pollutant : No

Airduster flammable / Airduster Power

14.6 - Special precautions for user

ADR

<u>ADR Classification code:</u>	:	5F
<u>ADR Special provisions</u>	:	190+327+344+625
<u>ADR Limited quantity (LQ)</u>	:	1L
<u>ADR Excepted quantities</u>	:	E0
<u>ADR Packing instructions</u>	:	
<u>ADR Special packing provisions</u>	:	
<u>ADR Mixed packing provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>ADR tank code</u>	:	
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	D
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	V14
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	S2
<u>ADR Hazard identification number (Kemler No.)</u>	:	

RID

<u>Special provisions</u>	:	190+327+344+625
<u>Limited quantity (LQ)</u>	:	1L
<u>Excepted quantities</u>	:	E0

ADN

<u>Special provisions</u>	:	190+327+344+625
<u>Limited quantity (LQ)</u>	:	1L
<u>Excepted quantities</u>	:	E0

IMDG

<u>Special provisions</u>	:	63 190 277 327 344 381 959
<u>Limited quantity (LQ)</u>	:	1000 mL
<u>Excepted quantities</u>	:	E0
<u>Packing instructions</u>	:	
<u>Special packing provisions</u>	:	
<u>IBC instruction(s)</u>	:	
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>EmS codes</u>	:	F-D, S-U
<u>Stowage and handling</u>	:	Category None SW1 SW22
<u>Segregation</u>	:	

Airduster flammable / Airduster Power

<u>Properties and observations</u>	:	
<u>IATA</u>		
<u>PCA - Excepted quantities</u>	:	E0
<u>PCA - Limited Quantity - Packing Instructions</u>	:	Y203
<u>PCA - Limited Quantity - Maximum Net Quantity per Package</u>	:	30kg
<u>PCA - Packing Instructions</u>	:	203
<u>PCA - Maximum Net Quantity per Package</u>	:	75kg
<u>CAO - Packing Instructions</u>	:	203
<u>CAO - Maximum Net Quantity per Package</u>	:	150kg
<u>Special Provisions</u>	:	A145 A167 A802
<u>ERG Code</u>	:	

14.7 - Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content 100 %

- – COUNCIL DIRECTIVE of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (OJ L 147, 9.6.1975, p. 40)
- 850/2004/EC, 79/117/EEC, 689/2008/EC , 2008/47/EC
- Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
- Swiss Regulations: Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
1	21/04/2023		

Texts of the regulatory sentences

Aerosol 1	Aerosol - Category 1
Flam. Gas 1	Flammable gas. - Category 1
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
Press. Gas	Gases under pressure

*** **